

CONSTRUCTION SUMMARY

Belle Aire Shores - Zancor Homes (Innisfil) Ltd.

PURCHASER: INVENTORY

LOT / PHASE

128 / 1 GALLEY (36-05) ELEV B HOUSE TYPE TEL: RES.: 416-400-6050

PRINT DATE

27-Nov-17

	28Jun17	4145 HARDWOOD - MAIN FLOOR IN STANDARD AREAS - UPGRADE 5
	28Jun17	MASTER ENSUITE FLOOR - UPGRADE 5 MASTER ENSUITE SHOWER WALLS - UPGRADE 4 MASTER ENSUITE SHOWER JAMB
	28Jun17	
	28Jun17	
	28Jun17	4141 CABINETRY - MASTER ENSUITE & MAIN BATH UPGRADE 2
	28Jun17	4140 CABINETRY - LAUNDRY UPPERS AND LOWERS INCLUDING AROUND TUB
	28Jun17	4139 CABINETRY - KITCHEN HIDDEN LIGHT VALANCE
	28Jun17	4138 CABINETRY - KITCHEN 8 CM RISER
	28Jun17	4137 CABINETRY - KITCHEN POTS & PANS DRAWERS
	28Jun17	4136 CABINETRY - KITCHEN DEEP UPPERS WITH GABLES
	28Jun17	4135 CABINETRY - KITCHEN UPGRADE 2 **UPPERS AND LOWERS DIFFERENT COLOURS
	12Jun17	2431 FRAMELESS GLASS SHOWER IN MASTER ENSUITE
	12Jun17	2430 6.00 - LARGER BASEMENT WINDOWS 30 X 24
8 FOOT GARAGE MAN DOOR NOT POSSIBLE DUE TO SITE CONDITIONS	12Jun17	2429 8 FOOT DOORS ON MAIN FLOOR **INCLUDES GARAGE MAN DOOR
	12Jun17	2428 FIREPLACE IN GREAT ROOM WITH STANDARD MANTLE **INCLUDES BUMP OUT FOUNDATION, IF POSSIBLE **IF SETBACKS DONT ALLOW FOR BUMP, INSTALL FIREPLACE INTO THE ROOM
	12Jun17	2427 ELECTRICAL - LED POTLIGHTS (4) IN KITCHEN ON SEP SWITCH, STD LIGHT TO BE OVER ISLAND (6) IN GREAT ROOM ON SEP SWITCH, STD TO REMAIN (7) IN DINING ROOM ON SEP SWITCH, STD TO REMAIN (2) IN FOYER ON SAME SWITCH AS STD LIGHT
	12Jun17	2426 SMOOTH CEILINGS ON MAIN FLOOR, UPPER HALL & MASTER BEDROOM
	28Apr17	 2425 BONUS: 9ft main floor ceilings, 8ft ceilings on second floor 3-1/4 inch by ¾ inch natural prefinished engineered hardwood on main floor in non-tiled areas, excludes bedrooms Natural finished oak stair
	28Apr17	Granite kitchen countertops with undermount sink 3 Piece stainless steel appliances with white top loading washer and dryer Stainless steel under cabinet hood fan Extended uppers in kitchen (39-1/2") BBQ Gas line
Notes	Approved	



CONSTRUCTION SUMMARY

Belle Aire Shores - Zancor Homes (Innisfil) Ltd.

PURCHASER: NYENTORY

LOT/PHASE 128/1 HOUSE TYPE GALLEY (36-05) ELEV B TEL: RES.: 416-400-6050 PRINT DATE
27-Nov-17

	28Jun17	4165 APPLIANCES UPGRADE TO STAINLESS STEEL COUNTERDEPTH FRIDGE, STOVE, WHIRLPOOL DISHWASHER, GLASS CHIMNEY HOOD & STANDARD WHITE WASHER AND DRYER
	28Jun17	
	28Jun17	
0	28Jun17	4162 PLUMGING MASTER ENSUITE - MOEN METHOD TUB/SHOWER WITH HANDHELD AND SLIDE BAR 4 PIECE ROMAN TUB FAUCET
	28Jun 17	4161 PLUMBING - MASTER ENSUITE & MAIN - MOEN METHOD SINK FAUCETS 6810
	28Jun17	
	28Jun17	4159 CABINETRY - SOFT CLOSE DOORS AND DRAWERS IN KITCHEN
	28Jun17	4158 CABINETRY - KITCHEN UPGRADE HANDLES
	28Jun17	4157 RAILINGS - METAL - ALL PLAIN
	28Jun17	
	28Jun17	##CENTRE VENT TO ACCOMODATE **CENTRE VENT TO ACCOMODATE
	28Jun17	1
	28Jun17	
	28Jun17	
	28Jun17	4151 MIRROR - KITCHEN BACKPLSAH **SMOKED MIRROR (GREY TINT) **NOT BEHIND STOVE
	28Jun17	**ABOVE STOVE AND BEHIND CHIMNEY ONLY
	28Jun17	l .
	28Jun17	4148 COUNTERTOP - KITCHEN UPGRADE 4
	28Jun17	1
Notes	Approved	1

This Document is Extremely Time Sensitive - Printed 27 Nov 17 at 15:37


ANCOR HOMES COLOUR CH._.T

Vendor	er Initial	Purchaser Initial		*	** PAGE 1 OF 2 **	
7			onsibility of <u>all</u> ir charts <u>PRIOR</u>	PES. It is the resp	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR</u> to installation.	Any upgrades in the colour ch Trades to inform the builder c
128	SFIL	INNISFIL			***FOR TRADE USE***	10 May 14
T	SITE & LOT			ır chart	Purchaser has reviewed the colour chart	Purc
	N/A			Location	MOEN UPGRADE	Bathroom Accessories
	N/A			Opt. Crown Moulding	YES	Mirrors
	LDING	PLASTER MOULDING	PLA		MIRRORS & ACCESSORIES	
d		MANTLE		Opt. Surround		LOCATION
NEX		MANTIF		Opt. Surround	GREAT ROOM 0	LOCATION
			N/A	TIDED! A CITE		Basement Foyer
			STANDARD	S		Carpet Underpad
		T20	NIGHT - COLOUR T20	OPENING N		Bedroom 4
		T20	OPENING NIGHT - COLOUR T20	OPENING N		Bedroom 3
		T20	OPENING NIGHT - COLOUR T20	OPENING N		Master Bedroom
		S (5)	VINTAGE MAPLE - 5" ARIES (5)	VINTAGE N		Upper Hall
		S (5)	VINTAGE MAPLE - 5" ARIES (5)	VINTAGE N		Main Hall
			N/A			Main Foyer *(Waiver)
			N/A			Kitchen *(Waiver)
		5(5)	VIAPLE - 5 AKIE	VINIAGE		Den/Stildy/parkur/Library
		S (5)	VINTAGE MAPLE - 5" ARIES (5)	VINTAGE MAPLE -		Family/Great Room
			N/A			Living Room
			PET	HARDWOOD / CARPET	HAR	
2				N/A		Twin Ensuite Tub Wall
				N/A		Twin Bath Floor
			(1)	TWILL WHITE 8 X 10 (1)	TWI	Main Bath Tub Wall
			ACKED (5)	ROMA STATUARIO 12 X 24 STACKED (5)	ROMA STATE	Main Bath Floor
			INNOCE	WHITE OTZ		Master Shower Jamb
			1ABBI F	BIANCO CARRARA 2 Y 2 MARRIE	BIANCO	Master Shower Floor
			ACKED (5)	ROMA STATUARIO 12 X 24 STACKED (5)	ROMA STATE	Mstr Ensuite Floor
						Laundry
CHIMNEY)	STOVE ONLY & BEHIND CHIMNEY)	STOVE ONL	**STACKED (ABOVE	BLUE 2 X 12 **ST	CRISTALLO GLASS TEAL BLUE 2 X 12	Kitchen Bk.Splash STOVE
		CTOVE	D) *NOT DELINI	HARDWOOD	HARDWOOD HARDWOOD	Kitchen Bk Splash
				HARDWOOD		Kitchen Floor
						Main Hall
			24 X 24 (6)	ALL OVER SERIES WHITE 24 X 24 (6)	ALL OVER	SIDE HALL
			X 24 (6)	ALL OVER SERIES WHITE 24 X 24 (6)	ALL OVER	Main Foyer
THRESHOLDS	INSERTS				TILES	
	WHITE 949-58	IHW		TE	SLAB PVC - WHITE	L <mark>aundry</mark>
					N/A	Powder Room
7	r oction (v)				N/A	Twin
7	K-STONE BLACK (1)	K-STON		WHITE	EURO - HIGH GLOSS WHITE	Main
-	IF BLACK (A)	NOTE N		WHITE	FIIRO - HIGH GLOSS WHITE	Master Ensuite
			1	B PULL	DOOR HANDLES - TAB PULL	Kitchen DOOR HANDLES
0	ABSOLUTE BLANC (4)	ABSOLU		SMO	EUR - OLMO CARISMO	Kitchen Island
0	ABSOLUTE BLANC (4)	ABSOLU		SMO	EUR - OLMO CARISMO	Kitchen LOWERS & FRIDGE
EDGE	COUNTERTOP	COU	HARDWARE	E NATTE	FURO - PIANOVO MATTE	Kitchen UPPERS
			RTOPS	CABINETRY / COUNTERTOPS	CABIN	
Direction of the Party of the P						


ANCOR HOMES COLOUR CH. _T

ture Date	Vendor Signature	*	PAGE 2 OF 2 ***	* * *
JUN 2		nd Mark	<u>'I Trades</u> to inform the on sketches, PES and/or to installation.	It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>
signature Date	Décor Consultant Signature	ZANCOR	EUSE*** art must be accompanied ES.	****FOR TRADE USE*** Any upgrades in the colour chart must be accompanied with a PES.
ature Date	Purchaser Signature			DÉCOR NOTES
ature Date	Purchaser Signature			EMAIL:
	INVENTOCY			PURCHASER(S):
3		LOT: 128	INNISFIL L	SITE:
		is before signing.	ed accuracy of colour and selection	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
		ninistration fee plus costs	gning are subject to a \$5000 adn	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
ors's	some items may have been pre-selected or installed. In this event the Vendors's	may have been pre-selected o	construction progress some items i haser	manufacturing/manufacturers. Due to construction progress some selection must be accepted by the purchaser
INITIALS	dve lot variances in	DLAIMER but not necessarily identical dire to due lot variances in		Colours of all materials are as close as p
		A		ELECTRICAL for Bar Fridge
		A		ELECTRICAL for Gas Stove / Cooktop
FOR OTR		S		ELECTRICAL for Built-in Micro / OTR
		A CH	6 INCH	Hood Fan Venting SIZE
		A	N/A	WATERLINE to Fridge
			N/A	GAS LINE
NOTES	DECLINED		UPG (SEE PES)	
N PES	d in 'Schedule E' YES / NO Package Name:	YES / NO Package Name:	d in 'Schedule E'	Appliance Package received in 'Schedule E'
		N/A	N/A	Other
		N/A	N/A	BASEMENT
		A/N	N/A	2nd Ensuite
		STANDARD	STANDARD	Main/Twin
NDERMOUNT SINKS	RECTANGLE	STANDARD	UPGRADE	Master Ensuite
MOUNT / ARBOR FAUCET	BLANCO UNDERMOUNT / ARBC	UPGRADE	STANDARD	Powder Room
		FAUCETS	FIXTURES	
	ETAILED ON PES	PLUMBING- UPGRADES TO BE DETAILED ON PES	PLUMBING	
BIRCH WHITE	Basement	HITE	BIRCH WHITE	Powder Room
BIRCH WHITE	Twin	HITE	BIRCH WHITE	Laundry
BIRCH WHITE	Master Ens.	HITE	BIRCH WHITE	Main/Unper Hall
BIRCH WHITE	Bedroom 4	/НІТЕ	BIRCH WHITE	Family/Great room
BIRCH WHITE	Bedroom 3	/HITE	BIRCH WHITE	Dining Room
BIRCH WHITE	Bedroom 2	/HITE	BIRCH WHITE	Living Room
BIRCH WHITE	Master Beds	1	BIRCH WHITE	Kitchen/Breakfast
	STANDARD	PAINT		exterior poor Hardware
	STANDARD			Interior Door Hardware
	STANDARD			Interior Doors
	UPGRADE 1 - STEP STYLE	UPGR/	The second secon	Casing/Baseboards
		TRIM	A Land Comment of the	The second secon
	N/A		ails:	Main to Basement Railing Details:
	METAL - BLACK - ALL PLAIN	~		Main to 2nd Railing Details:
SE AS POSSIBLE	STAIN TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	SIAIN IO MAI		White Paint Reg'd
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	& STAIR STAIN	STAIN TO MATCH HABOWCOOD	SIAIKS, K	Stair Stain / Species:
		- TO	CTAINC D	


Elevation A & B 2297 sq.ft.




Ground Fleor Elevation A



GALLEY 36-05




Second Floor Elevation A




GALLEY 36-05

Partial Second Floor Elevation B





Basement Elevation A



Partial Basement
Elevation B

GALLEY 36-05





olympiatile+stone



BLANCO PRECIS U 2 SILGRANIT® **Product Specification Sheet**



BLANCO PRECIS			¥
Colour Finish		<u>ja k</u> om	

•	0	BLAN U 2	
0	0	BLANCO PRECIS U 2	
Truffle	White	S Colour	

reversible 401705

401179

0	6
0	C



Cinder

401415



Café

400581







WARRANTY

Limited Lifetime warranty


Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

Brampton, ON L6S 6B5 BLANCO CANADA 100 Corporation Drive

www.blancocanada.com Fax: 905 494 2425

PRODUCT DIMENSIONS



FEATURES / SPECIFICATIONS

Model No.

- Made in Canada and Germany
- SILGRANIT® natural granite composite material
- Exceptional resistance to heat, scratches and impact
- Repellant material does not absorb any liquids, acids or stains Non-porous surface does not require use of any harsh chemicals
- Includes Hygienic+Plus surface protection formula against bacteria
 Rear-positioned and centred drain hole maximizes usable bowl and cabinet
- Virtually flat sink bottom prevents glassware from tipping over
- Limited Lifetime Warranty

DESIGN AND PLANNING TIPS


Cabinet Size: 33" (840 mm)

Bowl depth: 8" (205 mm) / 8" (205 mm)
Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

© 2016 BLANCO CANADA



A modern blend of flat planes and curves gives Method faucets and accessories an chic look. Traditional | Transitional | Modern





Single Handle Vessel Lav Faucet with Lift Rod Drain and Grid Drain Kit ^

Model 6810 / A2020



Single Handle Lav Faucet with Lift Rod Drain '

Model 6810




Two Handle Adjustable Widespread (8" – 16") Lav Faucet with Lift Rod Drain

Model T6820 / 69000



Roman Tub Faucet Two Handle

Tub Drain Half Kits Available** Model T986 / 4796



Tub Drain Half Kits Available**

Mast

FINISH OPTIONS:



 \Box


To order, combine the model number with one of these finish letter(s): LifeShine® Brushed Nickel (BN).
To order Chrome (C) model, use model number only.

^ Deckplate included

T90331 / 140680

gives Method faucets and accessories an chic look. A modern blend of flat planes and curves Traditional | Transitional | Modern





Posi-Temp with 3 Fund and Slide B Tub/Shower Faucet ction Transfer Valve/Trim Bar with Hard Shower *

Mode/T62803EP / 3372 / 128284 / T4171 / 62320 / 3669EP / A725

Posi-Temp® Shower Only with 3 Function Diverter Valve and Slide Bar with Hand Shower *

Model T62802EP / 3372 / T4171 / 62320 3669EP / A725

master

FINISH OPTIONS:



 \circ BZ


To order, combine the model number with one of these finish letter(s): LifeShine® Brushed Nickel (BN).
To order Chrome (C) model, use model number only.
* Please see vertical spa guide for installation #700106

Method™

Traditional | Transitional | Modern

A modern blend of flat planes and curves
gives Method faucets and accessories an chic look.

128 128



FINISH OPTIONS:



CH BN

To order, combine the model number with one of these finish letter(s): Chrome (CH) & LifeShine® Brushed Nickel (BN).



2DAS **APPLIANCES** Wholesale

COAST WHOLESALE APPLIANCES INC #1 - 1748 CREDITSTONE ROAD, VAUGHAN, ON L4K 5V8 *** TOLL FREE 1-888-745-0622 PH:(905)303-6909 FX:(905)856-5325



"innovative Products for Builders, Designers & Home Owners"

Sold ZANCOR HOMES (INNISFIL) LTD.

To: (BELLE AIRE SHORES)
137 BOWES ROAD
CONCORD
ON L4K 1H3

To: Ship p ZANCOR HOMES (INNISFIL) LTD.
(BELLE AIRE SHORES)
137 BOWES ROAD
CONCORD
ON L4K 1H3

SALES ORDER
QUOTATION

=										_	-				Quantity		F8 WAY	Sales Re	
-		PFA	INSTALLATION OF STND	INSTALLATION/H/FAN	INSTALLATION HOOKUP	48372	YNED4655EW	NTW4516FW	WDF320PADS	GLAS30SS600-B	YKSEB900ESS		KRFC302ESS	Model / Description			L	Sales Representatives	
'Quote Va		P,				₹ E	₹ ≥	≶ ≥	ω ≤		<u>o</u> ×	₃		on	WOODBRIDGE WHSE	Shipping Location	LOT 151 BELLE AIRE SHO	P.O.#	
lid for 15 Da		CKAGE FREIGHT	STALLATION OF	INSTALLATION OF HOOD FAN	STALLATION - H	EZ FLO STAINLESS STEEL BRAI WASHING MACHINE FILL HOSE	AMANA 6.5 CUFT WHT, AUTO DRY	AMANA 4.0 CUFT WHT	HIRLPOOL PLAST CYCLES,4 OPTIC	FABER GLASSY 30 600 CFM	KITCHENAID AQU SLIDE-IN RANGE	5", COUNTER DE	TCHEN AID 220						
"Quote Valid for 15 Days from Quote Date"		PACKAGE FREIGHT ALLOWANCE INCLUDED	INSTALLATION OF STANDARD PACKAGE	HOOD FAN	INSTALLATION - HOOKUP WATERLINE TO FRIDG	EZ FLO STAINLESS STEEL BRAIDED 6" WASHING MACHINE FILL HOSE	AMANA 6.5 CUFT DRYER 11 CYCLES,3 TEMP WHT, AUTO DRY	AMANA 4.0 CUFT TOP LOAD WASHER WHT	WHIRLPOOL PLASTIC TUB D/WASHER S/S 3 CYCLES,4 OPTIONS,13 SETTINGS	FABER GLASSY 30" SS WALL HOOD 600 CFM	KITCHENAID AQUA LIFT ELECTRIC SS SLIDE-IN RANGE	36", COUNTER DEPTH REFRIGERATOR	KITCHEN AID 22CUFT FRENCH DOOR B/M SS		01 JUN 17	Date Quoted	NET 30 DAYS	Terms	
te Date"		CLUDED	CKAGE		INE TO FRIDG	G ₂	ES,3 TEMP	HER	IER S/S S	Ö	SS	TOR	OR B/M SS		15 JUN 17	Date Required		Prov.Tax #	905-738-7010
SUBTC PST DEL/FL HST TOTAL				ن						3. 1	- N.14		1	Price			GO481	Customer #	10
										_1				Extension	SALES PROPOSAL	Document Type	1913881-01	Quote #	

Page: _ 으

Sales Copy

www.coastappliances.com

NOW 16 LOCATIONS TO SERVE YOU





delivers your choice of performance level in a stylish and contemporary flat glass wall range hood. body with advanced electronic controls, an optional remote control and two level energy efficient LED lights. Available with a 600 or 300 cfm motors, the Glassy



AVAILABLE MODELS

Model#	Size / Color	Motor Class (CFM) Sound Levels (sones)	Sound Levels (sones
GLAS30SS600-B	30" Stainless	600 CFM	2.8 - 7.5
GLAS36SS600-B	36" Stainless	600 CFM	2.8 - 7.5
GLAS30SS300-B	30" Stainless	300 CFM	2.5 - 5.0
GLAS36SS300-B	36" Stainless	300 CFM	2.5 - 5.0

107 NZ

KEY FEATURES



Backlit electronic controls

Backlit electronic controls with a White LED light to indicate the current speed and two level lighting



LED bulbs

Low consumption I watt LED bulbs with a dimmer light up your cooking but use very little energy



Remote Control (optional)
Control all features of the hood from the convenience of a wireless remote control (sold separately)



Ductless Chimney

installation. An upper chimney with return air grates on the side is included. Just purchase the ductless kit to complete the ductless


GLASSY WALL RANGE HOOD



D WINSON

SPECIFICATIONS

		power cord included yes	ADA compliant yes (with remote control purchase)	15 minute auto shut off yes	10 minute intensive speed yes	grease filters dishwasher safe mesh	ducting top 6" round	lighting 2 x 1 (w) led - two level	controls 4 speed electronic w/ white led	high ceiling kit yes - reaches up to 11' ceilings	canopy depth / height 18 1/2" d / 1 11/16" h	convertible to ductless / yes - kit sold separately	min. / max. ceiling height 8' 2" - 9' 3/16"	
--	--	-------------------------	--	-----------------------------	-------------------------------	-------------------------------------	----------------------	------------------------------------	--	---	--	---	---	--



PERFORMANCE (600 CFM Motor shown)

CFM	150	350	450
Sones	2.8	4.3	6

ACCESSORIES

#REMCTRL –
Remote Control

Control all features of the hood from the convenience of a wireless remote control

#FILTER2 – Charcoal Filter Kit

High quality charcoal filter for use when recirculating the air back into the kitchen. Filters out odor and should be replaced every 6 months

High Ceiling Kit

#WIREBOX –
Fixed Wiring Box

Replace the power cord with a hard wired box to power the range hood

High ceiling kit replaces the upper chimney with a taller chimney to reach up to 10' 9 10/16"

To convert the Glassy to ductless, this kit includes charcoal filters and a #DUCT4-Ductless Conversion Kit

diverter to send the air thru the side grates on the upper chimney.

#MUDAMPER6/MUDAMPER8-Universal Make-Up Air Damper

Satisfies make-up air requirements, this kit uses an air switch to activate the make-up air damper to open and bring fresh air into the home when the hood fan is on. It then closes tightly when the hood is off. The CFM level is not reduced

with this access


















WARNING! Product specifications are subject to change without notification. Consult the installation instructions before you begin installing this range hood



Imagined in Italy

22 cu. ft. 36-Inch Width Counter Depth French Door Refrigerator with Interior Dispense (... Page 1 of 1



22 cu. ft. 36-Inch Width Counter Depth French Door Refrigerator with Interior Dispense

This 72-inch refrigerator is three inches taller than a standard counter-depth refrigerator. It fills the gap that can be left above many refrigerators, adding to its integrated appeal. A pull-out freezer drawer allows you to organize frozen items on three levels. And with the ExtendFresh w

Temperature Management System all of youringredients will be held at the optimum temperature to maximize their flavor and texture.

AVAILABLE COLOR OPTIONS

Steel - KRFC302ESS

FEATURES

ExtendFresh™ Plus Temperature Management System

Interior Water Dispenser

Additional Features

LED Lighting

2 D

Uses space-efficient, under-mounted pans with rollers and glides for satisfyingly smooth operation.

Star-K Certified

STAR-K KOSHER CERTIFICATION for use on the Sabbath and other religious holidays. Automatic Ice Maker

Metallic Accents on Shelf Trim

FOR THE WAY IT'S MADE:

PRODUCT MODEL NUMBERS

KRFC302E

that a separate circuit serving only your refrigerator and approved accessories be provided. Use an outlet that cannot be turned off by a switch. Do not use an 15- or 20-amp fused, grounded electrical supply is required. It is recommended extension cord. Electrical: A 115 volt, 60 Hz, AC only


(241 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, Water: A cold water supply with water pressure of between 35 and 120 psi


qualified plumber.

Reverse Osmosis Water Supply:
IMPORTANT: The pressure of the valve of the refrigerator needs to be between 35 and 120 psi water supply coming out of a reverse osmosis system going to the water inlet

(241 and 827 kPa).

PRODUCT DIMENSIONS **Bottom Mount Refrigerator**






713%" (181.3 cm)	Height - Top of Cabinet "B"
441/6" (112.1 cm)	Depth - Doors Open 90° "C"
451/4" (114.9 cm)	Depth - Drawer Open "D"
301/4" (76.8 cm)	Depth - With Handles "E"
27¾" (70.5 cm)	Depth - Without Handles "F"
245/ ₈ " (62.5 cm)	Depth - Cabinet Only "G"
35¾" (90.8 cm)	Width - Cabinet

21.9

72* (182.9 cm)

Height -Overall

LOCATION REQUIREMENTS




IMPORTANT: This refrigerator is designed for indoor, household use only.

To ensure proper ventilation for your refrigerator, allow for ½" (1.25 cm) of space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave 2½" (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to swing open.

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.

To Da

KitchenAid® 30-Inch 5-Element Electric Convection Front Control Range with Baking D... Page 1 of 1



NEW

KitchenAid® 30-Inch 5-Element Electric Convection Front Control Range with Baking Drawer

Write a Review

This versatile electric range provides a Baking Drawer that adds more options to the oven. The separate compariment allows you to bake at a different temperature. This range also features Even-Heat¹¹⁴ True Convection, helping you achieve flawless cooking results. The unique bow-tie design and convection fan ensure the entire oven isheated to, and stays at, the perfect temperature. It also has a Wireless Probe that allows you to read internal food temperatures even when you're away from the kitchen.

AVAILABLE COLOR OPTIONS

FEATURES

Baking drawer

Adds more cooking options to the oven. The separate compartment allows you to keep warm, slow cook or bake at a different temperature and keep dishes

Produces flawless results. The unique bow-tie design and convection fan ensure the inside of the entire oven is heated to, and stays at, the perfect temperature. Even-Heat™ True Convection

Lets cooks walk away from the oven without walking away from control. Our probe can easily be set to specific temperatures, and alerts you when the desired temperature has been reached. The easy-to-read monitor lets you attend to the rest of the meal, or anything else. Wireless Probe

Additional Features

Offers the ability to provide additional the oven, enhancing cooking results.

Cleans your oven in less than an hour without odours and at a temperature below 200°F. This innovative system combines low heat with water to release baked-on spills.

7.1 cu ft total capacity

This electric freestanding range provides an extra-large cooking capacity in the oven for multiple dishes at once and gives you the flexibility of a separate temperature zone in the baking drawer.

EasyConvect[™] Conversion System

Takes guesswork out of convection cooking by ensuring you can get exceptional results when experimenting with new or familiar 's our promise to flawlessly fit slide-in ranges designed for an existing cutout of 30" width, countertop depth of 24"-25", cabinet Jepth of 23"-24" and countertop height of 36".

Glass Touch Controls

Side Trim Accessory Kit

his optional accessory kit will cover damaged countertops and minished edges from an old slide- in range to make them neautiful again. Tim pieces come in black, white and stainless to earnlessly match your new range.

To The