

CONSTRUCTION SUMMARY

The Villages in Stayner - Zancor Homes (Stayner) Limited PURCHASERS; Mark Hollahan and Yamiry Wilson

2_Nov_18	The Blue (50-01) Elev A Ont Grad FLR - 16 Garage	5/2
PRINT DATI	HOUSE TYPE	LOT / PHASE

	01Nov18	0200 ADMIN FEE FOR LATE CHANGE
	01Nov18	
	01Nov18	6286 ELECTRICAL - ADD 9 LED POTLIGHTS 5 IN KITCHEN ON SEP SWITCH, STD TO REMAIN 4 IN FAMILY ROOM ON SEP SWITCH, STD TO REMAIN
	30Jul18	
	30Jul18	
	30Jul18	5963 COUNTERTOPS - KITCHEN - UPGRADE TO STONE **INCLUDES BLANCO HORIZON UNDERMOUNT SINK MASTER ENSUITE - UPGRADE TO STONE **INCLUDES OVAL UNDERMOUNT MAIN BATH - UPGRADE TO STONE **INCLUDES OVAL UNDERMOUNT
	30Jul18	5962 KITCHEN - BACKSPLASH - UPGRADE 2, BRICK PATTERN ***INCLUDES BEHIND CHIMNEY
	30Jul18	5961 LAMINATE - UPGRADE COLOUR ON MAIN FLOOR
	30Jul18	
	30Jul18	1
	30Jul18	1
	30Jul18	
	30Jul18	1
	30Jul18	1
	30Jul18	1
	30Jul18	3 pce stainless steel appliances with white top load washer & dryer Stainless steel under cabinet hood fan Decor Dollars
Notes	Approved	1

This Document is Extremely Time Sensitive - Printed 2 Nov 18 at 14:50

ZANCOR HOMES COLOUR CHART

Vendor	<	Purchaser Initial		** PAGE 1 OF 2 ***	
	5	Ja Mit	It is the responsibility of <u>all Trades</u> colour charts <u>PRIOR to installation.</u> الإ	_	Any upgrades in the colour chart must be accompanied with a PES. to inform the builder of any discrepancies on sketches, PES and/or
5		STAYNER (55)		***FOR TRADE USE***	
		Site/Lot		Purchaser has reviewed the colour chart	And the second s
		N/A		YES Location	Bathroom Accessories
		N/A		YES Crown Moulding	Mirrors
	-	PLASTER MOULDING	PLASTE	MIRRORS & ACCESSORIES	
	Z	HEARTH		BIANCO CARRARA	INSERT & SURROUND
	ZF.	MANTLE		GREAT ROOM	LOCATION
			CPENING NIGHT 1-0/	EIREDI ACES	September 1976
			STANDARD		Pasement Fover
			OPENING NIGHT T-07	OPEN	Cornet Indones
			OPENING NIGHT T-06	OPEN	Bedroom 3
			OPENING NIGHT T-05	OPEN	Bedroom 2
			OPENING NIGHT T-04	OPEN	Master Bedroom
			OPENING NIGHT T-03	OPEN	Upper Hall
			TILE		Main Hall
			TILE		Main Foyer *(Waiver)
			TILE		Kitchen *(Waiver)
			N/A		Den/Study/parlour
		MOAK	LAMINATE - LEXINGTON ROCKINHAM OAK	LAMINATE - LEX	Family/Great Room
		MOAK	LAMINATE - LEXINGTON ROCKINHAM OAK	LAMINATE - LEX	Dining Room
			N/A		Living Room
	ľ		PET	HARDWOOD / CARPET	
	†			N/N	Basement Ensuite Wall
	1			N/A	Basement Ensuite Floor
	1			N/A	2nd Ensuite Shower
	1			N/A	2nd Ensuite Wall
	\dagger		8 × 10	UNIWALL TENDER GREY 8 X 10	Main Bath Tub Wall
	†		BRICK (STD)	NEW BYZANTINE GREY 12 X 24 BRICK (STD)	Main Bath Floor
	+			WHITE 2 Y 2	Shower Floor
	T			CING GREE & A 10	SHOWER IAME
	T		BRICK (STO)	ALLONG ANTINACTIC 12 X 24 BRICK (STD)	Metr Ene SHOWER Wall
	T		TOTAL (FYE)	CAMINAL CAMINALE	Metr English Sloor
	T		K (STD)	ALLURE GREY 12 X 24 BRICK (STD)	Mud Room
			BRICK (STD)	NEW BYZANTINE GREY 12 X 24 BRICK (STD)	Laundry
			X (STD)	ALLURE GREY 12 X 24 BRICK (STD)	Powder Room
			X (STD)	ALLURE GREY 12 X 24 BRICK (STD)	Main Hall
	1		X (STD)	ALLURE GREY 12 X 24 BRICK (STD)	Main Foyer
			EY 4 X 12 (2) BRICK	COLOURS & DIMENSIONS TENDER GREY 4 X 12 (2) BRICK	Kitchen 8k.Splash
	1		K (STD)	ALLURE GREY 12 X 24 BRICK (STD)	Breakfast Floor
	1		K (STD)	ALLURE GREY 12 X 24 BRICK (STD)	Kitchen Floor
TUBECUOI DE	1	INCEPTO	14/2	THES	
		N/A	N/A	N/A	Patement Rath
	L	K617 K-STONE	H500C	EURO HIGH GLOSS - GREY/BEIGE (STD)	Main
	Ц	K609 K-STONE	H500C	EURO HIGH GLOSS - WHITE (STD)	Master Ensuite
	Ħ	NEW CLAEDONIA GRANITE	H500P	CAMBRIDGE MDF - STONE GREY (1)	Island
		NEW CLAEDONIA GRAN	H500P	CAMBRIDGE MDF - WHITE (1)	Kitchen
EDGE		COUNTERTOP	HARDWARE	DOOR STYLE	
			ERTOPS	CABINETRY / COUNTERTOPS	
			OUR CHARI	CANCOR HOMES COLOUR CHARL	

PAGE 1 OF 2 6/26/2018


From:Zancor Wasaga

ZANCOR HOMES COLOUR CHART

nature Date	Vendor Sign		2 ***	PAGE 2 OF	**
JUL 13 2018			the nd/or	Il Trades to inform on sketches, PES au to installation.	It is the responsibility of all Trades to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.
sultant Signature Date	Décar Consultan		N	of?	with a PES.
				OE USE***	***FOR TRADE USE***
	Purchaser Signature				DÉCOR NOTES
Broc 3C 3MIII	<	K	YANIRY@MSN.COM	YAI	EMAIL:
ghature Date	Pyrchaser Signature		705-606-1667		HOME #/CELL #
JUNE 25 2018	X	AN	MARK W. HOLLAHAN YANIRY WILSON	MAI	PURCHASER(S):
,		5	i5) LOT:	STAYNER (55)	SITE:
×		ng.	d selections before sign	ed accuracy of colour an	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
purchaser X	election must be accepted by the	is event the Vendors's s	ected or installed. In the	ns may have been pre-sel gning are subject to a \$5	Oue to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchases Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
	variances in manufacturino/manuf	identical due to the lot	ion but not necessarily	ossible to Builders select	Colours of all materials are as close as p
INITIALS			DISCLAIMER		
			No		ELECTRICAL for Bar Fridge
			8	oktop	ELECTRICAL for Gas Stove / Cooktop
PLUG FOR BUILT IN MICROWAVE			YES	/ OTR	ELECTRICAL for Built-in Micro / OTR
			NO		ELECTRICAL for Built-in Oven
			6 INCH		Hood Fan Venting SIZE
			NO I		WATERLINE to Fridge
1012	DECLINED	DE !	NO		GAS LINE
NOTES	DECLINED		UPG (SEE PES)		
	Ē.	O Package Name:	YES / NO	d in 'Schedule E'	Appliance Package received in 'Schedule E'
N PES	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	EMENTS-UPGRA	LIANCE REQUIR	ZANCOR API	
		N/A		N/A	Other
		N/A		N/A	BASEMENT
		N/A		N/A	2nd Ensuite
OVAL UNDERMOUNT	VO	STANDARD		UPGRADE SINKS	Main
OVAL UNDERMOUNT	VO	STANDARD		UPGRADE SINKS	Master Ensuite
		STANDARD		STANDARD	Powder Room
HORIZON UNDERMOUNT, DOUBLE BOWL 8"D	HORIZON UNDE	STANDARD		UPGRADE SINK	Kitchen
NOTES		FAUCETS	-	FIXTURES	
	ETAILED ON PES	UPGRADES TO BE DETAILED ON PES	PLUMBING- UP		
	WARM GREY	-			THROUGHOUT
		PAINT			
	STANDARD				Exterior Door Hardware
	STANDARD				Interior Door Hardware
	STANDARD				Interior Doors
	STANDARD				Casing/Baseboards
		TRIM			
MAIN TO BASEMENT	OAK STAIRS FROM MAIN TO SECOND & MAIN TO BASEME	AK STAIRS FROM	٥		STAIRS
RADE	STANDARD STYLE - PAINT GRADE	STA		ng:	Main to 2nd & Basement Ralling:
4TE	PAINT PICKETS ONLY - WHITE	P¢			PAINT
O MATCH LAMINATE AS CLOSE AS	STAIN STAIRS, HANDRAIL, TREADS, RISERS, STRINGERS TO MATCH LAMIN POSSIBLE	ANDRAIL, TREAD	STAIN STAIRS, H		Stair Stain / Species:
	STAIRS, RAILING & PICKETS & STAIR STAIN	NG & PICKETS	STAIRS, RAILI		
	CANCOR HOIVIES COLOOR CHARI	DIVIES COL	AIRCUX II		

PAGE 2 OF 2 6/26/2018

THE BRUCE 50-04





A

Lot 5 Staymen

(ya)

THE BRUCE 50-04







MA

Of 5 Staymar

(Yu)



THE BRUCE 50-04




Me de la company de la company




Zirira

-




EDGE PROFILES (INTERSTONE / REDSTONE) ZANCOR HOMES

STANDARD



UPGRADES



PURCHASER SIGNATURE

STANDARD CABINET HARDWARE

(New Image Kitchens)



An Am

to Staymer



WAIVER FORM GARAGE MAN DOOR (GMD)

LOT # / SITE: LOT 5 – STAYNER (55)
DATE: June 5/18
HOMEOWNER(S): WARK W. HOLLAHAN + YANKLY
I/We the purchaser/s for the above-mentioned property understand that the installation of a garage man door is determined from the final siting / elevations that are established from site plan engineering. The garage man door indicated on the floor plan for your lot will be installed only if grade permits. Should grade not permit, the following choices will be made available as an alternative solution.
Garage man door confirmed and will be installed (as per final siting).
It is now confirmed that installation of garage man door is NOT POSSIBLE due to grade Please select one of the following (2) options:
Option 1 > Purchaser accepts the garage man door is not possible and will not be installed. Purchaser(s) will be issued a credit of \$400 on closing.
Option 2 > Door, hardware, electrical etcwill be installed. A railing/guard will be installed across the door opening with no steps or deck to grade. It will be the purchaser(s) responsibility to have steps and deck installed after closing. The purchaser(s) are aware that installation of deck/steps may encroach into the garage obstructing parking of a vehicle.
I/We take full responsibility for the installation of the stairs and/or deck that is required to accommodate a garage man door and agree to waive any claims against the vendor or trades in relation to this matter. I/We understand that any work and/or damage done by the purchaser(s) trades/contractors hired is not warrantable under the Builder or covered by TARION.
I/We hereby release and forever discharge Zancor Homes Ltd., any affiliated companies and all its directors, officers, servants, employees, agents, TARION, City and the Town from any and all damages, loss or injury however arising, which we may have hereafter with reference to the above.
I/We read and understand the above terms and conditions.
Dated at Killy this 14 day of July 2018
MANNA NO
Purchaser Witness
Purchaser



APPLIANCE ACKNOWLEDGEMENT

- \blacktriangledown NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- \blacksquare Manufacturers specifications after closing. It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- modifications have been made to the cabinetry. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

STANDARD OPENING	STANDARD OPENINGS ACCEPTED BY PURCHASER:	Whas
Fridge	36" (+/-) x 74" (+/-)	HOMEOWNER SIGNATURE
	**Space above the fridge is required due to proper air flow	ir flow
Stove	30"	
Dishwasher	24"	MINE
Hood Fan Opening	30"	
Hood fan Vent	6"	
A	Appliance Specs are DUE (if not received during appointment) 2 WEEKS FROM SIGNED DATE ABOVE	pointment)
Specs th	***Specs that require changes/modifications after this date will not be accepted	vill not be accepted***
UPGRADE APPLIANC	UPGRADE APPLIANCE OPENING REQUIREMENTS:	
	Built-In	HOMEOWNER SIGNATURE
FRIDGE	Paneled / Integrated	
	Water Line Required Curchaseal	
		Cooktop (Apron front)
RANGE	Gas **Cut-out charge	Cooktop (Dropin) **Cut-out charge required for cooktop
	С	
HOOD FAN &	Under Cabinet 6 Inch	
VENT		
		Over the Range Microwave
MICRO	Double Oven Steam Oven Warming Drawer	Built-in Microwaye (*trim kit required)
214W 11/18	C TILLIAN (FF)	Л
	SITE	LOT

It is the responsibility of the trades to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation. **

^{**} Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

meet its' contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to

upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an All colour charts

substance require immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser acknowledges colour and product topication as part of home to be expected, including various lighting may affect the overall finished look. Stone tops are sealed installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore the selection of natural stone materials and shall not hold the Vendor liable for provision of same. quartz, no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, Variations in colour, tone, granularity (pitting, fissures) and pattern are Stone tops are sealed at time of

usually approximately 5'x 8'. **STONE COUNTERTOP JOINTS:** Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are

be identical to the materials installed in the home. of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look

product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products. STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished

includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching upgrades and shall not hold the Builder liable for provision of same. interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain The type and intensity of lighting in the areas of designated cabinetry placement may also highlight

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an and

are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that overall look of the finished product. HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the

HARDWOOD / LAMINATE WAIVER:

splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). certain areas. I/We understand there is a concern due to possible water and other substances being frequently I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in

resilient flooring, "Finished flooring bathrooms, felted-synthetic-fibre floor coverings, concrete, terrazzo, flooring providing similar degrees of water resistance. kitchens, public entrance halls, laundry & general storage areas shall consist of ceramic tile,

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to

TARION and/or the Builder in relation to the matter absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, md/or the Builder in relation to the matter.

SEE COLOUR CHART FOR LOCATIONS

SITE 3

5

DATE

December 20, 2016