# **CONSTRUCTION SUMMARY OF EXTRAS**

Printed 2021-01-27 / 11:36 AM / Page 1 of 3

Site: INNISFIL PHASE 3 55W

Lot:

Model: Purchaser: 42-05 FISHER (A)
MICHAL & DAVID SILVER

Phone/Email: 647-962-6526 / 647-898-2665 (D)

Phone/Email: msilver1989@gmail.com / david.silver1987@gmail.com



2 PULIG (20 AMP, SEP CIRCUIT) INSIDE TANDEM GARAGEISEE LOCATION ON SKETCH) FOR FUTURE PREEZER  43 MOOTH CELINGS ON THE MAIN FLOOR  44 SMOOTH CELINGS ON THE MAIN FLOOR  55 SMOOTH CELINGS ON THE SECOND FLOOR  56 SOLOTH CELINGS ON THE SECOND FLOOR  57 SMOOTH CELINGS ON THE SECOND FLOOR  58 SMOOTH CELINGS ON THE SECOND FLOOR  58 SMOOTH CELINGS ON THE SECOND FLOOR  59 MOFURTHER STRUCTURAL CHANGES  60 DOTOMAL SINK IN MITCHEN WITH STANDRAD PULL DOWN MOEN INTEGRA FAUCET, BLANCO QUATRUS RLS UI MEDIUM  61 JOLISE  62 SMOOTH CELINGS ON THE SECOND FLOOR  63 CARRAGE INSULATION - FRANCE CABINETS ABOVE NEW ADDITIONAL KITCHEN SINK  64 STRUCTURAL CHANGES  65 CARRAGE INSULATION - FRANCE CABINETS  66 CARRAGE INSULATION - FRANCE CABINETS  67 KITCHEN - SAC POOT PAITRY BESIDE FROME C**20 INCHES DEEP  68 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  69 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  60 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  60 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  61 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  62 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  63 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  64 KITCHEN - ROOM CLOSET BESIDE FAUTEY **OPENING FROM END **APPROX 8 - 10 INCHES DEEP  65 KITCHEN - ROOM ROCKER CABINETS  66 KITCHEN - ROOM ROCKER CABINETS  67 KITCHEN - RODE BEOORS STRUCTER VALANCE  68 KITCHEN - RODE BEOORS STRUCTER VALANCE  68 KITCHEN - RODE BEOORS STRUCTER VALANCE  69 KITCHEN - RODE BEOORS STRUCTER VALANCE  60 KITCHEN - RODE BEOORS STRUCTER VALANCE  60 KITCHEN - RODE BEOORS STRUCTER VALANCE  60 KITCHEN - RODE BEOORS STRUCTER VALANCE  61 KITCHEN - RODE BEOORS STRUCTER VALANCE  62 KITCHEN - RODE BEOORS STRUCTER VALANCE  63 KITCHEN - RODE BEOORS STRUCTER VALANCE  64 KITCHEN - RODE BEOORS STRUCTER VALANCE  65 KITCHEN - RODE
WATERLINE TO FRIDGE  PLUG (20 AMP, SEP CIRCUIT) INSIDE TANDEM GARAGE(SEE SMOOTH CEILINGS ON THE MAIN FLOOR  SMOOTH CEILINGS ON THE SECOND FLOOR  200 AMP
WATERLINE TO FRIDGE  PLUG (20 AMP, SEP CIRCUIT) INSIDE TANDEM GARAGE(SEE SMOOTH CEILINGS ON THE MAIN FLOOR  SMOOTH CEILINGS ON THE SECOND FLOOR
WATERLINE TO FRIDGE PLUG (20 AMP, SEP CIRCUIT) INSIDE TANDEM GARAGE(SEE SMOOTH CEILINGS ON THE MAIN FLOOR
WATERLINE TO FRIDGE PLUG (20 AMP, SEP CIRCUIT) INSIDE TANDEM GARAGE(SEE
***NOTE - BASEMENT CLOSET IN MAIN AREA, LOCATION TO BE DETERMINED ONCE ELECTRICAL PANEL LOCATION IS
OPTIONAL FINISHED BASEMENT INCLUDES CARPET GRADE STAIRS, RAILINGS WHERE APPLICABLE, FINISHED BATHROOM WITH TUB, TOILET AND VANITY, ELECTRICAL AS REQUIRED, (2) EGRESS WINDOWS AND SMOOTH CEILINGS (FROM BUILDERS STANDARD FINISHES)
DESCRIPTION

# **CONSTRUCTION SUMMARY OF EXTRAS**

Printed 2021-01-27 / 11:36 AM / Page 2 of 3

Site: INNISFIL PHASE 3

Lot: 55W

Model:

Purchaser: Phone/Email: 42-05 FISHER (A)
MICHAL & DAVID SILVER
647-962-6526 / 647-898-2665 (D)

Phone/Email: msilver1989@gmail.com / david.silver1987@gmail.com



NOV 18 2020	ELECTRICAL - ADD CAPPED LIGHT BOX WITH SWITCH IN CLOSETS IN BEDROOM 2 & 3 ***SEE LOCATION FOR SWITCH AND ENSURE THAT THE LIGHT BOX IS CLOSEST TO THE CLOSET DOORS	#5
NOV 18 2020		#4
NOV 18 2020	ELECTRICAL - ADD (2) POTLIGHTS IN BASEMENT IN FRONT OF WASHROOM, DELETE STD	#3
NOV 18 2020	ELECTRICAL - ADD (1) POTLIGHTS IN THE BASEMENT (6 ON ONE SWITCH, 3 ON THE OTHER)	#2
NOV 18 2020	1 ELECTRICAL - ADD POTLIGHTS IN MASTER ENSNUITE WATER CLOSET, DELETE STD	#1
	ADDITIONAL NOV 18 2020	
JULY 16 2020	ELECTRICAL - FLOOR PLUG (BLACK IN COLOUR) IN DEN ***	# [
NOA 18 5050		
NOV 18 2020	_	#63
NOV 18 2020		#62
NOV 18 2020		#61
NOV 18 2020		#60
NOV 18 2020	MASTER ENSUITE - STONE COUNTERTOP (UPG 1) **INCLUDES OVAL UNDERMOUNTS	#59
NOV 18 2020	58 MASTER ENSUITE - UPGRADE 1 TILES ON THE WALL IN THE SHOWER	#58
NOV 18 2020	MASTER ENSUITE - UPGRADE 1 TILES ON THE FLOOR	#57
NOV 18 2020	56 ELECTRICAL - ADD CAPPED EXTERIOR WALL BOX ROUGHIN WITH SEP SWITCH **ABOVE SLIDING DOOR, SEE DRAWING	#56
NOV 18 2020	55 RAILINGS - UPGRADE 3	#55
NOV 18 2020	54 CARPET - UPGRADE UNDERPAD IN BASEMENT BEDROOMS AND BASEMENT STAIRS	#54
NOV 18 2020	53 CARPET - UPGRADE UNDERPAD IN ALL BEDROOMS AND UPPER HALL IN SECOND FLOOR	#53
NOV 18 2020	TILES - POWDER ROOM UPGRADE 1	#52
NOV 18 2020	TILES - FOYER UPGRADE 1	#51
NOV 18 2020	STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	#50
NOV 18 2020	HARDWOOD - UPGRADE 2 ON THE MAIN FLOOR ONLY IN LIEU OF STANDARD	#49
NOV 18 2020	VINYL FLOORING - BASEMENT REC ROOM AND HALLWAY ONLY IN LIEU OF CARPET	#48
JUNE 25 2020	ELECTRICAL - 14 POTLIGHTS WITH LED BULBS IN BASEMENT	#47
JUNE 25 2020	ELECTRICAL - ADD CAPPED WALL BOX OVER SINK IN SHARED BATH, SHIFT THE STD OVER OTHER SINK	#46
JUNE 25 2020	45 ELECTRICAL - ADD CAPPED WALL BOX OVER SINK IN MASTER, SHIFT THE STANDARD OVER OTHER SINK	#45
JUNE 25 2020	ELECTRICAL - POTLIGHTS WITH LED BULB IN MASTER BEDROOM (4), SEP SWITCH	#44
JUNE 25 2020	OVER TUB ON SEP SWITCH	#43
JUNE 25 2020	ELECTRICAL - POTLIGHTS WITH LED BULB IN UPPER HALL (6) ON SAME SWITCH, SEE LOCATION OF STD	#42
JUNE 25 2020	1	#41
JUNE 25 2020	ELECTRICAL - POTLIGHTS WITH LED BULB IN GREAT ROOM (9), DELETE STD LIGHT **SEE LAYOUT	#40
JUNE 25 2020	39 ELECTRICAL - POTLIGHTS WITH LED BULB IN KITCHEN (5), ON SEP SWITCH **STANDARD LIGHT TO BE OVER ISLAND	#39
JUNE 25 2020	38 ELECTRICAL - ADD CAPPED LIGHT BOX IN DEN ON EXISTING SWITCH (IN CEILING)	#38
JUNE 25 2020	37 ELECTRICAL - ADD CAPPED LIGHT BOX IN POWDER ROOM CEILING, ON EXISTING SWITCH, DELETE STD	#37
JUNE 25 2020	36 ELECTRICAL - LED STRIP LIGHTING IN KITCHEN	#36
JUNE 25 2020	35 ELECTRICAL - PLUG FOR MICROWAVE IN ISLAND	#35
JUNE 25 2020	34 ELECTRICAL - ADD PLUG IN ISLAND	#34
JUNE 25 2020	33 TIME OF STRUCTURALS	#33
JUNE 25 2020	ELECTRICAL - 4 PUCK LIGHTS INSIDE BUILT-INS IN GREAT ROOM	#32
JUNE 25 2020	31 ELECTRICAL - SHOWER POTLIGHT IN TUB AREA IN SHARED BATH & ENSUITE 4 & BASEMENT TUB, ON SAME SWITCH AS STD	#31
JUNE 25 2020	30 ELECTRICAL - ADD PLUG APPROX 5'6" ABOVE CENTRE OF BUILT INS IN GREAT ROOM	#30
JUNE 25 2020	29 ELECTRICAL - ADD PLUG APPROX 5'6" AFF IN BASEMENT	#29
JUNE 25 2020	28 ELECTRICAL - ADD PLUG APPROX 5'6" AFF IN MASTER BEDROOM	#28
DATE SELECTED	DESCRIPTION	

# **CONSTRUCTION SUMMARY OF EXTRAS**

Printed 2021-01-27 / 11:36 AM / Page 3 of 3

Site: **INNISFIL PHASE 3** 

Lot: 55W

Model:

Purchaser:
Phone/Email:
Phone/Email: 42-05 FISHER (A)
MICHAL & DAVID SILVER
647-962-6526 / 647-898-2665 (D)

msilver1989@gmail.com / david.silver1987@gmail.com



NOV 18 2020	#10 KII CHEN SLAB BACKSPLASH TO MATCH COUNTERTOP - UPGRADE 3	#10
NOV 18 2020	#9 CABINET - ADD (1) SINGLE DOOR CABINET TO KITCHEN ABOVE DISHWASHER	#5
NOV 18 2020	#8 TRIM - CASING & BASEBOARDS **NOTCH 3" CASING X 6-1/2" BASEBOARD	± #
NOV 18 2020	*/ CABINE 13 OF GRADE HARDWARE IN RITCHEN AND BOILT-INS IN FAMILY ROOM TO SWAGGER 160MM ***BRUSHED BRASS***	#
	CARINETS LIDEDADE LIADDIMADE IN VITCUEN AND DISIT INC IN FAMILY DOON TO SUMPORE ACCOUNT ************************************	#7
NOV 18 2020	#6 CABINETS - ADD BASE SINK CABINET IN LAUNDRY ROOM AROUND TUB	#6
DATE SELECTED	DESCRIPTION	

ı	ſ				
ı	1				
ı		í	2	2	_
ı		ì	4	1	
ı		i	P		۹
ı		ì	è		á
ı		1	Ļ	-	d
ı		i	7	ζ	7
ı					
ı		i		I	
ı		1	٢		٩
ı					9
ı		0	4		
ı		i			
ı		i	7	2	H
ı		1	ы	7	4
ı		(	٢		7
ı		ì	r		١
ı		1	•		4
۱		į	Į		
ı		(	ζ		)
ı		(	٢		
ı		ì	3		
ı		1		٩	4
ı		1	P	8	1
١		1		Ŧ	4
١				1	
۱	1	1			
۱	ĺ				
1	3				


	ANCOR HOMES COLOUR CH	OUR CH	I SEE EXIRES
	CABINETRY / COUNTERTOPS	rops	
	DOOR STYLE	HARDWARE	COUNTERTOP EDGE
Kitchen	MOSAIK MDF - CEMENT GREY (1)	4-BOODC128	EMERSTONE BORGHINI CLASSIC (3)
Island	MOSAIK MDF - FOG GREY (1)	-8CT380081-	EMERSTONE BORGHINI CLASSIC (3)
Built-Ins	MOSAIK MDF - FOG GREY (1)	H&COORCE 28	N/A
Powder Room	N/A	*	
Master Ensuite	SIERRA PVC WHITE	н800вс	BIANCO LUNA MARBLE
Ensuite 4	EURO BLACKWOOD	Н800ВС	4925K-07
Ensuite 2/3	EURO OLMO CARISMA	н800вс	P948-CA
Basement Bath	EURO OLMO CARISMA	н800вс	P948-CA
Laundry UPPERS/LOWER	SIERRA PVC WHITE	н800вс	N/A
	TILES		
Main Foyer	NEW BYZANTII	NEW BYZANTINE ASSURO 12 X 24 (1)	24 (1)
Basement Foyer		VINYL	
Powder Room	NEW BYZANTII	NEW BYZANTINE ASSURO 12 X 24 (1)	24 (1)
Mud Room	CINQ	CINQ GREY 13 X 13	
Kitchen	NEW BYZANTII	NEW BYZANTINE ASSURO 12 X 24 (1)	24 (1)
Breakfast	NEW BYZANTII	<b>NEW BYZANTINE ASSURO 12 X 24 (1)</b>	24 (1)
Kitchen Bk.Splash	SLAB TO MATCH	COUNTER	TOP (3)
Laundry	MELIN	MELINA ICE 13 X 13	
Mstr Ensuite Floor	NEW BYZANTII	<b>NEW BYZANTINE ASSURO 12 X 24 (1)</b>	24 (1)
Mstr Ensuite Shower WALL	NEW BYZANTII	<b>NEW BYZANTINE ASSURO 12 X 24 (1)</b>	24 (1)


FIREPLACES	
VINYL - TORLYS 4-7/8" PLANK - COLOUR BEACH HOUSE	BASEMENT REC ROOM / HALL
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	BASEMENT STAIRS
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	BASEMENT BEDROOMS
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	Bedroom 4
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	Bedroom 3
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	Bedroom 2
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	Master Bedroom
CARPET - OPENING NIGHT COLOUR TO3 w/UPGRADE 1 UNDERPAD	Upper Hall
HARDWOOD - KENTWOOD BRUSHED OAK 5 INCH - CARDINAL	Den/Study
HARDWOOD - KENTWOOD BRUSHED OAK 5 INCH - CARDINAL	Main hall
HARDWOOD - KENTWOOD BRUSHED OAK 5 INCH - CARDINAL	Dining Room
HARDWOOD - KENTWOOD BRUSHED OAK 5 INCH - CARDINAL	Family Room
TILES	Kitchen/ Breakfast
HARDWOOD / CARPET	
UNIWALL WHITE 8 X 10	Basement bath wall
LONDON CINZA 13 X 13	Basement bath Floor
MELINA ICE 8 X 10	Ensuite 4 Tub Wall
MELINA ICE 13 X 13	Ensuite 4 Floor
UNIWALL WHITE 8 X 10	Ensuite 2/3 Tub Wall
LONDON CINZA 13 X 13	Ensuite 2/3 Floor
BIANCO CARRARA	Master Shower JAMB
WHITE 2 X 2	Master Shower Floor
INCAA DICUMINA USSONO TO V CT (T)	יאוסטי בווסטונכ טווסיאכי איטבר


Vendor	Purchaser Initial		** PAGE 1 OF 2 **	
SIV.	DI M	responsibility of <u>all Trades</u> slour charts <u>PRIOR to</u>	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>	Any upgrades in the colour cha to inform the builder of
55W	INNISIFL		***FOR TRADE USE***	
01	SITE & LOT		Purchaser has reviewed the colour chart	Pı
	N/A	Location	DELETE	Bathroom Accessories
	N/A	Opt. Crown Moulding	YES	Mirrors
	PLASTER MOULDING	PLA	MIRRORS & ACCESSORIES	MIRRO
	N/A	MANTLE	ON	LOCATION
		ACES	FIREPLACES	



				2			
Date	C	Vendor Signature			OF 2 ***	PAGE 2	* * *
1 1020	المالات	7	1				
3	1				MES	HOME	
		/			ANCOR	VAN	
				ion.	PES and/or colour charts PRIOR to installation.	colour charts	PES and/or o
Date	ure	Décor Consultant Signature	ketches,	pancies on s	to inform the builder of any discrepancies on sketches,	inform the b	responsibility of all trades to
			is the	ith a PES. It i	be accompanied w	ir chart must	Any upgrades in the colour chart must be accompanied with a PES. It is the
		Í			T	***FOD TDADE ICE***	
Date		Purchaser Signature	_				DÉCOR NOTES
W12/20	1						EMAIL:
Date		Purchaser Signature					HOME #/CELL #
ap year	<u></u>		SIMER	`	ANIDITUCIAL	DA	PURCHASER(S):
~			55W	LOT:	INNISFIL	2	SITE:
1 M	01			e signing.	our and selections befor	d accuracy of col	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
MJ.	ر ان ان		נג	tion fee plus cost	o a \$5000 administrat	ning are subject t	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
3	0.),	In this event the Vendors's selection	cted or installed.	e been pre-selec	ress some items may hav	onstruction progr	manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
ALS STA	INITIALS			ER	DISCLAIMER		
					YES	R IN GARAGE	ELECTRICAL for FRIDGE/FREEZER IN GARAGE
					NO	ktop	ELECTRICAL for Gas Stove / Cooktop
					YES		ELECTRICAL for Built-in Micro
					NO		ELECTRICAL for Built-in Oven
					6 INCH		Hood Fan Venting SIZE
					YES		WATERLINE to Fridge
					NO		GAS LINE STOVE
	NOTES	DECLINED	DECL	PES)	UPG (SEE PES)		
		me:	Package Name:	YES / NO	е п	in 'Schedul	Appliance Package received in 'Schedule E'
		TO BE DETAILED ON PES	REQUIREMENTS-UPGRADES	IREMENTS-	ZANCOR APPLIANCE REQU	ZANCOR A	
			DARD	STANDARD	STANDARD	/TS	aundry
			DARD	STANDARD	STANDARD	JTS	Basement bath
			DARD	STANDARD	STANDARD	VTS	Ensuite 4
			DARD	STANDARD	STANDARD	/TS	Ensuite 2/3
	MOLINT SINKS	OVAI LINDERM	DARD	STANDARD	STANDARD UPGRADE	ST/	Powder room  Master Ensuite
	TES  2 FAUCETS***	NOTES  ***2 SINKS & 2 FA	CETS	FAUCETS	UPGRADE UPGRADE		Kitchen
		DETAILED ON PES		UPGRADES TO BE	MBING-		
		WARM GREY	WAR				THROUGHOUT
				PAINT			
		STANDARD	STAN				Exterior Door Hardware
		STANDARD	STAN				Interior Door Hardware
EXIKAS.	-SEE EXI	STANDARD UPCKADO -	STAN	6/2"	NOI CH 311 X	7	Casing/Baseboards
				TRIM			
H BEVEL	OAK POST WITH BEVEL	METAL - SINGLE COLLAR WITH ALT/PLAIN & LARGER SQUARE O  CORNERS AND GROOVED HANDRIL	CORNERS	NGLE COLLA	METAL - SII	G) Details:	Basement Railing (SEE DRAWING) Details:
H BEVEL	OAK POST WIT	METAL - SINGLE COLLAR WITH ALT/PLAIN & LARGER SQUARE OAK POST WITH BEVEL CORNERS AND GROOVED HANDRIL	CORNERS	NGLE COLLA	METAL - SII		Main to 2nd Railing Details:
	AS POSSIBLE	WOOD FLOORING AS CLOSE	STAIN TO MATCH HARDWO	TAIN TO MA	S		Stair Stain / Species:
		AIR STAIN	CKETS & STA	LING & PIC	STAIRS, RAILING & PICKETS & STAIR STAIN		
			0.000				












55W

FRONT ELEVATION 'A'









### QUATRUS R15 U 1 **Product Specification Sheet**

Satin brushed finish



## QUATRUS R15 U 1

### **Colour Finish**

Model No.

### Satin brushed finish 401516

### PRODUCT DIMENSIONS



## FEATURES / SPECIFICATIONS

- German engineered with 304 series, 18-gauge stainless steel
- Practical 15 mm radius corners for easy cleaning
- X-pattern drain grooves quickly remove water from the sink 18/10 chrome-nickel content for exceptional lustre, durability and strength Rear-positioned drain holes maximize cabinet storage space

## **DESIGN AND PLANNING TIPS**

Cabinet Size: 24" (610 mm)

Bowl depth: 9" (230 mm)

Depending on cabinet construction, a different cabinet size may be required.

Consult the cabinet manufacturer.

Limited Lifetime warranty

### **Code/Standards Compliance**

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

100 Corporation Drive Brampton, ON L6S 6B5 BLANCO CANADA www.blancocanada.com Fax: 905 494 2425 Tel: 905 494 2400

© 2016 BLANCO CANADA

Molnnish!

Additional Sink W. S.



# Sink Specifications

Stainless steel brushed finish

**QUATRUS R15 U SUPER SINGLE** 

SKC

brushed finish 401518

# Design and planning tips

- Min cabinet size: 36 in ( 915 mm cm ) Bowl Depth: 9 in ( 230.0 mm )

Specifications:
Sink template, Mounting clips, Installation instructions,
1/2" (90 mm) stainless steel strainers

size may be required. Consult the cabinet manufacturer. Depending on cabinet construction, a different cabinet

### \_ မွ 32 \_\_\_\_\_\_ A 4 4 "81

# Optional Accessories

Cutting Board 4	Sink Grid 4	Workstation 4	CapFlow 5	Elevated Grid 4
406345	406347	406344	517666	406346

### Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers

# Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF our office or listing organization standards and listed by applicable certification bodies. For more information on individual product listings, contact



https://www.blanco.com/ca-en/support/how-to-videos/ Need support? Learn more by watching our sink & faucet How-to videos:

Brampton ON L6S 6B5 **BLANCO Canada Inc** 100 Corporation Drive

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

BINK @ rear WINDOW



Buy it for looks. Buy it for life.®

### • Reflex™ pulld

- pulldown system offers smoother operation, easy movement and

- secure docking
  PowerClean\*\*\* Spray Technology
  Duralock\*\*\* quick connect installation
  Metal construction with various finishes identified by suffix
  Pulldown spray with 68" braided hose
  High arc spout provides height and reach to fill or clean large pots while pullout
  wand provides the maneuverability for cleaning or rinsing
- 360° rotating spout
   Flexible supply lines with 3/8" compression fittings
   OPERATION

- Lever style handle
   Operates with less than 5 lbs. of force
   Operates in stream or spray mode in the pulldown or retracted position
   Temperature controlled by 100° arc of handle travel

  FLOW

Flow is limited to 1.5 gpm (5.7 L/min) at 60 psi
 CARTRIDGE

- 1255<sup>th</sup> Duralast<sup>th</sup> cartridge for Single-Handle Faucets
   Engineered polymers, non-ferrous and stainless steel materials

  STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B-125.1 and all applicable requirements referenced therein including NSF 61/9 & 372


  Meets CalGreen and Georgia SB370 requirements

  Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- ADA for lever handle

  The backflow protection system in this device consists of two independently operating check valves, a primary and a secondary which prevent backflow


  WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
   10 year limited warranty when used in a multifamily installation
   5 year limited warranty when used in a commercial installation
   Visit www.moen.com/support for complete details and limitations



FOR MORE INFORMATION CALL: 1-800-BUY-MOEN www.moen.com

pecifications



**Pull Down Kitchen Faucet Single-Handle High Arc** Genta™

Models: 7882 series

**NOTE:** THIS FAUCET IS DESIGNED TO BE INSTALLED THROUGH 1 OR 3 HOLES, 1-1/2" (38mm) MIN. DIA.

5/17

# Mast

191/4" OVAL UNDERMOUNT SINK

☐ 4220CFY

**Undermount Sink** 

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

# Overall Dimensions (W x D x H):

(OD): 490mm(191/4") x 410mm(161/6") x 195mm(71/6") (ID): 430mm(17") x 350mm(133/4") x 145mm(53/4")

## Compliance Certifications:

Meets or exceeds the following:


· IAPMO cUPC

· ASME A112.19.2 / CSA B45.1-2013

### Shipping:

Cube

19 lbs




Notes:

Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is a for use of superseded or voided pages.

ne and Biscuit available through Direct import (CIF) only



contrac

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: January 2016

10

### **(**) D 8 N A N C O R THE D

# **Stone Countertop Edge Profiles**

\*\*Where applicable as per site specifications\*\*

Standard Countertop Edge in **Kitchen** 


"DPR"

Standard Countertop Edge in Vanity

# Option 1 — Countertop Edges

Optional Edge in Kitchen - \$250







Optional Edge in Vanity - \$125



"F"




# Option 2 — Countertop Edges


Option 2 Edge in Kitchen – Custom \$\$





















Homeowner(s) Initials



# HOME AUTOMATION (Cable, CAT5, Telephone)

LOT / SITE:

HOMEOWNERS:

DATE:

Jan 30 Ja

### **OPTION 1**

of Purchase Sale. the locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement I/we the Homeowner(s) have chosen to contact the Home Automation Company to select

I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to select locations of the standard rough-ins review other optional products for purchase.

Trade: Smart -Tech Systems Ltd.

Phone: (905) 761-6469

Rep:

Location: 200 Millway Avenue, Unit #8

Concord, Ont L4K 5K8

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

Homeowner(s) Initial

### **OPTION 2**

the Homeonwer(s) have selected the locations for the standard rough-ins for Cable, CAT5, I/we the Homeowner(s) have chosen to not contact the home automation company. I/we Telephone that are included in the Agreement of Purchase and Sale directly with a décor

Homeowner(s) Initial



# INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability contractual obligations under the Agreement of Purchase and Sale. quality where Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better to meet its'

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE** PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be Vendor liable for provision of same. product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Stone countertops require regular seal re-application as part of home maintenance. cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, quartz, Purchaser acknowledges colour and

applicable). approximately 5'x 8' STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually

**CERAMIC TILES**: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to materials installed in the home. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the

including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished differences between the two products stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product.

but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that the cabinetry finish or provision of certain upgrades and shall not hold the Builder liable for provision of same site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarantee be finished with a white melamine interior box unless a finished interior is upgraded. Due to building specifications and/or onof lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. may affect the overall look of the finished product. Such factors make exact colour matching impossible. The type and intensity CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes All cabinets shall

**UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE

HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring held liable for minor variances of fluctuation in hardwood flooring materials.

# HARDWOOD / LAMINATE WAIVER:

the floor and in contravention of Ontario Building Code Section 9.30.1.2(1) areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled onto I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain

flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient similar degrees of water resistance. ceramic tile, mastic or other types of flooring providing

Builder in relation to the matter absorbency in the mentioned areas, and agree to waive any claim:

\*\*SEE COLOUR CHART I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture any claims against the Township of residence, TARION and/or the UR CHART FOR LOCATIONS\*\*

DATE

SITE

ANCOR



# APPLIANCE ACKNOWLEDGEMENT

# CONTACT: Wayne @ Coast Appliances (905) 303-6909 / 1748 Credit Stone Circle, Vaughan

- NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- ▼ ▼ homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- Manufacturers specifications after closing.

  Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- been made to the cabinetry.

	STANDARD OPENINGS ACCEPTED BY PURCHASER:
HOMEOWNER INITIALS	707

, MSG	DW (S)	<b>C</b>	
Warming Drawer Over the Range Microwave LBuilt-in Microwave (*trim kit required)	Single Oven Double Oven Steam Oven	Single Oven Double Over	WALL OVEN & MICRO
6 Inch (Standard) 8 Inch 10 Inch	Under Cabinet (Standard) Chimney (centre vent) Insert / Liner	Chimi	HOOD FAN & VENT
Cooktop (Apron front) Cooktop (Dropin)  **Countertop Cut-out charge required for cooktop	tion	36" 48" Gas	RANGE
Flush Inset Water Line Required	Built-In Paneled / Integrated	Built-In	FRIDGE
HOMEOWNER INITIALS	G REQUIREMENTS:	E OPENIN	UPGRADE APPLIANCE OPENING REQUIREMENTS:
Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE (if not received during appointment)  ***Specs that require changes/modifications after this date will not be accepted***	WEEKS FROM SIGNED DA: ire changes/modifications afte	pecs that requ	Appliance Sp
▼ 6"	Hood Fan Vent	<b>▶</b> 24"	Dishwasher Opening
▼ 30"	<b>Hood Fan Opening</b>	▶ 30"	Stove Opening
**Space above the fridge is required due to proper air flow	36" (+/-) x 74" (+/-)	▶ 36" (-	Fridge Opening

SITE

DATE

<sup>\*\*</sup> Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.

<sup>\*\*</sup>It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.

### Simone Walker

From: Wayne Wanamaker <wwanamaker@coastappliances.com>

<u>7</u>0: Sent: June 30, 2020 1:10 PM

Simone Walker

S

**Subject:** 'David Silver' Innisfil Lot 55W David Silver appliances NNTK722S trim kit instructions- 27 inch.pdf

**Attachments:** 

Hello Simone, David was in and finalized the microwave for his kitchen. Please find attached the installation specs for the trim kit. David also asked me to confirm that there will be a drawer below the microwave. Let me know if you have any questions on this.

Thanks


Wayne

and the first of the court of t

The stage of the

# **Panasonic**

The state of the s



55W Innisfil

## Instrucciones para la instalación **installation Instructions** Notice d'installation

27" (686 mm)	36" (762 mm)	Cabinet
27 po (686 mm)	30 po (362 mm)	Armoire
27" (686 mm)	30" (762 mm)	Gabinete
NN-TK922S NN-TK722S	NN-TK9328 NN-TK9328	Trim kit Nécessaire d'encastrement Juego de acabados

Read carefully and keep these installation instructions.
Lisez attentivement et conservez cette notice d'installation.
Lea cuidadosamente y guarde este instructivo de instalación para su referencia.

© Panasonic Appliances Microwave Oven (Shanghai) Co., Ltd. 2012



### Contents

### 55W Innisfil



- Read and follow all instructions completely.

- This Trim Kit is designed for use only with the Panasonic Microwave Oven listed in the table below, for installation into a cabinet.
- 2. The dimensions and ground clearance of the cabinet opening must be as indicated in Figure 1 on page 6 to 9.
- 3. For safe use of your microwave oven, do not alter or modify any part of this kit or the microwave oven.

**(P)** 

- 4. The microwave oven must be used with a properly grounded 3-prong receptacle in compliance with the National Electrical code, as well as any applicable local regulations. Refer also to the microwave operating instructions for other safety and electrical requirements.
- The microwave oven must be unplugged from the wall receptacle before attempting the installation of this kit.
- 6. Save these instructions for local inspection and relocation of the microwave oven.
- Use caution so that the power cord is not pinched during installation.
- The diagrams in these instructions may vary from the actual unit and is only for reference.

NN-TK732S NN-TK722S			NN.7K932S				Trim kit
NN-ST7**S	NN-SD7**S	NN-SE7**S	NN-ST9**S	NN-SN9**S	NN-SD9**S	NN-SE9**S	Panasonic Microwave Oven Models

Tools Needed: Measuring tape, pencil, Phillips screwdriver,  $\varnothing 2(\frac{5}{60})$  mm drill

Liste des pièces

55W Innisfil

Outils requis: Ruban (de mesurage), crayon, tournevis Phillips, perceuse avec mèche de  $\varnothing$  2 mm (  $^{5}$ <sub>64</sub> po )

Lista de partes

Herramientas que se necesitan: cinta métrica, lápiz, destornillador Phillips, taladro Ø 2 (5%") mm.


Parts Supplied

Plèces fournies

Piezas suministradas

-								PART/PIÈCE/PIEZA
Tape Bande adhésive Cinta adhesiva	Strike Gåche Tarugo	Screw Vis Tornillo	Catch Loquet Pestillo	Bracket Support Ménsula	Base Bracket Assembly Base des supports de montage Abrazadera de montaje de la base	Left Duct Conduit du côté gauche Conducto izquierdo	Trim Frame Cadre d'encastrement Marco del acabado	)E/PIEZA
22	4	10	4	4	1	. 1	-	QUANTITY/QUANTITÉ/ CANTIDAD

- N Installation Diagram
- N Schéma d'installation



**(** 

1

3-4. Schéma de l'armoire et dimensions (Pour TK722S) 3-4. Cabinet Diagram and Dimensions (For TK722S)

3-4. Dimensiones y diagrama del gabinete (Para TK722S)

389 mm  $\pm$  2 mm (15  $\frac{5}{16}$ "  $\pm$   $\frac{5}{64}$ ") Q min. 920 mm (36 1/4 ") min. 533 mm (21") 55W Innisfil