

CONSTRUCTION SUMMARY OF EXTRAS
Printed 2021-08-30 / 2:47 PM / Page 1 of 2

Site: INNISFIL
Lot: 186W
Model: BREAKER 50-05- ELEV B
Purchaser: PANKAJ BASSI
Purchaser: 0
Phone: 705.493.1387
Email: PANKAJBASSI@GMAIL.COM



DESCRIPTION		DATE SELECTED
	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER	INCLUDED IN APS
	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	INCLUDED IN APS
1	WINDOWS	05-Aug-21
2	CABINETS TRANSITIONAL HOOD RANGE INCLUDING 600CFM FAN (MAPLE OR OAK) FINISH TO 48 INCHES APPROX, IF POSSIBLE"- UP 1. INCLUDES GREY SMOKE MIRROR INSERT- SEE SPECS	05-Aug-21
3	GLASS FRAMELESS GLASS SHOWER (CLEAR) IN MASTER ENSUITE- SEE SKETCH	05-Aug-21
4	DRYWALL SMOOTH CEILINGS ON MAIN FLOOR IN LIEU OF STIPPLE- SEE SKETCH	05-Aug-21
5	NA	05-Aug-21
6	FIREPLACE FIREPLACE SURROUND 4"- COLOUR: CREMO	05-Aug-21
7	CABINETS CABINETS-LAUNDRY UPPER CABINETS- STD	05-Aug-21
8	TILES TILE- MAIN FOYER, MUDROOM, POWDER ROOM- UP 1	05-Aug-21
9	TILES TILE- KITCHEN AND BREAKFAST - UP 1	05-Aug-21
10	CABINETS CABINETS- KITCHEN- UP 1	05-Aug-21
11	COUNTERTOP COUNTERTOP- KITCHEN- UP 4	05-Aug-21
12	COUNTERTOP BACKSPLASH KITCHEN- SLAB QUARTZ- UP 4	05-Aug-21
13	PAINT STAIN FOR STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE- 1 FLIGHTS	05-Aug-21
14	HARDWOOD HARDWOOD- MAIN FLOOR- FAMILY, LIVING/DINING, DEN, MAIN HALL- ALL NON TILED AREAS- UP 4	05-Aug-21
15	HARDWOOD HARDWOOD IN BEDROOMS- MASTER, BEDROOM 2, 3, 4, AND UPPER HALL- UP 4	05-Aug-21
16	RAILINGS RAILINGS- UP 3- 1 FLIGHT	05-Aug-21
17	TILES TILE FLOOR- MASTER ENSUITE-12 X 24- STACKED- UP 1	05-Aug-21
18	TILES TILE- SHOWER WALL- MASTER ENSUITE- 12 X 24 -UP 2- VERTICLE STACKED-	05-Aug-21
19	TILES TILE- SHOWER FLOOR- MASTER ENSUITE- UP 1	05-Aug-21
20	CABINETS CABINET- MASTER ENSUITE- UP 1	05-Aug-21
21	COUNTERTOP COUNTERTOP- MASTER ENSUITE- UP 3	05-Aug-21
22	PLUMBING / COUNTERTOP PLUMBING-2 X RECTANGLE SINK- MASTER BATH- 4220-CIY- SEE SPEC	05-Aug-21
23	PLUMBING PLUMBING-KITCHEN FAUCET- MOEN GENTA 7882B- MATTE BLACK- SEE SPEC	05-Aug-21
24	TILES TILE- TWIN BATH FLOORING- 12 X 24-STACKED--UP 1	05-Aug-21
25	TILES TILE- TWIN BATH SHOWER WALL-12 X 24- UP 2- HORIZONTAL STACKED	05-Aug-21
26	CABINETS CABINETS- TWIN BATH- UP 1	05-Aug-21
27	COUNTERTOP COUNTERTOP- TWIN BATH- UP 3	05-Aug-21
28	PLUMBING / COUNTERTOP PLUMBING-2 X RECTANGLE SINK- TWIN BATH- 4220-CIY - SEE SPEC	05-Aug-21
29	TILES TILE- FLOORING- ENSUITE 2- 12 X 24- UP 1	05-Aug-21
30	TILES TILE- SHOWER WALL- ENSUITE 2- UP 2- HORIZONTAL STACKED	05-Aug-21
31	CABINETS CABINETS- ENSUITE 2- UP 1	05-Aug-21
32	COUNTERTOP COUNTERTOP- ENSUITE 2- UP 3	05-Aug-21
33	PLUMBING / COUNTERTOP PLUMBING-1 X RECTANGLE SINK- ENSUITE 2- 4220-CIY- SEE SPEC	05-Aug-21
34	TILES TILE- LAUNDRY FLOORING- 12 X 24-UP 1- STACKED	05-Aug-21
35	TRIM CASING/BASEBOARDS- UP 1 STEP	05-Aug-21

CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-08-30 / 2:47 PM / Page 2 of 2

Site: INNISFIL

Lot: 186W

Model: BREAKER 50-05- ELEV B

Purchaser: PANKAJ BASSI

Purchaser: 0

Phone: 705.493.1387

Email: PANKAJBASSI@GMAIL.COM



DESCRIPTION		DATE SELECTED
36	PLUMBING PIVOING TOILET PAPER- METHOD- YB2408- QTY 4- MASTER, TWIN,, ENSUITE 2, POWDER	05-Aug-21
37	PLUMBING 24" TOWEL BAR- METHOD- YB2424- QTY 3- MASTER, TWIN AND ENSUITE 2	05-Aug-21
38	PLUMBING 9" TOWEL BAR- METHOD- YB2486- QTY 4 - POWDER, TWIN, MASTER AND ENSUITE 2- LOCATED NEAR SINK FOR HAND TOWEL	05-Aug-21
39	CABINETS COMFORT HEIGHT - QTY 3- MASTER, TWIN, ENSUITE 2	05-Aug-21
40	PLUMBING MODEL 6900 RIZON- SINGLE HANDLE LOW FAUCET- QTY 2 MASTER, QTY2 TWIN, QTY 1- ENSUITE 2- SEE SPEC	05-Aug-21
41	ELECTRICAL ELECTRICAL - QTY 8 POTLIGHTS IN DINING ROOM ON SEPARATE SWITCH. STANDARD LIGHT TO REMAIN- SEE SKETCH	05-Aug-21
42	ELECTRICAL ELECTRICAL- QTY 5 POTLIGHTS IN FAMILY ROOM ON SEPARATE SWITCH. HOMEOWNER IS REQUESTING LIGHTS INSTALLED BESIDE SPEAKERS, PLEASE REFER TO ATTACHED FLOORPLAN FROM SMART TECH FOR POSITION	05-Aug-21
43	ELECTRICAL ELECTRICAL - PLUG ABOVE FIREPLACE FOR FUTURE TV- INSTALL 65" AFF- SEE SKECTCH	05-Aug-21
44	ELECTRICAL ELECTRICAL- QTY 6 POTLIGHT IN KITCHEN ON SEPERATE SWITCH- SEE SKETCH	05-Aug-21
45	ELECTRICAL ELECTRICAL- MOVE STANDARD KITCHEN LIGHT OVER ISLAND, ADD (1) CAPPED LIGHT, SAME SWITCH, SPACE EVEN- SEE SKETCH	05-Aug-21
46	CABINETS CLEAR PLAIN GLASS CABINET DOORS IN KITCHEN, WITH MATCHING INTERIOR- QTY 2- SEE SKETCH	05-Aug-21
47	CABINETS CLEAR PLAIN GLASS CABINET DOORS IN SEVERY, WITH MATCHING INTERIOR, - QTY 4- SEE SKETCH	05-Aug-21
48	CABINETS COOKTOP CABINET WITH POT AND PAN DRAWERS BELOW- SEE SKETCH/SPEC	05-Aug-21
49	COUNTERTOP CUT OUT FOR COOKTOP	05-Aug-21
50	ELECTRICAL ELECTRICAL FOR COOKTOP- 40 AMP ON SEPARATE CIRCUIT	05-Aug-21
51	CABINETS WALL OVEN AND MICRO COMBO WITH POT AND PAN DRAWERS BELOW, IN LIEU OF CABINETS- SEE SPEC/SKETCH	05-Aug-21
52	ELECTRICAL ELECTRICAL FOR WALL OVEN AS PER SPEC. MICROWAVE ELECTRICAL REQUIREMENTS ARE TO BE CONFIRMED.	05-Aug-21
53	ELECTRICAL ELECTRICAL FOR BAR FRIDGE-AS PER SPEC- ON SEPARATE CIRCUIT - SEE SPEC/SKETCH	05-Aug-21
54	CABINETS WINE FRIDGE OPENING IN BASE CABINET - SEE SKECTH/ SPEC	05-Aug-21
55	PLUMBING / COUNTERTOP KITCHEN SINK- PRECIS U SUPER SINGLE SILGRANT- CORAL BLACK- 402660- SEE SPEC	05-Aug-21
56	PLUMBING WATERLINE FOR FRIDGE	05-Aug-21
57	ELECTRICAL REINFORCE LIGHT BOX FOR FUTURE CEILING FAN- MASTER BEDROOM, BEDROOM 2, 3, 4- SEE SKETCH FOR LOCATIONS	05-Aug-21
58	BASEMENT WINDOW ADDITIONAL BASEMENT WINDOW- 30" X 16" APPROX, IF POSSIBLE (WINDOW WELLS MAY BE REQUIRED) QTY 1- SEE SKETCH	05-Aug-21
59	BASEMENT WINDOW LARGER BASEMENT WINDOW- 30" X 24" APPROX, IN LIEU OF STANDARD, IF POSSIBLE (WINDOW WELLS MAY BE REQUIRED)- QTY 6- SEE SKETCH	05-Aug-21
60	ELECTRICAL 200 AMP SERVICE TO ELECTRICAL PANEL	05-Aug-21
61	PLUMBING PLUMBING-TOILET- QTY 4- CONTRAC CALI (4710BOV) - MASTER, ENSUITE , TWIN AND POWDER- SEE SPEC	05-Aug-21
62	CABINETS FRIDGE ENCLOSURE- SEE SKETCH	05-Aug-21
63	APPLIANCES *****FINAL SPECS FOR APPLIANCES DUEAUGUST 13, 2021*****	05-Aug-21
64	INTERIOR DOORS 8 FOOT INTERIOR DOORS ON MAIN FLOOR IN LIEU OF STANDARD (6'8") CLEARANCES PERMITTED, PER DOOR- QTY 12- SEE SKETCH	18-Aug-21
65	EXTERIOR DOORS 8 FOOT HIGH SLIDING DOOR (REAR)- IF POSSIBLE, SEE SKETCH	18-Aug-21
66	CABINETS RISER AND LARGE CROWN MOLDING. INSTALL CROWN AT CEILING- SEE SKETCH	18-Aug-21

ZANCOR HOMES COLOUR CHART

PRINTED 2021-08-09, 11:43 AM

ENTRANCES			
Main Foyer - FLOORING		LIVORNO 18 X 18- UP 1	
Mudroom - FLOORING		LIVORNO 18 X 18- UP 1	
Side Hall - FLOORING		NA	
Basement Foyer - FLOORING		NA	
KITCHEN			
Kitchen - FLOORING		LIVORNO 18 X 18- UP 1	
Breakfast - FLOORING		LIVORNO 18 X 18- UP 1	
Kitchen - CABINETS		MOOSAIC MAPLE TIMBER GREY- UP 1	
Island - CABINETS		MOOSAIC MAPLE TIMBER GREY- UP 1	
Penney - CABINETS		MOOSAIC MAPLE TIMBER GREY- UP 1	
Kitchen - HANDLES/KNOBS		H800BC	
Kitchen - COUNTERTOP		MONT BLANC QUARTZ UP 4	
Island - COUNTERTOP		MONT BLANC QUARTZ UP 4	
Kitchen - BACKSPLASH		SLAB - MONT BLANC QUARTZ UP 4	
Kitchen - SINK		PRECIS U SUPER SINGLE SILGRANT- CONAL BLACK- 402660	
Kitchen - FAUCET		MOEN GENITA 7882B- BLACK	
GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT			
Dining Room - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Living Room - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
FAMILY Room - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Library / Den - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Basement Rec Room - FLOORING		NA	
STAIRS			
Railing Details - PICKETS		BLACK METAL SINGLE COLLAR W/ ALT FLAIR- UP 3	
Railing Details - POSTS		3 1/4" SQUARE OAK POST W BEVEL CORNERS- UP 3	
Railing Details - HANDRAIL		2 3/4" GROOVED OAK HANDRAIL- UP 3	
Stair Stain - MAIN STAIRS		STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	
Stair Stain - BASEMENT STAIRS (if applicable)		NA	
Stair Stain - SERVICE STAIRS (if applicable)		NA	
POWDER ROOM			
Powder Room - FLOORING		LIVORNO 18 X 18- UP 1	
Powder Room - CABINETS		NA	
Powder Room - COUNTERTOP		NA	
Powder Room - SINK		STD	
Powder Room - FAUCET		STD	
2ND FLOOR			
Upper Hall - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Master Bedroom - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Bedroom 2 - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Bedroom 3 - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Bedroom 4 - FLOORING		MIRAGE CHARCOAL MAPLE 4 7/16" CASHMERE- UP 4	
Bedroom 5 - FLOORING		NA	
Master Ensuite - FLOORING			
Master Ensuite - SHOWER WALL		NEW BYZANTINE PENTELLIC GREY 12 X 24- STACKED- UP 1	
Master Ensuite - SHOWER FLOOR		NEW BYZANTINE PENTELLIC GREY 12 X 24- UP 2- VERTICLE STACKED	
Master Ensuite - SHOWER JAMB		ONTARIO SERIES HEX TENDER GREY GLOSSY- UP 1	
Master Ensuite - CABINETS		PERLATO ROYALE	
Master Ensuite - HANDLES/KNOBS		EURO GREY BROWN HIGH GLOSS- UP 1- COMFORT HEIGHT	
Master Ensuite - COUNTERTOP		H800BC	
Master Ensuite - SINK(S)		4220-CIV X 2 RECTANGLE	
FOR TRADE USE		CALCUTTA GOLD QUARTZ- UP 3	
		Master Ensuite - FAUCETS(S)	QTY 26900 RIZON
Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all trades to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.		INNISFIL 186W	
PAGE 1 OF 2			
		PURCHASER INITIALS	VENDOR APPROVAL


ZANCOR HOMES COLOUR CHART

PRINTED 2021-08-09, 11:43 AM




2ND FLOOR CONTINUED...									
Twin - FLOORING		NEW BYZANTINE PENTELLIC GREY 12 X 24- STACKED-UP 1							
Twin Bath - TUB / SHOWER WALL		NEW BYZANTINE PENTELLIC GREY 12 X 24- UP 2- HORIZONTAL STACKED							
Twin Bath - SHOWER FLOOR		NA							
Twin Bath - SHOWER JAMB		NA							
Twin Bath - CABINETS		EURO GREY BROWN HIGH GLOSS- UP 1- COMFOR HEIGHT							
Twin Bath - HANDLES/KNOBS		H800BC							
Twin Bath - COUNTERTOP		CALCATTIA GOLD QUARTZ- UP 3							
Twin Bath - SINK(s)		4220-QIV X 2 RECTANGLE		Main Bath - FAUCET(s)		QTY 2- 6500 RIZON			
Shared Bath- FLOORING		NA							
Shared Bath- TUB / SHOWER WALL		NA							
Shared Bath- SHOWER FLOOR		NA							
Shared Bath- SHOWER JAMB		NA							
Shared Bath- CABINETS		NA							
Shared Bath- HANDLES/KNOBS		NA							
Shared Bath- COUNTERTOP		NA							
Shared Bath- SINK(s)		NA		Shared Bath - FAUCET(s)		NA			
Ensuite 2 - FLOORING		NEW BYZANTINE PENTELLIC GREY 12 X 24- STACKED-UP 1							
Ensuite 2 - TUB / SHOWER WALL		NEW BYZANTINE PENTELLIC GREY 12 X 24- UP 2- HORIZONTAL STACKED							
Ensuite 2 - SHOWER FLOOR		NA							
Ensuite 2 - SHOWER JAMB		NA							
Ensuite 2 - CABINETS		EURO GREY BROWN HIGH GLOSS- UP 1- COMFORT HEIGHT							
Ensuite 2 - HANDLES/KNOBS		H800BC							
Ensuite 2 - COUNTERTOP		4220-QIV X 1 RECTANGLE		Ensuite Bath - FAUCET(s)		QTY 1- 6500 RIZON			
Ensuite 2 - SINK(s)									
LAUNDRY									
Laundry - FLOORING		BYZANTINE PENTELLIC GREY 12 X 24- Laundry - HANDLES/KNOBS							
Laundry - CABINETS		HIGH GLOSS EURO WHITE		Laundry - SINK		H800BC		STD	
Laundry - COUNTERTOP		NA		Laundry - FAUCET		STD		STD	
Laundry - BACKPLASH		NA							
TRIM / PAINT									
Casting/Baseboards		UPGRADE 1- STEP							
Interior Doors		8 FOOT HIGH STD							
Interior Door Hardware		STD							
PAINT - Throughout		WARM GREY							
FIREPLACE									
Location / Insert / Mantle		NFB- WITH - CREMO SURROUND							
ACCESSORIES									
Mirrors		YES		BATH ACCESSORIES		UPGRADE			
APPLIANCE REQUIREMENTS									
GAS LINE TO BBQ		DECLINED		ELECTRICAL for Built-In Oven		YES			
GAS LINE & ELECTRICAL TO STOVE		YES		ELECTRICAL for Built-In Micro		YES			
GAS LINE & ELECTRICAL TO DRYER		DECLINED		ELECTRICAL for Cooktop		YES			
HOOD FAN VENT SIZE		6" STD		ELECTRICAL for Bar Fridge		YES			
WATERLINE to Fridge		YES							
DISCLAIMER									
Any changes to the colour chart when signing are subject to a \$5000 administration fee plus costs									
Purchaser has checked and acknowledged accuracy of colour and selections before signing.									
Colours of all materials are as close as possible to Builders selection but not necessarily identical due to our best practices in manufacturing materials. Due to construction progress some items may have been late selected or delayed. In this event the Vendor's selection must be accepted by the purchaser.									
SITE / LOT:		INNISFIL LOT 186W							
PURCHASER(S):		PANKAJ BASSI							
PURCHASER(S):		0							
CONTACT:		705.493.1387 PANKAJBASSI@GMAIL.COM							
FOR TRADE USE									
Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Traders to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.									
ZANCOR HOMES		PURCHASER SIGNATURE		X <i>Pankaj Bassi</i>		SIGNATURES / DATE			
		PURCHASER SIGNATURE		<i>Sandra Bassi</i>					
		DECOR CONSULTANT		JILLIAN					
** PAGE 2 OF 2 **		Vendor APPROVAL		<i>Angela</i>					

Lot 1860 Aug 9/21

The Breaker



1d 18610
Aug 5/21




BREAKER 50-05

Savita Bains


Qty to windows
increase size to approx 30" x 24"
if possible

18600
1895/21

X Additional
basement
window if
possible.



Basement
Elevation A




Partial Basement
Elevation B

✓ *By Larry Bossi*
Barika Bossi

BREAKER 50-05

18610
Aug 5/21



See notes

Allyson Bassett
Service Bureau


lot 186W
Aug 5/21

K Heber

- ① qty 2 - Plain Clear glass doors with Matching interior.
- ② Transitional Hood Range w/ mirror qty 11 self finish to 48" approx.
- ③ Cooktop + cabinet w/ pot + pan below
- ④ Wall oven + Micro Combo w/ pot + pan below.
- ⑤ wine Fridge.
- ⑥ Fridge enclosure.
- ⑦ Large Crown + Rise

~~Allyson~~

Lot 186a)
17/9 5/21



Large Crown + Riser

GALLERY
by ZANCOR

ZANCOR

APPLIANCE ACKNOWLEDGEMENT

CONTACT: Wayne @ Coast Appliances (905) 303-6909 / 1748 Creditstone, Unit 1, Concord

► Appliances Specs are DUE 2 WEEKS FROM SIGNED DATE OF CONSUMER CHART (if not received during appointment)

Specs that require changes/modifications after this date will not be accepted

► NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

► Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

► It is the Purchaser's responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

► Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have been made to the cabinetry.

STANDARD OPENINGS ACKNOWLEDGED BY PURCHASER:

INITIAL

Fridge Opening ► 36" x 74" **Side (L+R) & space above the fridge is required due to proper air flow
Stove Opening ► 30"
Hood Fan Opening ► 30"
Hood Fan Vent ► 6"
Dishwasher Opening ► 24"

UPGRADED APPLIANCES BELOW (Check applicable)

It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance that has been upgraded. Zancor Homes will not be responsible for appliance requirements based on upgrades if specs have not been provided to the builder.

INITIAL

FRIDGE

☐ Built-in
(Spec's Required) ☐ Paneled / Integrated

☐ Flush Inset
☒ Water Line

RANGE

☐ 36"
(Spec's Required) ☒ 30" same as the stove
Larger CFM may be required with these appliances
☐ Gas
☐ Induction

☐ Cooktop (Apron front)
☒ Cooktop (Drop-in)
**Countertop Cut-out change required for cooktop

HOOD FAN &

☐ Under Cabinet (Standard)
VENT ☐ Chimney (centre vent)
(Spec's Required) ☐ Insert / Liner

☒ 6 Inch (Standard)
☐ 8 Inch
☐ 10 Inch
*Hood Range
See Spec

WALL OVEN &

☐ Single Oven
MICRO ☒ Double Oven
(Spec's Required) ☐ Steam Oven

☐ Warming Drawer
☐ Over the Range Microwave
☐ Built-in Microwave (*Trim kit required)

DATE

SITE

LOT

** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738-7010 F: (905) 738-5948

GALLERY

BY ZANCOR

ZANCOR

INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its contractual obligations under the Agreement of Purchase and Sale.

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrade/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.**

PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be cleaned with lemon oil or varneger. Stones are porous materials, therefore any spilled substance require immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Vendor liable for provision of same.

STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually approximately 5' x 8'.

CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home.

STAIR STAIRS: Due to the natural properties of wood, many variables can affect the overall look of the finished product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products.

CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the Builder liable for provision of same.

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrade/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.**

HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials.

HARDWOOD / LAMINATE WAIVER:

I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1).

"Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing similar degrees of water resistance

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture abundance in the mentioned areas, and agree to waive any claims against the Township of residence, TARIION and/or the Builder in relation to the matter. ****SEE COLOUR CHART FOR LOCATIONS****

DATE Aug 5/21

SITE 1411571

LOT 1866

223 North Ruessville Road, Concord, Ontario L4K 3H7 * T: (905) 738-7010 F: (905) 738-5545

GALLERY
by ZANCOR

ZANCOR

HOME AUTOMATION
(Cable, CAT5/6, Telephone)

OPTION 1:

I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of Purchase Sale.

I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to select locations of the standard rough-ins review other optional products for purchase.

Trade: **Smart-Tech Home Automation**
Phone: **(905) 761-6469**
Rep: **KHs**
Location: **200 Millway Avenue, Unit 8**
Concord, Ont L4K 5K8

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

X KH
Homeowner(s) Initial

OPTION 2:

I/we the Homeowner(s) have chosen to not contact the home automation company. I/we the Homeowner(s) have selected the locations for the standard rough-ins for Cable, CAT5, Telephone that are included in the Agreement of Purchase and Sale directly with a décor rep.

Homeowner(s) Initial

DATE Aug 5/21 SITE 1441561 LOT 6-1/8th

Z21 North Blenheim Road, Concord, Ontario L4K 3N7 * T: (905) 738.7030 F: (905) 738.5948

GALLERY
BY ANCOB

ZANCOR

Stone Countertop Edge Profiles

****Where applicable as per site specifications****

STANDARD EDGE FOR KITCHEN & VANITIES

Standard Countertop Edge in Kitchen



Standard Countertop Edge in Vanity



Homeowner(s) Initial

XAB

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250

Optional Edge in Kitchen



Optional Edge in Bathroom



Homeowner(s) Initial

OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

Optional Edge for Kitchen



Optional Edge in Vanity



Homeowner(s) Initial

1862

DATE

Aug 5/21

SITE

1811871


LOT

Rizon™

Traditional | Transitional | Modern

Polished smooth with clean, horizontal lines, the Rizon collection features a modern style with simple edges and soft curves.

lot 1864
Aug 5/21




Single Handle Vessel Lav Faucet with Push-Button Drain without Overflow ²
Model 6911 / 140780

Not available in BL

Chrome


Other



Single Handle Lav Faucet with Lift Rod Drain
Model 6900

Chrome

Other



Two Handle Adjustable Widespread 18" - 16 1/2" Lav Faucet with Lift Rod Drain
Model T6920 / 69000

Chrome

Other



Two Handle Roman Tub Faucet
Model T935 / 4796

Chrome

Other



Two Handle Roman Tub Faucet with Hand Shower
Model T936 / 9796

Not available in BL

Chrome

Other



One Handle Roman Tub Faucet with Hand Shower
Model T937 / 4791

Not available in BL or BN

Chrome




Tub Drain Half Kits Available**

Chrome

Other

9792-Mask
9792-TWIN
9791-Ensured



BN

BL

FINISH OPTIONS:

To order, combine the model number with one of these finish letters:

LifeShine® Brushed Nickel (BN) & Matte Black (BL)

To order Chrome (C) model, use model number only.

** T90331 / 140680

- Deckplate sold separately - 165006 series & Single hole installation only

David B. Smith

KITCHEN

Genta™

Traditional | Transitional | Modern

The Genta pull-down faucet with its contemporary lines and flat plates brings an appealing yet bold style that makes a statement in any kitchen.



lot 1860
Aug 5/21


Single Handle Pullout
Kitchen Faucet **

Model 7862

Chrome
Other

Yellow
Box

Kitchen
faucet
Black.



FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):
Chrome (C), Spot Resist™ Stainless (SRS), & Matte Black (BL).
** Deckplate included

1st 1860
Aug 5/21

COLLETTE

Product Lines:

Front cover note:

FROM THE EDITOR

(D) $445\text{mm}(2' 1\frac{1}{2}'') \times 253\text{mm}(10' 1\frac{1}{4}'') \times 40\text{mm}(1\frac{5}{8}'')$


where α measures the following

• **U.S. Open Cup**

• ASME A112.19.2/CSA B45.7-2013

C366 7.54

GM 2500



Conclusions of studies are tentative and may vary with the type of stimulus administered by the experimenter. The results of this study are subject to change in confirmation. But regardless of the results of this study, the results of this study are subject to change in confirmation. But regardless of the results of this study, the results of this study are subject to change in confirmation.

These are the data from the following table:

© 2005 Blackwell Publishing Ltd *Journal of Internal Medicine* 257: 259–266

[illegible]

5370 Chetworth Way, Unit A, Mississauga, ON, Canada L5R 3Y5
www.ecobac.ca

WWW.ECONOMIST.COM

Received January 2014

Shirley


1st 1862
1709-5/21

BLANCO

PRECIS U SUPER SINGLE SILGRANIT

Sink Specifications

Colour	SKU
Grati	400689
Anthracite	400690
Truffle	401143
Cinder	401997
Metallic Grey	401683
White	401820
Concrete Grey	402266
Coal Black	402660



Design and planning tips

- Min cabinet size: 36 in (915 mm)
- Bowl Depth: 9 1/2 in (240.0 mm)

Specifications:
Mounting clips, Sink template, Installation instructions,
3 1/2" (90 mm) stainless steel strainer(s), Limited Lifetime
Warranty

To protect from damage, this model should be shipped
on a pallet.
Depending on cabinet construction, a different cabinet
size may be required. Consult the cabinet manufacturer.
Codes/Standards: CSA B45.8-18/ IAPMO Z403-2018

Kitchen
Sink

Optional Accessories

CapFlow Strainer Cover	517666
BlancoClean Silgranit	406200
Cleaner	
Floating Grid	406535
Sink Grid	406446
Mechanical Pop-up Strainer	406244

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Codes/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF
standards and listed by applicable certification bodies. For more information on individual product listings, contact
our office or listing organization.

 Need support? Learn more by watching our sink & faucet How-to videos:
<https://www.blanco.com/en/support/how-to-videos/how-to-videos-for-sinks/>

	BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5	Tel & Fax Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626
---	---	---

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and
are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation
details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or updated
specifications.




Coal Black

		ORDER NAME: CANOPIES		REVISED:	
SHIP TO:		PART:		REVISED DATE:	
PARTS TO: FORWARD		CELL:		REVISED DATE:	
COMMENTS:		REV:		REVISED DATE:	
23 Mar 2021		2 of 3		REVISED DATE:	


TRANSITIONAL



TransitionalHOOD3-900w-750h-550d



Approx 48" wide.
Smoke grey mirror insert




Calderbank
Corvita Babin

1st 186W
Aug 5/21

AVC-276PS

Dimensions



18186w
Aug 5/21


installation

Duct transition



6" Round top

A	Floor to ceiling height	variable
B	Floor to counter top height (standard)	36"
C	Recommended height between working surface and bottom of the hood	28" to 30"
D	Hood height	12 3/8"
E	Cabinet height	N/A



The information contained herein is based on sources that may be incomplete and/or may change without notice.

Optional - HOOD FAN Included with
New Image Canopies

****See price book, "Cabinet Extras"**

Sanja Basu

1st 1864
H995/21

CALI ONE PIECE TOILET A, 8L PF / 1.28 GPF

- 471080V Lined Tank
- 471080VU Unlined Tank

PRODUCT SPECS:

- High efficiency toilet
- 4.8LPI / 1.28GPF
- Elongated bowl with concealed skirted trapway
- Ultra-thin
- 17" Plus Height for greater comfort
- Soft white touch lever
- 12" COSMOS Rough-in
- 2" Fully glazed ball cast trapway
- 3" Flapper
- Station Jet Flush action
- Water surface 7 1/4" x 5 1/4" (196mm x 143mm)
- Decorative soft white side caps included
- Smooth chrome toilet seat included

DIMENSIONS:

390mm W x 765mm D x 765mm H
15 3/4" W x 30 1/4" D x 30 1/4" H


COMPLIANCE CERTIFICATIONS

Meets or exceeds the following:


- IAPMO eUPC
- ASME A 112.19.2 / CSA B45.1
- ADA Guidelines & ANSI A117.1
- LEED Compliant
- CSA B651 barrier-free standard
- US EPA WaterSense
- MAP Tested 1000g

SHIPPING

Cube 9.39
GW 92.5 lbs



NOTES: This toilet is designed to require 0.8 gpm maximum flow rate at 120 psi for 15 seconds to flush. It is not intended for use in areas with low water pressure. The toilet is designed to meet the requirements of the ASME A 112.19.2 / CSA B45.1 standard. The toilet is designed to meet the requirements of the ADA Guidelines & ANSI A117.1 standard. The toilet is designed to meet the requirements of the LEED Compliant standard. The toilet is designed to meet the requirements of the CSA B651 barrier-free standard. The toilet is designed to meet the requirements of the US EPA WaterSense standard. The toilet is designed to meet the requirements of the MAP Tested 1000g standard.



Qty 4
Master
Twin
Console 2
Powder

contrac 5770 CHEROKEE WAY, SUITE B, FORTSMITH, OKLAHOMA, 74434-1402 | CONTRAC.CA

REVISED MAY 2021

Signature: Savika Bani

HOME APPLIANCES

LG LAUNDRY

DLEX7900VE

7.3 cu.ft. Super Capacity Dryer




lot 186
Aug 19/21

- EnergyStar® Qualified TurboSteam™ Technology
- SmartThinQ® Technology (Wi-Fi Enabled)
- Sensor Dry System
- ENERGY STAR® Qualified
- Wi-Fi Connectivity
- Smart Pairing
- Stainless Steel Drum



Enjoy new ways to control your home with LG smart appliances



Capacity

7.3 cu. ft.

Performance

EnergyStar

100% Cotton

100% Synthetic

100% Mixed

100% Delicates

100% Bedding

100% Towels

100% Linens

100% Knitwear

100% Suits

100% Dresses

100% Coats

100% Jackets

100% Sweaters

100% Shirts

100% Blouses

100% Skirts

100% Pants

100% Shorts

100% Undershirts

100% Socks

100% Hosiery

100% Lingerie

100% Swimwear

100% Sleepwear

100% Robes

100% Bathrobes

100% Towels

100% Linens

100% Knitwear

100% Suits

100% Dresses

100% Coats

100% Jackets

100% Sweaters

100% Shirts

100% Blouses

100% Skirts

100% Pants

100% Shorts

100% Undershirts

100% Socks

100% Hosiery

100% Lingerie

100% Swimwear

100% Sleepwear

100% Robes

100% Bathrobes

100% Towels

100% Linens

100% Knitwear

100% Suits

100% Dresses

100% Coats

100% Jackets

100% Sweaters

100% Shirts

100% Blouses

100% Skirts

100% Pants

100% Shorts

100% Undershirts

100% Socks

100% Hosiery

100% Lingerie

100% Swimwear

100% Sleepwear

100% Robes

100% Bathrobes

100% Towels

100% Linens

100% Knitwear

100% Suits

100% Dresses

SmartThinQ™ Technology

Control your home with your smartphone

Remote start & stop

Diagnosis & repair

Energy monitoring

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

SmartThinQ™ Technology

Control your home with your smartphone

Remote start & stop

Diagnosis & repair

Energy monitoring

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics

Smart notifications

Smart alerts

Smart pairing

Smart home integration

Smart scheduling

Smart diagnostics




Life Group



L&L



L&L




18/86
Aug 19/21


800 Series - Black with Stainless Steel Frame NIT8669SUC



Installation above Wall Ovens



Keywords:
Chimpanzees; quality; sex; strategy; social relationships; 1950s; sex; 4-year; long life; evolutionary; human primates



- Minimum clearance from the cooktop
output to the wall
installed depth includes gap of
1" (25 mm) to the ventilation
Minimum clearance between surface
of the cooktop and lower edge of the
hood

measurements in inches (mm)



(b) (5) DPP, (b) (5) ACP

[illegible]

Ad 186
Ad 19/21

800 Series - Black with Stainless Steel Frame HT66695UC



Investment for life



NITROGENSULC
Black with Staples
Steel Frame

Also available in
French
NIT6659UC

The 900 Series induction cooktop is sleek in design, and features AutoChef® technology which maintains precise cooking temperatures.

Featuring the Benefits

Induction - faster than gas and electric cooktops. Precise cooking, easy cleaning and more efficient.

AUTOChef® - regulates temperature continuously during frying and adjusts them as needed.

AutoClutch - regulates temperature continuously during firing and adjusts them as needed

12" washing center
cooking zone for large pots
and pans

Home Connect™ - the easy way to connect your smart device with your Bosch cooktop.

Hood Control – convenient operation of the Home Connect™ enabled ventilation via your cooktop

Element Performance	
Power of Front Left Heating element	1,800 W
Power of Front Left Heating element (in boost)	3,100 W
Power of Back Left Heating element	1,800 W
Power of Back Left Heating element (in boost)	3,100 W
Power of Center Heating element	3,600 / 2,200 W
Power of Center Heating element (in boost)	5,400 / 3,700 W
Power of Back Right Heating element	1,400 W
Power of Back Right Heating element (in boost)	2,700 W
Power of Front Right Heating element	2,200 W
Power of Front Right Heating element (in boost)	3,700 W
Runners with Coasters	4x
Element Size	
Dimension of Front Left Heating element	7"
Dimension of Back Left Heating element	12" x 3"
Dimension of Center Heating element	6"
Dimension of Back Right Heating element	8"
Dimension of Front Right Heating element	8"
General Properties	
Ignite Control (Wired/ Enabled)	Yes
Controls	PreciSelect® Touch
Technical Details	
Weight	8,600 W
Input Breaker	40 A
Volts	200-240 V
Frequency	60 Hz
Plug type	Nm plug
Power cord length	37"
Energy source	Electric
Dimensions & Weight	
Overall approximate dimensions (HxWxD) (includes casters)	51.6" x 41.5" x 37" x 21.1/4"
Required cutout size (HxWxD)	41.8" x 34.7/8" x 20"
Mounting distance from counter front	2 1/4"
Minimum distance from rear wall	2"
Net weight	53 lbs.
Accessories-Optional	
HE2390210 A-PreClean™ Kit	HE2390210 A-PreClean™ Kit

LG COOKING

LWC30635T
Combi Mail Open

QUICK INSTALL & CLEARANCES

For full installation directions/clearances please refer to the corresponding User Manual and Installation Guide.

[illegible][illegible]

0022-2720/00/0000-0000\$10.00/0

17. The additive binomial distribution model, first shown to be incorrect by G. A. Miller (1952), is a good approximation to the binomial distribution. The following data are from a study by the National Cancer Institute (1980) of the relationship between the number of cigarettes smoked per day and the risk of developing lung cancer. The following table shows the results of the study. Do you think the additive binomial distribution model is a good approximation to the binomial distribution?
18. A study of the relationship between the number of cigarettes smoked per day and the risk of developing lung cancer. The following table shows the results of the study. Do you think the additive binomial distribution model is a good approximation to the binomial distribution?
19. A study of the relationship between the number of cigarettes smoked per day and the risk of developing lung cancer. The following table shows the results of the study. Do you think the additive binomial distribution model is a good approximation to the binomial distribution?
20. A study of the relationship between the number of cigarettes smoked per day and the risk of developing lung cancer. The following table shows the results of the study. Do you think the additive binomial distribution model is a good approximation to the binomial distribution?

1997

- | | |
|---|---------------------|
| • <i>Y. enterocolitica</i> | 30%–50% prevalence |
| • <i>Y. enterocolitica</i>
biotype 4/O:3 | 12% prevalence |
| • <i>Y. enterocolitica</i>
biotype 4/O:4 | 2.3%–12% prevalence |
| • <i>Y. enterocolitica</i>
biotype 4/O:2 | 7.6%–12% prevalence |
| • <i>Y. enterocolitica</i>
biotype 4/O:1 | 2.6%–12% prevalence |
| • <i>Y. enterocolitica</i>
biotype 4/O:5 | 4.2%–12% prevalence |



~~Deliber~~
1st 186
Aug 17/21

- [illegible]

2. A. L. — another constant expression for use of the personified life

- [illegible]

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 103–110

- [illegible]





MT7850HVA

 Enjoy new ways to control your home with LG smart appliances.



1st 186
Aug 19/21

[illegible]

AMENDMENT TO THE AGREEMENT OF PURCHASE AND SALE BETWEEN
THE UNDERSIGNED PARTIES HERETO

Regarding the Property known as LOT: 180W municipality located at INNISFILL, Ontario.

Between: Purchaser: PANKAJ BASSI

Purchaser:

And

Vendor: ZANCDR HOMES (INNISFILL) LTD.

The undersigned hereby agree and understand that, with the exception of the following changes to the above mentioned Agreement of Purchase and Sale, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated therein.

DELETE Purchase Price: \$ 809,990.00

INSERT Purchase Price: \$ 955,835.15 which includes the amount of:

* \$ 145,845.15 for upgrades purchased on 09-Aug-21
on account of the "Extras" described in the schedule attached hereto.



things

*300 AMP
BREAKER 50-05*

*Signature
Ganika Bassi*

*Signature
An 18/21
Ganika Bassi*

18600
Aug 5/21



See notes

[Signature]
 Larika Buxton
 Aug 18/21
[Signature]
 Larika Buxton

lot 186N
Aug 5/21

K Heher

- ① qty 2 - plain clear glass doors with matching interior.
- ② Transformed Hot Range
w/ mirror qty 11 set
finish to 48" approx.
- ③ Cooktop + cabinet w/ pot + pan below
- ④ Wall oven + Micro Combo w/ pot + pan below
- ⑤ wine fridge.
- ⑥ Fridge enclosure.
- ⑦ Riser + large crown molding.
install crown at ceiling.

X Alfonso Aug 18/21

X Alfonso
Janika Bashi

Qty 12-8 Foot
interior Doors

plug for future TV

8' high
sliding door

Aug 5/21

See floor
plan attached
for pet lights

Family Room
14'0" x 19'8"
Qty 5

Breakfast
13'6" x 15'0"


Kitchen
11'0" x 11'0"

How standard
light to here,
and add
ceped light.
space away.


Qty 6 pet light
separate switch

Qty 8 pet light
sid light to
Remain.
Sep. switch.

Ground Floor
Elevation A



Partial Ground
Floor
Elevation B



200 AMP
BREAKER 50-05

Smooth
ceilings



Aug 5/21
Garika Boss

Aug 18/21

18610
Aug 5/21

New Image Kitchens Inc.		Quantity	1
Scale	1" = 1'-0"	Project No.	18610
Date	8/5/21	Drawn By	
BELLE AIR SHORES INNISFIL		Location	

MODEL: 50-05



See notes

~~Mike Barts~~
Barbara Barts

Aug 18/21

X

lot 186W
Aug 5/21

K Heher

- ① qty 2 - Plain clear glass doors with matching interior.
- ② Transthermal Hood Range w/ mirror qty 11 set finish to 48" approx.
- ③ Cooktop + cabinet w/ pot + pan below
- ④ Wall oven + Micro Combo w/ pot + pan below.
- ⑤ wine Fridge.
- ⑥ Fridge enclosure.
- ⑦ Riser + large crown molding. install crown at ceiling.

X Aug 18/21

X Albani