CONSTRUCTION SUMMARY OF EXTRAS Printed 2021-10-01 / 3:50 PM / Page 1 of 1

Site: WASAGA

Model: Lot: 132

Purchaser: PIER (40-07) ELEV A HELEN YU

Purchaser:

Phone:

Email: 416.886.2802 HELEN.YU1991@GMAIL.COM

HOME



28-Sep-21	41 9" TOWEL BAR- YB2486- MOEN- INSTALL NEAR SINK FOR HAND TOWEL QTY 4- POWDER, MAIN, ENSUITE, BASEMENT BATH	4
28-Sep-21	40 24 TOWEL BAR- YB2424- MOEN- QTY 3- MASTER AND MAIN, BASEMENT BATH	4
28-Sep-21	39 PIVOTING PAPER HOLDER - YB2408- METHOD- QTY 4- POWDER, MAIN, ENSUITE	ıω
28-Sep-21	38 7 FOOT INTERIOR DOORS ON SECOND FLOOR IN LIEU OF STANDARD, CLEARANCES PERMITTED- QTY 10- SEE SKETCH	ω
28-Sep-21	37 8 FOOT INTERIOR DOORS ON MAIN FLOOR IN LIEU OF STANDARD, CLERANCES PERMITTED QTY 7- SEE SKETCH	ω
28-Sep-21	36 FINISHED 3 PCE BATHROOM W/ VANITY, TOILET & TUB IN BASEMENT- SEE SKETCH	ω
28-Sep-21	35 COMPLETE LENNOX AIR CONDITIONER (13 ACX) INSTALLED. **SIZED ACCORDING TO HVAC CALCULATIONS**	μ
28-Sep-21	34 WATERLINE FOR FRIDGE	ω
28-Sep-21	33 GASLINE FOR STOVE- INCLUDES 15 AMP, 40 AMP TO REMAIN	ω
28-Sep-21	32 COMFORT HEIGHT- QTY 3- MASTER, MAIN AND BASEMENT BATH	ω
28-Sep-21	31 MAIN BATH- FLOOR TILE-12 X 24- BRICKED-UP 2	ω
28-Sep-21	30 MAIN BATH COUNTER- UP 2- INCLUDES OVAL UNDERMOUNT SINK	ω
28-Sep-21	29 MASTER BATH COUNTER- UP 2- INCLUDES QTY 2 OVAL UNISERMOUNT SHIK RECTARGLE SINKS (# 15)	22
28-Sep-21	28 MASTER BATH CABINET- UP 1	22
28-Sep-21	27 MASTER BATH SHOWER FLOOR- UP 2	2
28-Sep-21	26 MASTER BATH WALL TILE- 12 X 24- STACKED- UP 5	2(
28-Sep-21	25 MASTER BATH FLOOR TILE- 12 X 24- BRICKED- UP 5	2.
28-Sep-21	24 MUD ROOM TILE 12 X 24 BRICKED- UP 2	2,
28-Sep-21	23 POWDER ROOM TILE- 12 X 24 BRICKED- UP 2	123
28-Sep-21	22 FOYER- TILE- 12 X 24 BRICKED- UP 2	2
28-Sep-21	21 KITCHEN COUNTER- UP 3, INCLUDES UNDERMOUNT SINK - BLANCO	2
28-Sep-21	20 KITCHEN/ BREAKFAST-TILE- 12 X 24- BRICKED- UP 2	20
28-Sep-21	19 NA	15
28-Sep-21	18 KITCHEN CABINET- UP 1	11
28-Sep-21	17 KITCHEN- DELETE UPPER CABINET FOR FUTURE CHIMNEY HOOD AND CENTER VENTING- SEE SPEC/SKETCH	1
28-Sep-21	16 PLUMBING- CONTRA CALI ONE PIECE 4710BOV- MASTER BATH- SEE SPEC	1
28-Sep-21	15 PLUMBING- QTY 2 RECTANGLE SINK- 4220CIY IN MASTER BATH	12
28-Sep-21	14 RAILING- UP 2	1,
28-Sep-21	13 HARDWOOD IN BEDROOMS- MASTER BEDROOM, BEDROOM 2, 3, 4- HARDWOOD- UP 3	Е
28-Sep-21	12 STAIN FOR STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	12
28-Sep-21	11 HARDWOOD- FAMILY ROOM, INCLUDES LANDING, DINING ROOM, MAIN HALL, UPPER HALL- UP 3	1
28-Sep-21	10 CABINETS- LAUNDRY UPPER CABINETS	10
28-Sep-21	9 BANK OF DRAWERS IN MASTER	9
28-Sep-21	8 SMOOTH CEILINGS- SECOND FLOOR	00
28-Sep-21	7 SMOOTH CEILINGS- MAIN FLOOR	7
28-Sep-21	6 ELECTRICAL- KITCHEN- HIDDEN LIGHT VALANCE- QTY 4 PUCK LIGHTS ON SEPARATE SWITCH- SEE SKETCH	6
28-Sep-21	5 ELETRICAL- QTY 4 EXTERIOR POTLIGHT ON SEPARATE SWITCH- SEE SKETCH	رب ر
28-Sep-21	4 ELECTRICAL- QTY 6 POTLIGHTS IN KITCHEN ON SAME SWITCH. DELETE STANDARD LIGHT- SEE SKETCH	4
28-Sep-21	3 ELECTRICAL- 2 CAPPED LIGHTS OVER KITCHEN ISLAND, SPACED EVENLY ON SEPARATE SWITCH.	w
28-Sep-21	2 ELECTRICAL- PLUG FOR FUTURE TV OVER FIREPLACE. INSTALL 65 AFF, BESIDE CABLE- SEE SKETCH	2
28-Sep-21	1 SEE SKETCH SO" DIMPLEX- BLF5051- IN LIEU OF STANDARD. WALL WILL BE BUILT INTO ROOM APPROX 8 " TO ACCOMMODATE-	ь
INCLUDED IN APS	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	
INCLUDED IN APS	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER	
DATE SELECTED	DESCRIPTION	
The state of the s		7


PRINTED 2021-09-30, 2:44 PM

APPROVAL	PURCHASER INITIALS	**PAGE 1 OF 2**	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
\$	> 17 / 17 	SHORELINE 132	accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
	\t\ \	WASAGA	Any upgrades in the colour chart must be
SIGNATURES	SIG		***FOR TRADE USE***
STD	- FAUCET(s)	4220CIY- QTY 2 Master Ensuite - FAU	Master Ensuite - SINK(s)
	2	BLANCO PURE- UP 2	Master Ensuite - COUNTERTOP
		H800BC	Master Ensuite - HANDLES/KNOBS
	THEIGHT- UP 1	SIERRA MDF BLACK- COMFORT HEIG	Master Ensuite - CABINETS
		BIANCO CARRARA	Master Ensuite - SHOWER JAMB
9		NERO MARQUINA HEXAGON POLISH	Master Ensuite - SHOWER FLOOR
1- UP 5	- 1	R&W BREACH POLISHED 12 X 24- STACKED	Master Ensuite - CHOWER WALL
5	1- BRICKED- UP 5	R&W BREACH POLISHED 12 X 24- BRIG	Master English - EL OORING
		NA	Bedroom 5 - FLOORING
OAK 5" ANGORA- UP 3	ö	NORTHERN SOLID SAW SCULPTED CHARACTER UV RI	Bedroom 4 - FLOORING
" ANGORA- UP 3	UV RED OAK 5	NORTHERN SOLID SAW SCULPTED CHARACTER UV RED OAK 5" ANGORA- UP 3	Bedroom 3 - FLOORING
D OAK 5" ANGORA- UP 3	UV RED OAK 5	NORTHERN SOLID SAW SCULPTED CHARACTER UV RE	Bedroom 2 - FLOORING
" ANGORA- UP 3	UV RED OAK 5		Master Bedroom - FLOORING
D OAK 5" ANGORA- HP 3	11	NORTHERN SOUD SAW SCHIERTED CHARACTER IIV RE	
		SID	Powder Room - FAUCET
		STD	Powder Room - SINK
		NA	Powder Room - COUNTERTOP
		NA	Powder Room - CABINETS
2	24-BRICKED- UP 2	FLOW GREIGE POLISHED 12 X 24	Powder Room - FLOORING
		POWDER ROOM	
		NA	Stair Stain - SERVICE STAIRS (if applicable)
		NA	Stair Stain - BASEMENT STAIRS (if applicable)
.E	LOSE AS POSSIBLE	STAIN TO MATCH HARDWOOD AS CLOSE A	Stair Stain - MAIN STAIRS
	UP 2	2 3/4" OAK H ANDRAIL- UP 2	Railing Details - HANDRAIL
	REVEAL- UP 2	3 1/3" SQUARE OAK POST W/ REVEAL	Railing Details - POSTS
	- UP 2	ALL PLAIN BLACK METAL- UP 2	Railing Details - PICKETS
		STAIRS	
		NA	Basement Rec Room - FLOORING
		NA	Library / Den - FLOORING
D OAK 5" ANGORA- UP 3		NORTHERN SOLID SAW SCULPTED CHARACTER UV RE	Dining / Living Room - FLOORING
D OAK 5" ANGORA- UP 3		NORTHERN SOLID SAW SCOLLIED CHARACTER IIV RE	Main Hall - FLOORING
DONK 5" ANGORA- LIP 3		/ DINING / LIVING / DEN / OFFICE / BASEMENT	GREAT ROOM
		10	Kitchen - FAUCET
		STD	Kitchen - SINK
		DECLINED	Kitchen - BACKSPLASH
	3	CALCATTA GOLD- UP 3	Island - COUNTERTOP
	3	CALCATTA GOLD- UP 3	Kitchen - COLINTERTOP
		H800BC	Kitchen - HANDLES/KNOBS
		NA NA	Servery - CARINETS
	DE-LIP 1	MOSAIC GLACIER WHITE MDE- LID	Kitchen - CABINETS
	BRICKED- OF 2	FLOW GREIGE POLISHED 12 X 24-BRICKED- OF 2	Breakfast - FLOORING
	BRICKED- UP 2	FLOW GREIGE POLISHED 12 X 24-BRICKE	Kitchen - FLOORING
	PROMED LINE	KITCHEN	
	Mary and the Late of the late	NA	Basement Foyer - FLOORING
		NA	Side Hall - FLOORING
	X 24-BRICKED- UP 2	FLOW GREIGE POLISHED 12 X 24-I	Mudroom - FLOORING
	BRICKED- UP 2	FLOW GREIGE POLISHED 12 X 24-BRICKE	Main Foyer - FLOORING
		FNTRANCES	

1/21	W 7 Oct 1	Vendor APPROVAL	F 2**	**PAGE 2 OF
		DÉCOR CONSULTANT		HOMES
	"	PURCHASER SIGNATURE	colour charts PKIOK to	oiscrepancies on sketches, PES and/or installation.
itally signed by Helen Yu cor±felen Yu, o=Bank of Montreal, BMO, email=helen yuehmo.com, c=CA e: 2021.09.30 16:14:16 -04'00'	Helen Yu	PURCHASER SIGNATURE	accompanied with a PES. form the builder of any	the colour chart must be sibility of all Trades to in
ATE	SIGNATURES / D/			***FOR TRADE USE***
AIL.COM	HELEN.YU1991@GMAIL.COM	416.886.2802		CONTACT:
	HELEN YU			PURCHASER(S):
132		WASAGA		SITE / LOT:
HY	. Due to	dentical due to dye lot variances in n the Vendors's selection must be acc	ers selection but not necessarily selected or installed. In this even	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
HY.	×	ng.	colour and selections before sign	Purchaser has checked and acknowledged accuracy of colour and selections before signing
	₹	e plus costs	t to a \$5000 administration fe	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
INITIALS		YES	DISCLAIMER	WATERLINE to Fridge
DECLINED	ELECTRICAL for Bar Fridge	6" STD		HOOD FAN VENT SIZE
DECLINED	ELECTRICAL for Cooktop	DECLINED	D	GAS LINE & ELECTRICAL TO DRYER
DECLINED	ELECTRICAL for Built-in Oven	STD		TO BBQ
		APPLIANCE REQUIREMENTS	APPLIA	
UPGRADE	BATH ACCESSORIES	YES		Mirrors
	20 DIMITELY	ACCESSORIES		Location / Insert / Mantie
	SO" DIMBLEY	FIREPLACE		location / locat / Manual
	WARM GREY			PAINT - Throughout
	STD			Interior Door Hardware
STANDARD STYLE	ON MAIN FLOOR -	FOOT ON 2ND / 8 FOOT DOORS	7 FOOT C	Interior Doors
	CTD	TRIM / PAINT		
		NA		Laundry - BACKSPLASH
STD	Laundry - FAUCET	5003-38		Laundry - COUNTERTOP
STD	Laundry - SINK	EURO BLACKWOOD	E	Laundry - CABINETS AND UPPERS
H800BC	Laundry - HANDLES/KNOBS	LOFT WHITE 12 X 24- BRICKED	LOFT W	Laundry - FLOORING
Š	Elistite batil - raoce (19)	LAUNDRY		ensuite Bath - SINK(S)
2	NA FAILCETA			Ensuite Bath - COUNTERTOP
	NA			Ensuite Bath - HANDLES/KNOBS
	NA			Ensuite Bath - CABINETS
	NA			Ensuite Bath - SHOWER JAMB
	NA A			Ensuite Bath - IUB / SHOWER WALL
	NA			Ensuite Bath - FLOORING
SID	Shared Bath - FAUCE I(S)	SID		BASEMENT Bath- SINK(s)
				BASEMENT Bath- COUNTERTOP
				BASEMENT Bath- HANDLES/KNOBS
	WOOD- COMFORT HEIGHT	EURO BLACK		Bath-
	NA NA		-	BASEMENT Bath- SHOWER FLOOR BASEMENT Bath- SHOWER IAMB
	LOFT WHITE 12 X 24- STACKED HORIZONTAL	LOFT WHITE 12		BASEMENT- TUB / SHOWER WALL
		LOFT WI		BASEMENT Bath- FLOORING
STD	Main Bath - FAUCET(s)	OVAL UNDERMOUNT	OVALUI	Main Bath - SINK(s)
		BLANC		Main Bath - COUNTERTOP
	H800BC	EURO BLACK		Main Bath - CABINETS Main Bath - HANDLES/KNOBS
		ELIBO BLACK		Main Bath - SHOWER JAIMB
	NA NA			Main Bath - SHOWER FLOOR
	LOFT WHITE 12 X 24- STACKED HORIZONTAL	LOFT WHITE 12		Main Bath - TUB / SHOWER WALL
	FLOW WHITE POLISHED 12 X 24- BRICKED- UP 2	FLOW WHITE PO		Main Bath - FLOORING
		2ND FLOOR CONTINUED		
		INITO COLOCIA CI	CANCON DO	

PIER 40-07

Sept 28/21






Smooth Cerlings

PIER 40-07

Jot 132 Sept 24/21








PIER 40-07

Jot 132 Sept 28/2



Elevation A, B & C Basement

(A)

191/4" OVAL UNDERMOUNT SINK

☐ 4220CFY **Undermount Sink**

Product Specs:

- Vitreous china
- · Front overflow hole · Template and mounting hardware supplied

Overall Dimensions (W x D x H):


(OD): 490mm(191/4") x 410mm(161/8") x 195mm(75/8") (ID): 430mm(17") x 350mm(13%") x 145mm(5%")

Compliance Certifications:

- Meets or exceeds the following:
- · IAPMO cUPC
- · ASME A112.19.2 / CSA B45.1-2013

Shipping:

GW 19 lbs




Notes:

Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is for use of superseded or voided pages.

ne and Biscuit available through Direct import (CIF) only



contrac

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: January 2016

132 man Bet

COLLETTE 211/2" RECTANGULAR UNDERMOUNT SINK

☐ 4220CIY **Undermount Sink**

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½") (ID): 485mm(19") x 295mm(11%") x 140mm(51/2")

Compliance Certifications:

Meets or exceeds the following:

· IAPMO cUPC

Shipping:






Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Bone and Biscuit available through Direct import (CIF) only.



contrac

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: January 2016

Massam

CALI ONE PIECE TOILET

☐ 4710BOV ☐ 4710BOVU **Unlined Tank** Lined Tank

PRODUCT SPECS:

- High efficiency toilet
- 4.8Lpf / 1.28Gpf
- Elongated bowl with concealed skirted trapway - Vitreous china
- comfort 17" Plus Height for greater
- Soft white tank lever
- 12" (305mm) Rough-in
- 2" Fully glazed ball pass trapway
- 3" Flapper
- Siphon jet flush action
- Water surface: 7%" x 5%" (198mm x 143mm)
- Decorative soft white side caps

Smooth close toilet seat included

DIMENSIONS:

15%" W x 28½" D x 30%" H 390mm W x 725mm D x 765mm H

COMPLIANCE CERTIFICATIONS

Meets or exceeds the following:

- IAPMO cUPC
- ASME A 112.19.2 / CSA B45.1

- ADA Guidelines & ANSI A117.1
- LEED Compliant
- CSA B651 barrier-free standard
- US EPA WaterSense
- MaP Tested 1000g

SHIPPING 9.39


GW 92.5 lbs



NOTES: This toilet is designed to rough-in at a minimum dimension of 305mm (12") from finished wall to C/L of outlet. Supply line not included with fixture and must be ordered separately. Important: Dimensions of fixtures are nominal and may vary within the range of tolerances establishedby ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of supersected or voided pages.

Soft White

Product is designed to comply with ADA / ANSI A117.1 and CSA B651 Barrier-Free Standard requirements, if installed according to the standard and local building codes. It is the responsibility of the installer to comply with this standard and local building codes prior to installation.



contrac

5970 CHEDWORTH WAY, UNIT B. MISSISSAUGA. ONTARIO, CANADA LSR 4G5 | CONTRAC.CA

REVISED MAY 2021

132 MSQ

Dimplex®

Prism Series

50" Linear Electric Fireplace

BLF5051




The best-selling electric linear fireplace just got better with the all new Prism Series. Sparkling with intensity in a full spectrum of colors, the Prism effect illuminates the diamond-like acrylic ice ember bed in a show-stopping effect. Plug-in or hard-wire, hung on the wall or built-in; the Prism Series is beautifully versatile.



Dimplex



Prism Series 50" Linear Electric Fireplace

















Accessories



50" LF50DWS-KIT



120 Volts | 1,230 Watts | 4,197 BTU

Model #	Description	Lbs/Kg UPC	UPC	Wty.¹	Wty,† Carton Dimensions (WxHxE	xHxD)	Cube	G.
STATE OF THE PERSON	THE RESERVE TO SERVE THE PARTY OF THE PARTY		THE PERSON NAMED IN	1	Inches	cm	₹3	m ³
BLF5051	50" Linear Electric Fireplace	75 / 34.1	781052 098787	2 yr.	75 / 34.1 781052 098787 2 yr. 55 x 23-1/4 x 12-7/8 139.7 x 58.9 x 32.7 9.5 0.26	139.7 × 58.9 × 32.7	9.5	0.26
DT1267BLK	DT1267BLK Cohesion Trim - Black	51/23,1	781052 080355	an	$51/23,1$ 781052 080355 1 an $64-7/8 \times 26-1/4 \times 8-3/4$ $164.8 \times 66.8 \times 22.1$ 8.6 0.24	164,8 x 66,8 x 22,1	8.6	0.24
LF50DWS-KIT	LF50DWS-KIT S0" Driftwood and River Rock Accessory Kit	7/3.17	7/3.17 781052 102842		34-1/4 x 5-7/8 x 8-1/8 87.2 x 14.98 x 20.6	87.2 x 14.98 x 20.6		

sions are subject to change, †Limited warranty, ©2020 Glen Dimplex Amer

Features

BLF5051

- The Original Dimplex Flame Effect
 A blend of technology, artistry and craftsmanship that sets the standard for realism.
- Acrylic Ice Media Bed Light plays through different size pieces and sparkle in a spectrum of colors.
- Media Accent Colors

 Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.
- Hanging Glass Design Detachable glass trim easily finishes rough openings and provides access to media. ★ Flexible Installation Simply surface mount and plug-in or fully-recess and direct wire for a seam-less installation
- Remote Thermostat Control
 Temperature control at your fingertips for convenient comfort.
- Multi-function Remote
 Control the flame, heat and thermostat
 from the comfort of your chair.
- LED Lighting Flame and lights use brilliant, low-en-ergy LED's that require zero mainte-nance.
- All-season Flames
 Enjoy the unique charm of a fireplace
 365 days a year using the flames
 without the heat.
- Cool-touch Glass
 Glass remains cool making it safe for any location and any user.
- Low Carbon Footprint

 The most sustainable fireplace option; no emissions and 100% efficient.


Dimplex




Prism Series _inear Electric Fireplace

BLF5051


Product Dimensions:







Installation Options and Framing Dimensions

3 Mounting Options












Must mount to a minimum of three (3) wall studs

ON WALL


















COLLETTE 211/2" RECTANGULAR UNDERMOUNT SINK

Undermount Sink

☐ 4220CIY

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½") (ID): 485mm(19") x 295mm(11%") x 140mm(51/2")

Compliance Certifications:


Meets or exceeds the following:
- IAPMO cUPC

· ASME A112.19.2 / CSA B45.1-2013


Shipping:


Cube 1.64

GW 25 lbs



Notes:Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME bimensions of fixtures are nominal and may vary within the range or cancellation. No responsibility is standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is for use of superseded or voided pages.







CALI ONE | 4.8LPF / 1.28GPF PIECE TOILET

☐ 4710BOV ☐ 4710BOVU **Unlined Tank** Lined Tank

PRODUCT SPECS:

- High efficiency toilet4.8Lpf / 1.28Gpf
- skirted trapway - Elongated bowl with concealed
- 17" Plus Height for greater comfort Vitreous china
- Soft white tank lever
- 12" (305mm) Rough-in
- 2" Fully glazed ball pass trapway
- 3" Flapper
- Siphon jet flush action
- Water surface: 75%" x 55%" (198mm x 143mm) Decorative soft white side caps
- Smooth close toilet seat included

included

DIMENSIONS:390mm W x 725mm D x 765mm H
15%" W x 28%" D x 30%" H

COMPLIANCE CERTIFICATIONS

Meets or exceeds the following:

- IAPMO cUPC
- ASME A 112.19.2 / CSA B45.1
- ADA Guidelines & ANSI A117.1
- LEED Compliant
- CSA B651 barrier-free standard
- US EPA WaterSense
- MaP Tested 1000g

SHIPPING

9.39

GW 92.5 lbs




Soft White TO BE SPECIFIED

NOTES: This toilet is designed to rough-in at a minimum dimension of 305mm (12") from finished wall to C/L of outlet. Supply line not included with fixture and must be ordered separately.

Important: Dimensions of fixtures are nominal and may vary within the range of tolerances establishedby ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Product is designed to comply with ADA / ANSI A117.1 and CSA B651 Barrier-Free Standard requirements, if installed according to the standard and local building codes. It is the responsibility of the installer to comply with this standard and local building codes from the standard and






PIER 40-07

Sept. 132

Eptopioe Pot











APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller - Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry.

Fridge Opening 36" x 74"

Hood Fan Opening Stove Opening 30"

Hood Fan & Vent 6" with Under Cabinet Hood 24"

Dishwasher Opening

Accepts Standard

Openings **Initial

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Homes by the due date that has been provided. If appliance specs are not submitte responsible for any necessary requirements and the standard opening will be built. submitted, Zancor Homes will not provide this to

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

***Specs that require changes/modifications after this date will not be accepted**

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

<u> </u>	WASAGA SHORLINE	Sut 28/21
l & sold separately	Built-In Microwave **Trim Kit required **electrical required & sold separately	
	Over Then Range Microwave (OTR)	
	Warming Drawer **electrical required & sold separately	
	Steam Oven **electrical required & sold separately	
	Double Wall Oven **electrical required & sold separately	**Electrical required
	Single Wall Oven **electrical required & sold separately	UPGRADE
		WALL OVEN/MICRO
	Insert / Liner	
	Chimney Hood Fan **Vent must be centred	
	10 Inch	
	8 Inch **Required for 600 CFM	UPGRADE
		HOOD FAN & VENT
arately	Cooktop (Drop-in) **countertop Cut-out required & sold separately	
d separately	Cooktop (Apron Front) **Countertop Cut-out required & sold separately	
	Induction **electrical required & sold separately	
ly	Gas Range **gas line and electrical required & sold separately	
or 10" vent required)	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)	vent
vent might be required)	36" **Hood fan opening must be the same size or larger (8" vent might be required)	*Larger hood fan CFM might be
		RANGE UPGRADE
	Waterline	
	Integrated / Flush Inset	
	Paneled **Panel to match required	
	Built-in	
		FRIDGE UPGRADE

** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

SITE

LOT

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better

will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an contractual obligations under the Agreement of Purchase and Sale

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, materials and shall not hold the Vendor liable for provision of same. immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone

applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually approximately 5'x 8' STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in MAY be shade differences between the two products The purchaser accepts that although the Vendor will do their best to match stain the

building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades. Builder liable for provision of same. finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This of certain upgrades and The purchaser shall not hold the

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an

Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall Expansion, compression and cupping are characteristics of hardwood

HARDWOOD / LAMINATE WAIVER:

areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** l/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

WASAGA SHORELINE

SITE

10

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

MASTER - ALL MASTER SIGN OFF FORMS 2020

Dec 17 2020







HOME AUTOMATION (Cable, CAT5/6, Telephone)

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

CONTACT:

Purchase Sale. locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of l/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will <u>contact the trade within 4 weeks of the date of this release</u> to

Trade: **Smart-Tech Home Automation**

Phone: (905) 761-6469

Email: kris@smart-tech.ca

Kris

Rep:

Location: 200 Millway Avenue, Unit 8

Concord, Ont L4K 5K8

ACKNOWLDEGEMENT:

Smart-Tech, locations of the standard rough-ins will be installed as per Vendors discretion. I/We the homeowner(s) acknowledge that if I/We the homeowners decide to not contact

Homeowner(s) Initial

Sept 28/21

WASAGA SHORELINE

132

LOT

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

SITE







BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

BRICK installation is included as a standard on the floor for 12 x 24 tiles and must be noted on the colour chart and acknowledged on this form

(Large tiles installation for floor and wall) – · ¼ Brick

shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers. Please be advised it has come to our attention, that due to production, many of the over-sized and odd

will find joint pa It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-

LOCATIONS: LOCATIONS: LOCATIONS:
Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.
(Small tile installation for walls) – ½ Brick
Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter.
Please understand, even in using this $\%$ brick installation, there may still be minimal lippage which cannot fully be eliminated.
LOCATIONS: Feren Mind, Dowden, Hain, Mark, LOCATIONS: Kitchen, Basement & H.
Joint pattern, that it be installed o= [n a ¾ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ¼ brick installation that has been recommended.

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T. (905) 738.7010 F: (905) 738.5948

SITE

101

WASAGA SHORELINE

Homeowner(s) Initial





Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES

Kitchen Standard Countertop Edge in Standard Countertop Edge in "DPR"

Vanity

"H"

Homeowner(s) Initial

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250

Optional Edge in Kitchen Optional Edge in Bathroom "D "B"

Homeowner(s) Initial

OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

Optional Edge for Kitchen

Optional Edge in Vanity

o"

WASAGA SHORELINE

DATE

SITE

LOT

Home er(s) Initial

MASTER - ALL MASTER SIGN OFF FORMS 2020 Dec 17 2020