

CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-12-08 / 3:38 PM / Page 1 of 2

Site:
Lot:
Model:
Purchaser:
Purchaser:
Phone:
Email:

CALEDON
57A
CAPLIANO (30-05) ELEV C
ABHAYKUMAR OSTWAL
CHETANA SHANTILAL
647.267.9521
FINEABHAY@GMAIL.COM



DESCRIPTION		DATE SELECTED
	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLANCES WITH WHITE WASHER & DRYER	INCLUDED IN APS
	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	INCLUDED IN APS
	STRUCTURAL	
1	SIDE ENTRY (FROM EXTERIOR TO STAIRS) AS PER PLAN, GRADE PERMITTING & PENDING CITY APPROVAL- SEE SKETCH	AUG 26 2021
2	RE POSITION SINK AND DISHWASHER ON KITCHEN ISLAND- SEE SKETCH	AUG 26 2021
	COLOURS	
1	COMFORT HEIGHT- QTY 4- MASTER, MAIN, ENSUITE 2, POWDER	AUG 26 2021
2	KITCHEN SINK- BLANCO QUARTUS R15- 401518- SEE SPEC	AUG 26 2021
3	GASLINE FOR STOVE, INCLUDES 15 AMP, 40 AMP TO REMAIN	AUG 26 2021
4	WATERLINE FOR FRIDGE	AUG 26 2021
5	PLUMBING - RECTANGLE SINKS IN MASTER (2) AND POWDER (1)	AUG 26 2021
6	HARDWARE- H800MB	AUG 26 2021
7	24" TOWEL BAR- MOEN METHOD- YB2424- QTY 3- MASTER, MAIN, ENSUITE 2	AUG 26 2021
8	9" TOWEL BAR- MOEN METHOD- YB2486- QTY 4- INSTALL NEAR SINK FOR HAND TOWEL- MASTER, MAIN, ENSUITE 2 AND POWDER	AUG 26 2021
9	PIVOTING PAPER HOLDER- MOEN METHOD- QTY 4- YB2408- MASTER, MAIN, ENSUITE 2, POWDER	AUG 26 2021
10	NA	AUG 26 2021
11	ELECTRICAL- 2 CAPPED LIGHTS OVER KITCHEN ISLAND, SPACED EVENLY ON SEPARATE SWITCH. STD LIGHT TO REMAIN- SEE SKETCH	AUG 26 2021
12	PLUG FOR FUTURE TV OVER FIREPLACE- INSTALL 65 AFF, BESIDE CABLE- SEE SKETCH	AUG 26 2021
13	NA	AUG 26 2021
14	NA	AUG 26 2021
15	TILE- FOYER- UP 2	AUG 26 2021
16	TILE- POWDER ROOM- UP 5- BRICKED	AUG 26 2021
17	TILE- LAUNDRY- UP 2	AUG 26 2021
18	TILE- KITCHEN/BREAKFAST- UP 2	AUG 26 2021
19	NA	AUG 26 2021
20	2 TONE KITCHEN CABINETS-LOWER CABINETS AND ISLAND ARE DIFFERENT COLOUR THAN UPERS	AUG 26 2021
21	CABINET- KITCHEN - UP 2	AUG 26 2021
22	COUNTERTOP- KITCHEN- UP 3	AUG 26 2021
23	COUNTERTOP- POWDER ROOM- UP 3	AUG 26 2021
24	COUNRERTOP- MASTER ENSUITE- UP 3	AUG 26 2021
25	HARDWOOD- GREAT ROOM, DINING ROON, HOBBY ROOM, MAIN HALL/LANDINGS, UPPER HALL- UP 3	AUG 26 2021
26	CABINETS- LAUNDRY UPERS- SEE SKETCH	AUG 26 2021
27	NA	AUG 26 2021
28	NA	AUG 26 2021
29	FRIDGE ENCLOSURE- DEEP UPPER AND GABLES -UP 1- SEE SKETCH	AUG 26 2021
30	RAILING- UP 3	AUG 26 2021
31	ADD EXTERIOR COACH LIGHT TO REAR SLIDING DOORS****THERE WILL NOW BE 2 LIGHTS AT THE BACK**- SEE SKETCH	AUG 26 2021
32	CABIENTS- UPGRADE 1 - POWDER, MAIN & ENSUITE 2, MASTER	AUG 26 2021
33	KITCHEN- BUILT IN OVEN AND MICRO (INCLUDINGMICRO AND OVEN SPACE WITH CABINET ABOVE AND DRAWER BELOW)- SEE SKECH AND SPEC	AUG 26 2021
34	ELECTIRCAL FOR BUILT IN OVEN/MICRO- 30AMP ON SEPARATE CIRCUIT	AUG 26 2021

CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-12-08 / 3:38 PM / Page 2 of 2

Site: CALEDON

Lot: 57A

Model: CAPLIANO (30-05) ELEV C

Purchaser: ABHAYKUMAR OSTWAL

Purchaser: CHETANA SHANTILAL

Phone: 647.267.9521

Email: FINEABHAY@GMAIL.COM




DESCRIPTION		DATE SELECTED
35	KITCHEN- COOKTOP CABINET WITH POT AND PAN DRAWERS BELOW (IN LIEU OF CABINETS)- SEE SKETCH AND SPEC	AUG 26 2021
36	KITCHEN-CUT OUT FOR COOKTOP- SEE SPEC AND SKETCH	AUG 26 2021
37	ADD 2.5 FEET OF UPPER AND LOWER CABINETS TO ACCOMMODATE OVEN/MICRO- SEE SKETCH	AUG 26 2021
38	EXTEND KITCHEN ISLAND AT REAR BY 1 FOOT- INCLUDES CABINET AND COUNTERTOP- SEE SKETCH	AUG 26 2021
	COLOURS	
1	KITCHEN- DELETE UPPER CABINET AND CENTER VENTING FOR CHIMNEY HOOD- SEE SPEC	30-Nov

MS19M8000A

SAMSUNG

Samsung Countertop Microwave

1.9 cu. ft. Capacity



Signature Features

1.9 cu. ft. Capacity

- Accommodates a variety of dishes so you can prep large meals quickly.

Sensor Cook

- Automatically adjusts cooking time for optimal results.

Ceramic Enamel Interior

- Makes removing grease or oil effortless and protects against scratches from daily use.

16159A
P910F
14


Available Colors




Stainless Steel (shown)



Black Stainless Steel



Sensor Cook



Ceramic Enamel Interior

Features

- Eco Mode
- Cooking Presets
- 950W of Cooking Power
- 10 Power Levels
- Auto Defrost
- LED Display
- 30" Trim Kit Options Available (see next page for details.)

Convenience


- Kitchen Timer
- Clock (12hr/24hr) with Daylight Saving Time Adjustment
- Child Safety Lock
- Reminder End Signal

Installation

1st 57A
2nd 14

Installation

STEP 1



CUTOUT DIMENSIONS	
Height	16 3/4" ± 1/16"
Width	25 1/2" ± 1/16"
Depth	21 1/2" ± 1/16"


TRIM DIMENSIONS	
Height	20 1/16" ± 1/64"
Width	29 3/4" ± 1/64"
Depth	1 1/4" ± 1/64"

Net Weight	13.23-lb
------------	----------


WARNING
To avoid risk of electrical shock, personal injury, or death:
• Before drilling into the wall, note where electrical outlets are and where electrical wire might be concealed behind the wall. **YOU COULD GET AN ELECTRICAL SHOCK** if you contact electrical wire with the drill bit.
• Locate and disconnect the power to any electrical circuits that could be affected by installing this oven.

WARNING
To avoid personal injury, wear gloves when handling the metal parts. Parts are sharp and can cause cuts and abrasions.

STEP 2



A : 5 1/8" (130 mm)
B : 6 7/8" (175 mm)
C : 9 3/8" (238.5 mm)
D : 8 23/32" (221.3 mm)
E : 7/8" (23 mm)
F : 16 1/8" (409.5 mm)




1. Folding the underline of Template and match with the cabinet edge line, mark 6holes at bottom. (P1,2,3,4,7,8)
2. Folding the topline of Template and match with the cabinet edge line, mark 2holes at top. (P5,6)
3. Then drill a pilot hole at the 8positions using 7/64" or #35 drill bit

1207 0 6 0 2021
DEC 0 0 2021

RF23M8070SR

SAMSUNG

23 cu. ft. Counter-Depth, 4-Door
French Door Refrigerator



Signature Features

AutoFill Water Pitcher

- A built-in pitcher that refills with filtered water and the option to infuse with a flavor of your choice.

FlexZone™ Drawer


- A flexible storage drawer with four different temperature settings and an adjustable Smart Divider to stay organized.

Fingerprint Resistant Finish

- A special finish to reduce smudges and minimize cleaning.

57A14
P932814

Available Colors




Convenience

- AutoFill Water Pitcher
- FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
- Wi-Fi Ready
- Adjustable Shelves for Tall Oversized Items
- Auto Pull-Out Upper Freezer Drawer
- Sabbath Mode
- Water Filter Indicator

Design

- Counter Depth
- Fingerprint Resistant Finish
- Modern External Filtered Water and Ice Dispenser
- High Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
- Tempered Glass Spill-Proof Shelves
- Gallon Door Blins
- Dispenser Light



FlexZone™ Drawer



AutoFill Water Pitcher

Performance

- Twin Cooling Plus®
- Ice Max - Stores up to 2.7 lbs of ice
- ENERGY STAR® Compliant
- Power Freeze and Power Cool Options
- Two Humidity-Controlled Crispers
- CoolTight Door
- Door Alarm

Rating

ENERGY STAR® rated:
CEE Tier 1
633 kWh/yr

DEC 09 2021

RF23M8070SR

SAMSUNG


23 cu. ft. Counter-Depth, 4-Door
French Door Refrigerator

Installation Specifications


- 1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.6 cu. ft.

- Refrigerator: 12.9 cu. ft.
- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves
- 1 Slide-In
- 1 Foldable Half
- 2 Fixed
- 1 Full-Width Glass Shelf on Crisper
- 7 Door Bins
- Right Door: 3 Gallon Bins
- Left Door: 4 Regular Bins
- High Efficiency LED Lighting

FlexZone™ Drawer: 3.1 cu. ft.

- 4 Temperature Zones with Smart Divider
- Meat/Fish (29°F)
- Cold Drinks (33°F)
- Deli/Snacks (37°F)
- Wine/Party Dishes (42°F)

Freezer: 6.6 cu. ft.

- 1 Drawer Divider
- High Efficiency LED Lighting

Warranty

One (1) Year Parts and Labor on Refrigerator
Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor
*Compressor, evaporator, condenser, drier and connecting tubing

Product Dimensions & Weight

- Dimensions (WxHxD with hinges, handles and doors): 35 3/4" x 70" x 29 1/4"
- Dimensions (WxHxD without hinges and door): 35 3/4" x 68 7/8" x 24"
- Dimensions (WxHxD with hinge and door, no handle): 35 3/4" x 70" x 29 1/4"
- Weight: 342 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/4" x 75 3/4" x 31 1/4"

Weight: 366 lbs.

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF23M8070SR/AA	887276192604
Fingerprint Resistant Black Stainless Steel	RF23M8070SG/AA	887276192598
Fingerprint Resistant Tuscan Stainless Steel	RF23M8070DT/AA	887276355139

All values may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights are for reference only. © 2019 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07641 Tel: 800-SAMSUNG. Samsung USA, Inc. Samsung is a registered trademark of Samsung Electronics Co., Ltd.


DEC 09 2021

NA30N7755TS

30" Gas Cooktop

SAMSUNG

578514
50514
PA



Signature Features

22K True Dual-Power Burner


- Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology


- The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

Cast Iron Griddle

- Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.



22K True Dual-Power Burner



Cast Iron Griddle

Available Colors



Stainless Steel (shown)



Fingerprint Resistant
Black Stainless Steel

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
 - Right Front: 13K BTU
 - Left Front: 9.5K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: True Dual, 22K BTU (Brass)

Convenience

- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

- Wok Grate
- LP Conversion Kit





SAMSUNG



30" Gas Cooktop

Installation Requirements

Countertop cut-out and minimum clearance dimensions:



Installing Over a Single Oven



Total Power (BTU)
59K

Power Source

120V / 60 Hz / 1A

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

30" x 5 1/32" x 22 1/3"

Cooktop Cut-Out Dimensions:

 $28\frac{1}{8}'' \times 3\frac{1}{8}'' \times 19\frac{5}{8}''$

Weight: 75.8 lbs. (76.3 lbs. Fingerprint Resistant

Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)

Dimensions: 34¹/₁₆" x 10⁵/₈" x 25⁵/₈"

Weight: 84.0 lbs. (84.9 lbs. Fingerprint Resistant)

Black Stainless Steel)

Color

Stainless Steel

Stainless Steel NA30N7755TS 887276281704

Fingerprint Fees

Black Stainless Steel NA30N7755TG 887276281698

Cooktop Dimensions

Actual color may vary. Designs, specifications and color availability are subject to change without notice. Non-metric weights and measurements apply.

DEC 09 2021

57 A 14
606 606

NV51K6650SS



30" Single Wall Oven

Features

- Guiding Light Controls
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe
- iFT Spotlights
- Easy View Window
- 3 Heavy Duty Racks including a Gliding Rack
- Built-In Element
- Smart Control Key
- 6 Rack Positions
- Drop-Down Door Design
- Full Touch Control Method

Convenience

- Rapid Preheat
- Sabbath Mode
- Hybrid Clean and Self-Clean
- Hidden Bake Element
- Delay Start
- Convection Conversion
- Child Safety Lock
- Proofing
- Warning Mode
- Kitchen Timer



Steam Cook



Dual Convection

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Signature Features

STEAM COOK

- Delivers precise a precise times for a long cook time to help achieve the perfect results

DUAL CONVECTION

- Circulates air for faster, more even cooking. Steam Cook when you want.

5.1 CU. FT. CAPACITY

- Accommodates a 6.4 quart lasagna dish or 12 6 oz. servings of chicken or turkey.

SAMSUNG

DEC 09 2021

NV51K6650SS


30" Single Wall Oven

Cabinet Dimensions

Single Oven Installed in Cabinet

*Junction Box

**Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Convection Wall Oven

- Hidden Bake Element
- Bake: 175°F–550°F
- Convection Bake: 175°F–550°F
- Convection Roast: 175°F–550°F
- Broil: Low-High
- Steam Bake: 230°F–550°F
- Steam Roast: 230°F–550°F
- Proofing
- Sabbath Mode

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Wall Oven Dimensions:

29 7/8" x 28 3/8" x 25 11/16"

Wall Oven Cut-Out Dimensions:

28 1/2" x 27 1/4" x 23 1/2"

Weight: 136.7 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33 1/2" x 33 3/4" x 29 13/16"

Weight: 163.1 lbs.

Color

Stainless Steel

Black Stainless Steel

Model

NV51K6650SS


Black Stainless Steel

UPC Code

887276184029

887276184017

Product Dimensions



KW RATING	
240V	4.9 KW
208V	3.7 KW
BREAKER SIZE	
240V	30 Amps
208V	20 Amps

SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice.
Performance, weight and measurements are approximate.
©2017 Samsung Electronics America, Inc. 35 Chanhassen Road, Englewood Park, NJ 07640 Tel: 800-SAMSUNG, samsung.com
Samsung is a registered trademark of Samsung Electronics Co., Ltd.


DEC 09 2021

MS19M8000A

SAMSUNG

Samsung Countertop Microwave

1.9 cu. ft. Capacity



Signature Features

1.9 cu. ft. Capacity

- Accommodates a variety of dishes so you can prep large meals quickly.

Sensor Cook

- Automatically adjusts cooking time for optimal results.

Ceramic Enamel Interior

- Makes removing grease or oil effortless and protects against scratches from daily use.


Available Colors




Stainless Steel (shown)



Black Stainless Steel



Sensor Cook



Ceramic Enamel Interior

Features

- Eco Mode
- Cooking Presets
- 950W of Cooking Power
- 10 Power Levels
- Auto Defrost
- LED Display
- 30" Trim Kit Options Available (see next page for details.)

Convenience


- Kitchen Timer
- Clock (12hr/24hr) with Daylight Saving Time Adjustment
- Child Safety Lock
- Reminder End Signal

DEC 09 2021

Installation

57A
P4
P1

Installation




STEP 1

CUTOUT DIMENSIONS	
Height	16 3/4" ± 1/16"
Width	25 1/2" ± 1/16"
Depth	21 1/2" ± 1/16"


TRIM DIMENSIONS	
Height	20 1/16" ± 1/64"
Width	29 3/4" ± 1/64"
Depth	1 1/4" ± 1/64"

Net Weight	13.23 lb
------------	----------

WARNING
To avoid risk of electrical shock, personal injury, or death:
• Before drilling into the wall, note where electrical outlets are and where electrical wire might be concealed behind the wall. **YOU COULD GET AN ELECTRICAL SHOCK if you contact electrical wire with the drill bit.**
• Locate and disconnect the power to any electrical circuits that could be affected by installing this oven.
IF YOU DO NOT DISCONNECT THE POWER, YOU COULD GET AN ELECTRICAL SHOCK.
WARNING
To avoid personal injury, wear gloves when handling the metal parts. Parts are sharp and can cause cuts and abrasions.



1. Folding the underline of Template and match with the cabinet edge line, mark holes at bottom. (P1,2,3,4,7,8)
2. Folding the topline of Template and match with the cabinet edge line, mark 2holes at top. (P5,6)
3. Then drill a pilot hole at the positions using 7/64" or #35 drill bit.




STEP 2

DW80R5061

Samsung StormWash™ 48 dBA Dishwasher

SAMSUNG

57 X 11 X 14
P9



Signature Features

StormWash™

- Powerful rotating spray jets that clean at every angle for tough to reach spots.

Quiet Cleaning


- Silent washes for a quieter kitchen at 48 dBA sound level.

AutoRelease™ Door


- At the end of the cycle, the door automatically opens to circulate air and improve drying performance.

Available Colors

-  Fingerprint Resistant Stainless Steel (shown)
-  Fingerprint Resistant Black Stainless Steel
-  Fingerprint Resistant Tuscan Stainless Steel



StormWash™



AutoRelease™ Door

Features

- 3rd Rack
- Fingerprint Resistant Stainless Finish
- One-Touch Adjustable Racking System
- Digital Touch Control
- Sanitize Cycle
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- ENERGY STAR® rated

Convenience

- Control Lock
- Delay Start
- Digital Leak Sensor

Rating

ENERGY STAR®-rated:
265 kWh/yr


DW80R5061

SAMSUNG

5744
P9124

Samsung StormWash™ 48 dBA Dishwasher

Installation Specifications



- Features**
- 6 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only
 - 6 Options: Half-Load Wash (Lower Rack), StormWash™, Hi-Temp Wash, Sanitize (Anti-bacterial – NSF), Delay Start, Control Lock
 - AutoRelease™ Door
 - Hidden Heat Element
 - Stainless Steel Interior Tub
- Convenience**
- Control Lock
 - Digital Water Leakage Sensor
 - 3rd Rack
 - One-Touch Adjustable Racking System
 - Silverware Basket
 - Upper Rack: Foldable Cup Shelves, 2 Adjustable Times
 - Lower Rack: Removable Plate Support

Warranty

One (1) Year All Parts and Labor
Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable):

23 7/8" x 33 7/8" – 35" x 24 3/4"

Weight: 95 lbs


Shipping Dimensions & Weight (WxHxD)

Dimensions:

26" x 35" x 29 1/2"

Weight: 106 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	DW80R5061US	887276338729
Fingerprint Resistant Black Stainless Steel	DW80R5061UG	887276338712
Fingerprint Resistant Tuscan Stainless Steel	DW80R5061UT	887276338736




Actual color may vary. Design specifications and color availability are subject to change without notice. No metric weights and measurements are shown. ©2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800.SAMSUNG.samsung.com Samsung is a registered trademark of Samsung Electronics Co., Ltd.

AVG

AVH-308CS
30" Wall mounted hood - MSRP: \$929.00

57A
12/13/21
14




Selected Model	
Model number	AVH-308CS
Dimensions	29 1/2" (W) x 19 3/4" (D) x 3 1/4" (H)
Exterior Appearance	
Stainless steel grade	201
Features	
Control	Soft touch with LED display
Lighting	2 bulbs, 3W LED (bulbs included)
Blower type	860 CFM, 6-Speed
Blower performance	Speed 1, 2, 4 sones
	Speed 6, 6.2 sones
	2 aluminum micro hole filters (included)
Filter type	2 Stainless steel baffle filters (included)
	6" Round (Top)
Duct transition	
Ducting	Ducted
Chimney (ducted out)	For ceiling heights up to 90"
Electrical Requirements	
	120V / 60Hz / 2.7 Amps
Accessories (optional)	
Options: duct covers	AD-884S (884mm, AVN-AVH compatible)
Warranty	
1-year Warranty	Parts and labour, in-home service


The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete or may change without notice

57A
AVH-308CS/368CS

Dimensions



Installation



A	Floor to ceiling height	variable
B	Floor to counter top height	36"
C	Recommended height between cooking surface and bottom of the hood	28" to 30"
D	Hood height	2.36"
E	Chimney height	Max 44.63"

Duct transition



6" round top

The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.

Need technical support? 1(888) 651-2534

DEC 09 2021