CONSTRUCTION SUMMARY OF EXTRAS

Printed 2022-02-18 / 1:40 PM / Page 1 of 1

Site: CALEDON (B)

Lot: Model: 157B

Purchaser: **ROLSTEN BERNSTEIN WILLIAMS CAPILANO (30-05) C**

Phone: Email: Purchaser:

416-886-2201 WILLIAMS.ROLSTEN@GMAIL.COM




10-Jan-22	TILES - BRICK PATTERN ON WALLS IN MASTER ENSUITE, SHARED & ENSUITE 2	13
10-Jan-22	BATHROOM ACCESSORIES - UPGRADE TO METHOD PAPER HOLDER & TOWEL BAR IN ALL BATHROOMS	12
10-Jan-22	RAILINGS - UPGRADE POST & HANDRAIL	11
10-Jan-22	HARDWOOD - UPGRADE 2 IN STANDARD AREAS AS PER PLAN	10
10-Jan-22	ENSUITE 2 COUNTERTOP - UPGRADE 1 STONE **INCLUDES OVAL UNDERMOUNT SINK	9
10-Jan-22	SHARED BATH COUNTERTOP - UPGRADE 1 STONE **INCLUDES OVAL UNDERMOUNT SINK	00
10-Jan-22	COMFORT HEIGHT VANITY IN ALL BATHROOMS (X4)	7
10-Jan-22	MASTER ENSUITE - UPGRADE SHOWER FLOOR	6
10-Jan-22	MASTER ENSUITE - UPGRADE SHOWER JAM	5
10-Jan-22	MASTER ENSUITE - UPGRADE 2 COUNTERTOP	4
10-Jan-22	KITCHEN - SOAP DISPESER (CHROME)	ω
10-Jan-22	KITCHEN COUNTERTOP - UPGRADE 2	2
10-Jan-22	ELECTRICAL - STANDARD KITCHEN LIGHT TO BE OVER THE ISLAND	1
	COLOURS	
10-Jan-22	FROSTED GLASS ON FRONT DOORS (IN LIEU OF CLEAR)	ω
10-Jan-22	SIDE DOOR FROM EXTERIOR TO STAIR LANDING, GRADE PERMITTING IF POSSIBLE	2
10-Jan-22	LARGER BASEMENT WINDOWS (X4) 30 X 34	ъ
	STRUCTURALS	
AS PER SCH E	BONUS PACKAGE: AIR CONDITIONER	
INCLUDED IN APS	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	
INCLUDED IN APS	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE WASHER & DRYER	
DATE SELECTED	DESCRIPTION	

Main Frompri-14/00986	INITIALS APPROVAL	OF 2**	**PAGE 1	sketches, PES and/or colour charts <u>PRIOR to</u> installation.
S S NORING NA NA SORING NA SORING NA	E S	157B	CALEDON	
General Correct State State Correct State State Correct State State Correct State Stat	SIGNA			***FOR TRADE USE***
G G G G G G G G G G G G G G G G G G G	JCET(s)	Master Ensuite - FA	OVAL UNDERMOUNT	laster Ensuite - COONTENTOR
GG SORING SORING SORING GREAT ROOM / DINING , FLOORING GREAT ROOM / DINING , FLOORING FLOORING FLOORING FLOORING FLOORING FLOORING FRING NITSTAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) NITSTAIRS (if applicable) STAIRS (if applicable) NITSTAIRS (if applicable) STAIRS (if applicable) NOORING NOGING	2)	H800BC		Paster Ensuite - HANDLES/KNOBS
MG G G CET CET NORING ODRING OD	HEIGHT	O SHADOW **COMFORT	EUR	faster Ensuite - CABINETS
G G ODRING DORING OREAT ROOM / DINING, FLOORING FLOORING FLOORING FLOORING FLOORING ORAIL PO STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) ODRING OORING OORING OORING NG NG NG NG NG NG NG NG NG		MARMOLINE SHADOW		laster Ensuite - SHOWER JAMB
G G SORING DORING NOBS GREAT ROOM / DINING FLOORING FLOORING FLOORING FLOORING FLOORING FLOORING FLOORING CET CET CET CORING NG NG NG NG NG NG NG NG NG	GLOSSY (1)	O SERIES HEX DARK GREY	ONTARIO	laster Ensuite - SHOWER FLOOR
AG G G G G OORING OORING OP	*BRICK ONTAL BRICK	IESIS LIGHT GREY 12 X 24 GHT GREY 12 X 24 *HORIZ	GENESIS LIO	faster Ensuite - FLOORING faster Ensuite - SHOWER WALL
G G ODRING ODRING ODRING GREAT ROOM / DINING, FLOORING FLOORING FLOORING FLOORING FLOORING FLOORING ORAIL AIRS S S S S S S S S FLOORING ORAIL P ORAING NT STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) ODRING ODRING OORING OORING NG NG NG		N/A		edroom 5 - FLOOKING
ODRING STAIRS (if applicable) ODRING		NIGHT COLOUR TO3 w/S		edroom 4 - FLOORING
MG G G OORING OORING NOBS NOBS GREAT ROOM / DINING / PILODRING FLOORING FLOORING FLOORING FLOORING ORING OORING OORING OORING OORING OORING OORING OORING OORING OORING		NIGHT COLOUR TO3 w/S	CARPET - OPENING	edroom 3 - FLOORING
GG G G G G G G G G G G G G G G G G G G	TANDARD UNDERPAD	NIGHT COLOUR T03 w/S	CARPET - OPENING	edroom 2 - FLOORING
LOFT ASH 12 X 24 *BRICK G	TANDARD UNDERPAD	NIGHT COLOUR TO3 w/S	CARPET - OPENING	laster Bedroom - FLOORING
GGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG		FNTWOOD BRUSHED OAK	t III	nner Hall - El OORING
NOBS NOBS PH GREAT ROOM / DINING / I FLOORING FLOORING FLOORING STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) STAIRS (if applicable) NTERTOP NTERTOP		STANDARD		owder Room - FAUCET
NG G G OORIING DORIING OORIING OORIING OORIING OORIING GREAT ROOM / DINING / I FLOORIING FLOORIING FLOORIING FLOORIING FLOORIING FLOORIING FLOORIING FALOORIING FOORIING OORIING OORIING FOORIING OORIING OOR		OVAL UNDERMOUNT		owder Room - SINK
ORING G G S ORING DORING F ORING F OREAT ROOM / DINING / I OREAT ROOM / DINING / I OREAT FLOORING FILOORING FILOORING FILOORING FILOORING FILOORING FILOORING FILOORING FOORING FOORING POV		BIANCO CARRA		owder Room - COUNTERTOP
ORING G SORING ORING ORING FLOORING FLOORING FLOORING FLOORING FLOORING STAIRS (if applicable) STAIRS (if applicable) POVENING	_	WHITE / H800BC	400 SERIES PV	owder Room - CABINETS
NOBS GREAT ROOM / DINING / I FLOORING -FLOORING -FLOORING -FLOORING STAIRS (if applicable) PON	The state of the s	LOFT ASH 12 X 24 *BRICK		owder Room - FLOORING
OORING G G S OORING OORING OORING OORING FLOORING FLOORING FLOORING FLOORING ORALL AIRS ORALL OORING O		N/A	POWDER ROOM	air Stain - SERVICE STAIRS (it applicable)
OORING G OORING OORING OORING FLOORING FLOORING FLOORING FREAT ROOM / DINING / I		N/A		air Stain - BASEMENT STAIRS (if applicable)
OCRING OCRING OCRING OCRING OF OCRING OF OCRING FLOORING FLOORING FLOORING FLOORING FRAT ROOM / DINING / I		NATCH HARDWOOD AS CLOS	STAIN TO N	air Stain - MAIN STAIRS
JORING GREAT ROOM / DINING / I -FLOORING -FLOORING -FLOORING -FLOORING -FLOORING -FLOORING -FLOORING		UPGRADE - GROOVED OAK		ailing Details - HANDRAIL
OCRING CORING CORING		E - SQUARE OAK WITH BEVE	UPGRAD	ailing Details - POSTS
OCRING OCRING OCRING GREAT ROOM / DINING / I -FLOORING -FLOORING -FLOORING	ALT PLAIN	ARD - SINGLE COLLAR WITH /	STANDA	ailing Details - PICKETS
ODRING G G NOBS GREAT ROOM / DINING / I -FLOORING -FLOORING -FLOORING			STAIRS	
ODRING ODRING G G G G ODRING OP OP OFFLOORING GREAT ROOM / DINING / I FLOORING G FLOORING		N/A		ssement Rec Room - FLOORING
JORING GREAT ROOM / DINING / I-FLOORING		NTWOOD BRUSHED OAK	HARDWOOD - KE	DBBY - FLOORING
OORING OORING GREAT ROOM / DINING / I	S INCH - COHO (2)	NI WOOD BRUSHED OAK	HARDWOOD - KE	ain Hall - FLOORING
NG LOFT ASH 12 X 24 *BRICK S N/A N/A N/A N/A N/A N/A N/A N/A	5 INCH - COHO (2)	NTWOOD BRUSHED OAK	HARDWOOD - KE	mily / Great Room - FLOORING
CENTRANCES LOFT ASH 12 X 24 *BRICK N/A		OFFICE / BASEMENT	DINING / LIVING / DEN /	
LOFT ASH 12 X 24 * BRICK N/A		STANDARD		tchen - FAUCET
LOFT ASH 12 X 24 *BRICK M/A OORING KITCHEN LOFT ASH 12 X 24 *BRICK N/A KITCHEN LOFT ASH 12 X 24 *BRICK 400 SERIES PVC WHITE 400 SERIES PVC WHITE N/A NOBS NOBS EMERSTONE CARRARA WHITE DECLINED		STANDARD		tchen - SINK
LOFT ASH 12 X 24 *BRICK M/A N/A ORING KITCHEN LOFT ASH 12 X 24 *BRICK LOFT ASH 12 X 24 *BRICK 400 SERIES PVC WHITE 400 SERIES PVC WHITE N/A NOBS RMERSTONE CARRARA WHITE S EMERSTONE CARRARA WHITE		DECLINED		tchen - BACKSPLASH
LOFT ASH 12 X 24 *BRICK M/A N/A ORING KITCHEN LOFT ASH 12 X 24 *BRICK N/A KITCHEN LOFT ASH 12 X 24 *BRICK 400 SERIES PVC WHITE 400 SERIES PVC WHITE N/A NOBS NOBS ROBS H800BC EMERSTONE CARRARA WHITE		MERSTONE CARRARA WHITE	m	and - COUNTERTOP
ORING KITCHEN		MERSTONE CARRARA WHITE		tchen - COUNTERTOP
OORING KITCHEN		H800BC		roben - HANDI ES/KNORS
ORING KITCHEN		400 SERIES PVC WHITE		and - CABINETS
OORING KITCHEN		400 SERIES PVC WHITE		chen - CABINETS
S KITCHEN		LOFT ASH 12 X 24 *BRICK		eakfast - FLOORING
ORING KITCHEN		LOFT ASH 12 X 24 *BRICK		chen - FLOORING
IN INAINCES SORING	AND THE PERSON NAMED IN		KITCHEN	
IG ENTRANCES		N/A		sement Foyer - FLOORING
6 ENTRAINCES		N/A		le Hall - FLOORING
ENIRANCES		N/A		udroom - FLOORING
	Charles and the control of the contr	I OFT ASH 12 X 24 *BRICK	ENINANCES	in Fover - FLOORING

77		Vendor APPROVAL	**PAGE 2 OF 2**
	SIMONE	DÉCOR CONSULTANT	HOMES
		PURCHASER SIGNATURE	installation.
	HORDING MEDIC	PURCHASER SIGNATORE	It is the responsibility of all Trades to inform the builder of any discrepancies on sketches. PES and/or colour charts PRIOR to
V	ONES		Any upgrades in the colour chart must be accompanied with a PES.
T.COM	SIGNATIDES / DATE	416-886-2201	*****OP TPADE ICE***
	0		PURCHASER(S):
	ROLSTEN BERNSTEIN WILLIAMS	ROLSTEN BI	PURCHASER(S):
	157B	CALEDON (B)	SITE / LOT:
	facturing/manufacturers. Due to	dentical due to dye lot variances in manu the Vendors's selection must be accepte	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
		ng.	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
	*W	plus costs	my changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
INITIALS		R	DISCLAIME
N/A	ELECTRICAL for Bar Fridge		
N/A		N/A ELE	GAS LINE & ELECTRICAL TO DRYFR
N/A	ELECTRICAL for Built-in Oven	DARD	YES -
The state of	100	UIREMENTS	
UPGRADE	BATH ACCESSORIES UF		Mirrors
	O JT INCII ELECTRIC	ACCESSORIES	recanon / maric / mande
	STANDSARD 34 INCH ELECTRIC	FIREPLACE	Coation / Incoat / Mantin
	COOL WHILE		PAINI - I nrougnout
	SIANUARU		interior Door Hardware
	STANDARD	2 0	Interior Doors
	STANDARD	S	Casing/Baseboards
		TRIM / PAINT	
N/A	Laundry - FAUCET	N/A	aundry - BACKSPLASH
N/A			ТОР
H800BC	Laundry - HANDLES/KNOBS	400 SERIES PVC WHITE	
	LOFT ASH 12 X 24 *BRICK		Laundry - FLOORING
		LAUNDRY	A Company of the Comp
STANDARD	CET(s)	OVAL UNDERMOUNT	Ensuite Bath - SINK(s) OVAL UN
	BIANCO HINA (1)	MARRIE	Ensuite Bath - HANDLES/KNOBS
	OD **COMFORT HEIGHT	EURO BLACKWOOD	Ensuite Bath - CABINETS
	//A		Ensuite Bath - SHOWER JAMB
			Ensuite Bath - SHOWER FLOOR
	12 X 24 *HORIZONTAL BRICK	GENESIS DARK GREY 12 X 24 *HORIZON	Bath -
	GENESIS DARK GREY 12 X 24 *BRICK	GENESIS DARI	Ensuite Bath - FLOORING
STANDARD	Shared Bath - FAUCET(s) STA	UNDERMOUNT	Shared Bath- SINK(s) OVAL UN
	LUNA (1)	MARBLE -	Shared Bath- COUNTERTOP
	00BC		Shared Bath- HANDLES/KNOBS
	OD **COMFORT HEIGHT	FURO BLACKWO	Shared Rath- CARINETS
	N/A		Shared Bath- SHOWER FLOOR
	12 X 24 "HORIZON I AL BRICK	GENESIS DAKK GKEY	Shared Bath- IUB / SHOWER WALL
	12 X 24 *BR	GENESIS DARI	Shared Bath- FLOORING
	Main Bath - FAUCET(s)		Main Bath - SINK(s)
	N/A		Bath -
	N/A		Main Bath - HANDLES/KNOBS
	N/A		Main Bath - CABINETS
	N/A		Main Bath - SHOWER JAMB
	N/A		VOHS
	N/A		Main Bath - TUB / SHOWER WALL
	N/A		Main Bath - FLOORING
		2ND FLOOR CONTINUED	2ND FLO


CALEDON

30-05 CAPILANO



1578


CALEDON CLUB 30-05 CAPILANO



157B

CALEDON


30-05 CAPILANO



157B

CALEDON

30-05 CAPILANO





DRAFTED BY: FERNANDA COMMENT


CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

FEL:

16 of 24

INSTALL DATE:

30-5-ELEV. A,B,C KITCHEN



3260



548



CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

PH: CELL:


DRAFTED BY: FERNANDA COMMENT


INSTALL DATE:

18 of 24


P/0#

STD VANITIES 30-5-ELEV. A,B,C





LAUNDRY ROOM





DRAFTED BY: COMMENT

FERNANDA

CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

PH:

PH: CELL:

INSTALL DATE:

17 of 24

30-5-ELEV. A,B,C KITCHEN





27





APPLIANCE ACKNOWLEDGEMENT



CONTACT: Steve Miller - Appliance Canada (2007) two Exercises and to ensure they are installed as per It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. Standard appliance openings approximate and the minimum required. Sizes may vary due to onsite condition and/or when

Fridge Opening 36" x 74"

Stove Opening Hood Fan Opening 30" 30"

6" with Under Cabinet Hood 24"

Dishwasher Opening

Hood Fan & Vent



Openings **Initial Accepts Standard

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

responsible for any necessary requirements and the standard opening will be built. Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be Specs/information sheets are required and the responsibility of the homeowner to provide this to Zanco

グを

INITIAL

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

***Specs that require changes/modifications after this date will not be accepted**:

paid by the Purchaser.

	•	- 0
FRIDGE UPGRADE	 Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate tl 	TOTE. Any upgraves appliances are to be paid by the Futurast, unexply to the uppliance company.
	odate the specs given by the homeowne	
	FRIDGE UPGRADE	 Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner. FRIDGE UPGRADE

Paneled

**Panel to match required

Waterline

Integrated / Flush Inset

RANGE UPGRADE	
*Larger hood fan CFM might be	*Larger hood fan CFM might be 36" **Hood fan opening must be the same size or larger (8" vent might be required)
required, which need a larger	
vent	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)

		l
\	Gas Range	
6	60	
+	*	\
	se	
	Ē.	
-	e 2	
	nd	•
•	ele	
	*gas line and electrical required & sold separately	
-	rec	
	₫.	
	ed	
	20	
•	SO.	
	s b	
	pa	
	rat	
	ely	
	-	

Cooktop (Apron Front) **Countertop Cut-out required & sold separately	Induction **electrical required & sold separately	Gas Range **gas line and electrical required & sold separately

1	
	1
Cooktop (I	
(Drop-in)	-
**CO	
untei	
rtop (
Cut-out r	
equi	
*countertop Cut-out required & sold separatel	
ป separa	
<u>te</u>	•

Chimney Hood Fan **Vent must be centred	8 Inch **Required for 600 CFM
---	-------------------------------

HOOD FAN & VENT

UPGRADE WALL OVEN/MICRO Single Wall Oven **electrical required & sold separately Double Wall Oven **electrical required & sold separately

**Electrical required Over Then Range Microwave (OTR) Warming Drawer **electrical required & sold separately Steam Oven **electrical required & sold separately

Built-In Microwave **Trim Kit required **electrical required & sold separately



CALEDON

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to ** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser production/installation.

ANCOR

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better X E

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an contractual obligations under the Agreement of Purchase and Sale BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras

acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be materials and shall not hold the Vendor liable for provision of same. immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require

applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade differences between the two products. **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in

Builder liable for provision of same acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This colour, finish, product variations, and natural imperfections are all

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall esponsible nor held liable for minor variances of fluctuation in hardwood flooring materials

HARDWOOD / LAMINATE WAIVER:

areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS*: absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the /We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

DATE

SITE CALEDON

5

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





(Cable, CAT5/6, Telephone) **HOME AUTOMATION**

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

OPTION 1:

locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of l/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

Purchase Sale.

I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to select locations of the standard rough-ins review other optional products for purchase.

Artistic Smart Homes

Location: Phone: 8601 Jane Street (905) 850-9386

Concord, Ont L4K 5N9

rough-ins as mentioned above will be installed in locations at the Vendor's discretion. Should the homeowner not make these selections within the sufficient time provided, the

Homeowner(s) Initial

OPTION 2:

ins for Cable, CAT6, Telephone that are included in the Agreement of Purchase and Sale. company, I/we the Homeowner(s) have agreed to the Vendor locations for the standard rough I/we the Homeowner(s) acknowledge that if we do not contact the home automation

Homeowner(s) Initial

CALEDON

5

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

SITE







BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

FLOOR TILES *Brick installation is standard*

WALL TILES *Brick installation requires an additional charge and must be included on the extras if selected*

(Large tiles installation for floor and wall) – ½ Brick

standard occurrence with all suppliers and manufacturers. shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a Please be advised it has come to our attention, that due to production, many of the over-sized and odd

It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed o='[n a % brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the <math>% brick installation that has been recommended.

Please understand, even in using this % brick installation, there may still be minimal lippage which cannot fully be eliminated. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter.	allation, there may still be minimal liallation, Zancor Homes and their co	lippage which cannot ontractor, cannot be held
		Homeowner(s) Initial
Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.	backsplash or shower wall in a bric	k-joint pattern, that it be
LOCATIONS:		
		Homeowner(s) Initial
DATE SITE	CALEDON	LOT

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T. (905) 738.7010 F: (905) 738.5948






Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES



Vanity Standard Countertop Edge in



Homeowner(s) Initial

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250

Optional Edge in Kitchen

ดู "A" Optional Edge in Bathroom ů, ųį "B" Homeowner(s) Initial

OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

Optional Edge for Kitchen "N" Optional Edge in Vanity

CALEDON

SITE

DATE

ГОТ

Homeowner(s) Initial