CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-09-17 / 9:06 AM / Page 1 of 1

Site: CALEDON

Model: Lot: GREYSTONE (30-03) ELEV C AVTAR SINGH BARING OPT. 2ND FLOOR

65A

Purchaser:

Phone: Purchaser: 647.542.0035

Email: AVTARBARING1489@GMAIL.COM

ANCOR


	DESCRIPTION BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE WASHER & DRYER BONUS PACKAGE: STAINLESS STEEL HOOD FAN
	STRUCTURALS
-	SIDE ENRTY (FROM EXTERIOR TO STAIRS) AS PER PLAN, GRADE PERMITTING AND PENDING CITY APPROVAL- IF POSSIBLE- SEE SKETCH
2	FROSTED FRONT DOOR IN LIEU OF CLEAR- SEE SKETCH
ω	LARGER BASEMENT WINDOW- 30" X 34" APPROX IN LIEU OF STANDARD, IF POSSIBLE. WINDOW WELLS MAY BE REQUIRED- QTY 4
	STRUCTURALS
н	PLUG OVER FIREPLACE FOR FUTURE TV, INSTALL 65 AFF, BESIDE CABLE- SEE SKETCH
2	BANK OF DRAWERS IN MASTER
ω	COMFORT HEIGHT QTY 3- MASTER, MAIN, POWDER
4	24" TOWEL BAR- METHOD MOEN- YB2424- QTY 2- MASTER AND MAIN
5	9" TOWEL BAR- METHOD MOEN-YB2486- QTY 3- MASTER, MAIN, POWDER- INSTALL NEAR SINK FOR HAND TOWEL
6	PIVOTING PAPER HOLDER- METHOD MOEN- YB2408- MASTER, MAIN, POWDER
7	WATERLINE FOR FRIDGE

VENDOR APPROVAL	PURCHASER INITIALS	L OF 2**	**PAGE 1	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
) is	65A	CALEDON	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
ATURES	SIGN			***FOR TRADE USE***
STD	- FAUCET(s)	Master Ensuite -	STD	Master Ensuite - SINK(s)
		BIANCO CARRARA		Master Ensuite - COUNTERTOP
		H500BC		Master Ensuite - HANDLES/KNOBS
	ORT HEIGHT	EURO LARICE BIANCO- COMFORT	EUR	Master Ensuite - CABINETS
		BIANCO CARRARA		Master Ensuite - SHOWER JAMB
	- 1			Master Ensuite - SHOWER FLOOR
	ED VERTICLE	LOFT WHITE 12 X 24- STACKED	[0]	Master Ensuite - SHOWER WALL
	RICKED	LOFT WHITE 12 X 24- BRICK		Master Ensuite - FLOORING
		NA		Bedroom 5 - FLOORING
	HT	T 03 OP3NING NIGHT		Bedroom 4 - FLOORING
	HT	T 03 OP3NING NIGHT		Bedroom 3 - FLOORING
	HT	T 03 OP3NING NIGHT		Bedroom 2 - FLOORING
		T 03 OP3NING NIGHT		Master Bedroom - FLOORING
4" JAVA	RL RED OAK 3 1/4" JAVA	NORTHERN SOLID SAWN EXCULSIVE PEARL	NORTHERN SOI	Upper Hall - FLOORING
	San		2ND FLOOR	
		STD		Powder Room - FAUCET
		STD		Powder Room - SINK
				Powder Room - COUNTERTOP
	ORT HEIGHT	EURO OLMO CARISMA- COMFORT	EUR	Powder Room - CABINETS
	ACKED	LOFT WHITE 12 X 24- STACKED		Powder Room - FLOORING
			POWDER ROOM	
		NA S		Stair Stain - SERVICE STAIRS (if applicable)
		NIA NIA CITTERIO WOOD AS COST	O TAIN	Stair Stain - IVIAIN STAIRS
	OSE AS BOSSIBLE	2 1/2" OVAL OAK HANDRAIL	CTAIN T	Railing Details - HANDRAIL
	DST	2 3/4" TURNED OAK POST		Railing Details - POSTS
	V/ ALT PLAIN	BLACK METAL SINGLE COLLAR W/ AL	BLA	Railing Details - PICKETS
大き 一大			STAIRS	一年 一日 一日 日本
		NA		Basement Rec Room - FLOORING
		NA		HOBBY - FLOORING
1" JAVA	RL RED OAK 3 1/4" JAVA	NORTHERN SOLID SAWN EXCULSIVE PEARL R	NORTHERN SOL	Dining / Living Room - FLOORING
T' JAVA		NORTHERN SOLID SAWN EXCULSIVE PEARL R	NORTHERN SOL	Main Hall - FLOORING
AAVI "t	NT RL RED OAK 3 1/4" JAVA	/ LIVING / DEN / OFFICE / BASEMENT NORTHERN SOLID SAWN EXCULSIVE PEARL R	/ DINING / LIVING / DEN / OFFICE NORTHERN SOLID SAWN EXC	GREAT ROOM / Family / Great Room - FLOORING
				Kitchen - FAUCET
		STD		Kitchen - SINK
		DECLINED		Kitchen - BACKSPLASH
		BIANCO SARDO		Island - COUNTERTOP
		BIANCO SARÓO		Kitchen - COUNTERTOP
		H500P		Kitchen - HANDLES/KNOBS
		NA		Servery - CABINETS
	Δ	EURO OLMO CARISMA		Island - CABINETS
	A	EURO OLMO CARISMA		breakiast - FLOOKING Kitchen - CABINETS
	CKED	LOET WHITE 12 V 24 BRICKED		NICHELL - FLOORING
	CKED	I OFT WHITE 12 X 24- BRICKED	NICHEN	Kitchen - ELOORING
		NA	VITCUEN	Basement Foyer - FLOORING
		NA		Side Hall - FLOORING
	CKED	LOFT WHITE 12 X 24- BRICKED		Mudroom - FLOORING
	CKED	LOFT WHITE 12 X 24- BRICKED		Main Foyer - FLOORING
			ENTRANCES	

2ND FI	2ND FLOOR CONTINUED		
Main Bath - FLOORING Main Bath - TUB / SHOWFR WAII	LOFT WHITE 1	LOFT WHITE 12 X 24- BRICKED LOFT WHITE 12 X 24- STACKED HORIZONTAL	
Main Bath - SHOWER FLOOR			i
Main Bath - SHOWER JAMB			
Main Bath - CABINETS	EURO BLAC	EURO BLACKWOOD COMFORT HEIGHT	
Main Bath - HANDLES/KNOBS Main Bath - COUNTERTOP		5001K-07	
Main Bath - SINK(s)	STD	Main Bath - FAUCET(s)	STD
Shared Bath- FLOORING		NA	
Shared Bath- TUB / SHOWER WALL		NA	
Shared Bath- SHOWER FLOOR		NA NA	
Shared Bath- CABINETS		NA 3	
Shared Bath- HANDLES/KNOBS		NA	
Shared Bath- COUNTERTOP		NA	
Shared Bath- SINK(s)	NA	Shared Bath - FAUCET(s)	NA
Ensuite Bath - FLOORING		NA	
Ensuite Bath - TUB / SHOWER WALL		NA	
Ensuite Bath - SHOWER FLOOR		NA NA	
Ensuite Bath - CABINETS		NA S	
nsuite Bath - HANDLES/KNOBS		NA	
Ensuite Bath - COUNTERTOP		NA	
Ensuite Bath - SINK(s)	NA	Ensuite Bath - FAUCET(s)	NA
laundry - FLOORING LOFT W	LOFT WHITE 12 X 24- BRICKED	Laundry - HANDLES/KNOBS	BS H500BC
	CKW	SINK	
TOP	5001K-07	Laundry - FAUCET	STD
Laundry - BACKSPLASH	NA NA		
Casing/Baseboards		STD	
Interior Doors		STD	
PAINT - Throughout		WARM GREY	
	EIDEDI ACE		
Location / Insert / Mantle	FIREPLACE	STD	
	ACCESSORIES		Same and
Mirrors	YES	BATH ACCESSORIES	UPGRADE
APPLIA	APPLIANCE REQUIREMENTS		
GAS LINE TO BBQ	STD	ELECTRICAL for Built-in Oven	DECLINED
	DECLINED	ELECTRICAL for Built-in Micro	DECLINED
AL TO DRYER	DECLINED	ELECTRICAL for Cooktop	DECLINED
HOOD FAN VENI SIZE	VES OIL	ELECTRICAL for Bar Friage	DECLINED
DISCLAIMER	ER		INITIALS
ny changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs	ee plus costs		ASS
arciasei ilas ciecaeu anu acanowieugeu accuracy oi coloul anu seiecaulis beiore signilig.	e.	- 1	3
Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser	identical due to dye lot variances in the Vendors's selection must be a	manufacturing/manufacturers. Due to ccepted by the purchaser	りょいの
SITE / LOT:	CALEDON		65A
PURCHASER(S):	AV	AVTAR SINGH BARING	
CONTACT:	647.542.0035	AVTARBARING148	ING1489@GMAIL.COM
FOR TRADE USE		SIGNATURES	/ DATE
	PURCHASER SIGNATURE	AR	
chart must ball Trades to			
ny upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>	PURCHASER SIGNATURE	<u> </u>	- \ I
ogrades in the colour the responsibility of crepancies on sketch	PURCHASER SIGNATU		
It is the responsibility of all Trades to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation. ANCOR HOMES	PURCHASER SIGNATURI DÉCOR CONSULTANT	6	180


Caledon Club GREYSTONE 30-03


Sept 9/21




Caledon Club GREYSTONE 30-03








Caledon Club GREYSTONE 30-03







CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB


PH: CELL:


DRAFTED BY: FERNANDA COMMENT


INSTALL DATE:


9 of 24

KITCHEN 30-3-ELEV. A,B,C













APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller - Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

 \blacksquare Manufacturers specifications after closing. It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when cabinetry

Fridge Opening 36" x 74"

Hood Fan & Vent **Hood Fan Opening** Stove Opening 30" 30"

6" with Under Cabinet Hood 24"

Openings **Initial Accepts Standard A-5B

Dishwasher Opening

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Specs/information sheets are required and it is the responsibility of the homeowner to provide this to Zancoi

V

Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built.

A.S.B

INITIAL

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

***Specs that require changes/modifications after this date will not be accepted ***

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

TAIDGE OF GRADE	
	Built-in
	Paneled **Panel to match required
	Integrated / Flush Inset
	Waterline
RANGE UPGRADE	
*Larger hood fan CFM might be	36" **Hood fan opening must be the same size or larger (8" vent might be required)
vent	48" **Hood Fam opening must be the same size or larger (8" or 10" vent required)
	Gas Pange **gas line and electrical required & sold separately
	Induction **electrical required & sold separately
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately
	Cooktop (Drop-in) **Countertop Cut-out required & sold separately
HOOD FAN & VENT	8 Inch **Bequired for 600 CFM
	10-Inch
	Chimney Hood Fan **Vent must be centred
	Insert / Liner
WALL OVEN/MICRO	Single Wall Oven **electrical required & sold separately
UPGRADE	Double Wall Oven **electrical required & sold separately
**Electrical required	Steam Oven **electrical required & sold separately
	Warming Drawer **electrical required & sold separately
	Over Then Range Microwave (OTR)
)	Built-In Microwave **Trim Kit required **electrical required & sold separately
X01-9/21	CALEDON

SITE

^{**}It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser





221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' contractual obligations under the Agreement of Purchase and Sale

> 1 S

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an

acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Vendor liable for provision of same. should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and **quartz,** no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite,



applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually approximately 5'x 8'. STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if



finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home. CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the



MAY be shade differences between the two products. unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in

SP

Di

Builder liable for provision of same. building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This

7 Sis

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an



Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall esponsible nor held liable for minor variances of fluctuation in hardwood flooring materials. Expansion, compression and cupping are characteristics of hardwood

Arsk

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). areas. $\,$ I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

7 5 B

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

D

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

5

0

CALEDON

	We understand hardwood flooring water. White producted there is a sound be found to produce the country before the country before the found by the found of the control of the control of the country before the found of point part part to the found of point of the country before the found oppose of owner retitative. What are proposed to statem the flooring for the found oppose of owner retitative. What are proposed to statem the subscidence in the flooring to the flooring that the subscidence is a subscidence to the flooring that the subscidence is a subscidence of the flooring that the subscidence is a subscidence of the flooring that the subscidence is a subscidence of the flooring that the subscidence is a subscidence of the flooring that the subscidence is a subscidence of the flooring that the subscidence is a subscidence of the subsc	Jurgiausez/Jurgia	Fitted STAMES (see to the especially in Factors included but not be mored to withstands in multipose on a main include unfisheded claims as object to possible. Audit in Parish of differences between Auditorities; Date to the entural por including that one female to wood up from and instance of difference in the proper and instance of difference in the from the difference and the model of the country of the country of the country of the country of the country of the country of the country of the country of the country of the multipose of the the procession of tame.	genera, no no ne netropa, strojec, genera, no no ne netropa, strojec, genera, no no neces ne casar, per un control de con	Archaer exept and produced pro
	The understand handwood flooding is classified as a power an early as not as use that, their audicional of base? It is covern their to possible water and observation to the floor and in the classified water and observation of the classified code Scales are 300 LHI III included flooring before considering, and the enters of such, launch of a general coding faced synchrist, they four considering, control, the real considering and considered process of the co	PRINCELLETTICS. All appyades and deblamed inections hobes approximation share (ETS) and fill approximate share interest of except proceed and worked and spaying at processing slipping of except proceed and worked and spaying at proposition (MICHODO) LAMANIATE (INDINENT). Due to be proposition to be fire finished product. Threstons include he are lamadd in the finished product in treatment or lower are under the granulation that make most relative to the proposition. In gardinary finished product in the same. The purchase re- claimed to the bases. The purchase re-dominishing to be supported in the bases. The purchase re-dominishing to be proceed to a located the darknown for the office to be supported to the bases. The purchase re-dominishing to be supported to the supported to the purchase to the supported to the supported to the supported to the supported to the supported to the supported to the suppo	"This fit states, but to the storal proposettes of wood, many seculates can affect the ever- strain including that one femated to wood layer. Institute, grading, demnity, etg. Numbels, middershad to read the statum?, The productive accept that allegage that 'employer, middershad the read to the statum?, The productive accept that allegage that 'employer' which allegar accepts the temperate between productive follows, it is not provided to have a wall by the ded difference to the statum productive follows a temperate with cables accepted the statum and the statum acceptation of wood, slight vertailons appeared with cables administed and femated to wood species, wood grade, colour, fleach, product reductions, as futured that and femated to wood species, wood grade, colour, fleach, product reduction, as a futured to the statum and the st	communities and controlled street, the total temporates of neutral size of the properties of neutral size of neutral size of the controlled size of the controll	GALLERY 211 forth from refe hard, Covered, On and LERY 221 forth from refer hard, Covered, On and LERY what except and including to both the fulfor reserved the right to take self-information and cover, a checking of departed any effects) of continues obligations under the department of furthers and Self- references. The covered and of the present offerences departed on the co- production there is the ofference of the covered on t
with	With understand handwood fooding is closeded as a process natural and as such and recommended by the builder in certain states. Whe sudderstand there is a towners day to possible were and other sudderstand before the published or spitial outputs from and in commended by the builder of spitial outputs from and in commended by the builder of spitial outputs from and in commended by the builder of spitial or States and the provision of spitial or States and a spiritual and a s	Virtilatus (Internation of the depth of and additional electrican induced on the colour dust must be accompanied by an international policy and operated with section and be invited. All colour drives and supported international played of the section of the colour drives and supported international played of the section of the colours. CHAMES VIRLA HOTTE REPRESENTED UPON COMPATION AND SUBSECTION OF THE COLOUR CHAMES. WANTOWOOD J. LAMANIMT FLOCORNIC. Due to the properties of wood and limitate, levery resident and first the overall book of the field-set product. Virtelization strake to and fine after a wood profus or individual resident produced and colour and produced and produced and produced and colour and produced and pro	This fit states, but to the state all consorters of wood, many variables are affect the overall look of the finished product; in what the state of the control was a control when the state of the control was a con	accurate manifolds. STORES that the properties of neural stores inching the not branch to marked, problem, are to be secret. Including various figures are 18 pt of the properties of the secret of the properties of the properties of the secret of the properties of the properties of the secret of the properties of the secret of the properties of the prop	1 (905) 238 7010 F (905) 7 to more of earth with library of earth with library of earth ea
00% 11 %0 00% 64401 100 PD * LLISON	adder meenan had or spiked reviewe genoming genoming to another the A+ S-B	thy as notes learns SWILL NOT AC SES SWILL NOT ACCORDANCE	shed product: use can enail in use can enail in use and that there A: 5 & second This fections are all recoording. This recoording the can continue to the call can be of the call can b	an toke and before and before and some	ZANCOR Residual better med for A 5 d. Residual of The A 5 d. Residual of A 5 d.
88 88					

Scanned with CamScanner

CALEDON

[0]

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

SITE





BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

(Large tiles installation for floor and wall) – % Brick

standard occurrence with all suppliers and manufacturers. shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a Please be advised it has come to our attention, that due to production, many of the over-sized and odd

will find a layout of the ¼ brick installation that has been recommended. joint pattern, that it be installed o='[n a ¼ brick pattern, to try to avoid lippage. Attached with this letter, you It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-

		, Mind, Dauden, Jannous, J.
	Kit hom	Hasta, Mair BAK

fully be eliminated. Please understand, even in using this $\frac{1}{4}$ brick installation, there may still be minimal lippage which cannot

responsible for this matter. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held

Homeowner(s) Initial


221 North Rivermede	DATE	Sept 9/21		LOCATIONS:	(Small tile installation for walls) – ½ Brick Purchaser requests to install small wall tile installed on a ½ brick pattern.
221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948	SITE	CALEDON			(Small tile installation for walls) — ½ Brick Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.
)5) 738.5948	LOT	65A	Homeowner(s) Initial		ck-joint pattern, that it be





Stone Countertop Edge Profiles **Where applicable as per site specifications**

STANDARD EDGE FOR KITCHEN & VANITIES



Homeowner(s) Initial

VA

R

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250

