

Vent-A-Hood


WALL MOUNT LINER INSERT SPECIFICATIONS

BH234SLD-16


Halogen lights. This model is not available with heat lamps.

Dimensional Information

Width	34.375
Depth	16.0
Height	12.0
CFM @ 0.0" SP	600.0
Sones	6.5
Amps	3.9
# Lights	2.0




Connection Diagram



600 CFM B200 Dual Blower (Top View)

Recommended Mounting Height



*Exceeding recommended mounting height may compromise performance.

Electrical/Mechanical Specifications For Blower Unit

Model	Volts	Amps*	Hz	RPM	CFM SP@0.0"	Equivalent CFM	CFM SP@0.1"	CFM SP@0.2"	CFM SP@0.3"	Minimum Round Duct Size	Sones'
B200 Dual	115.0	2.9	60.0	1550.0	600.0	900.0	531.0	480.0	430.0	8" (50 sq. in.)	6.5

* This model is equipped with halogen lighting: (2 lights: 30" - 41", 3 lights: 42" - 53", 4 lights: 54" - 66").

\$ Because the Magic Lung® blower uses centrifugal filtration rather than conventional baffle or mesh filters, the Magic Lung® blower can handle cooking equipment with higher cubic feet per minute (CFM) requirements and can deliver equivalent CFM much more efficiently than other filtration systems. When comparing the Magic Lung® with other blower units made by other manufacturers, use the "Equivalent CFM".

Ratings in accordance with the Standard Test Code by the Energy Systems Laboratory of the Texas Engineering Experiment Station.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



1 of 16

28w

Integrated Column Refrigerator, 30"

Series 9 | Integrated
Panel Ready | Left hinge




- Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones; each with Fridge, Pantry or Chill
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

28W

DIMENSIONS

Height	84"
Width	29 3/4"
Depth	24"



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.
- Mix & match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever energy
Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality
The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

Easy install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect fit
These models fit flush and have only 1/8" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)	
30" Stainless steel toe kick	25392
48" Stainless steel toe kick	25396
54" Stainless steel toe kick	25398
60" Stainless steel toe kick	25400
Contemporary round handle	24981

Contemporary square handle	24979
Joiner kit	24985
Professional round handle kit	24980
Professional square handle kit	24982
Stainless steel door panel	24972

Capacity	16.3 cu ft
Refrigerator	

Consumption	Yes
Energy star rating	Yes
Energy usage	247kWh/year

Performance	
ActiveSmart™ Foodcare	•
ActiveSmart™ technology	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Frost free freezer	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes	Pantry; Fridge; Chill

Power Requirements	
Rated current	10A
Supply frequency	60Hz
Supply voltage	115V

2800

Product dimensions	
Depth	24"
Depth (less door)	24"
Height	84"
Width	29 ³ / ₄ "

Refrigerator features	
Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at	•
Soft-close fruit and vegetable	•
Stackable bottle holders	4 x clip in 4 x flexible


Warranty	
Parts and labour	2 years
Sealed system parts only	5 years

SKU	26128
-----	-------

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model

Integrated Column Freezer, 30" , Ice

Series 9 | Integrated
Panel Ready | Right Hinge




48616

- Install it separately or pair with another Column for seamless integration – this model is right hinge with brushed steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
 - Internal ice maker with boost for busy times
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

2802

DIMENSIONS

Height	84 "
Width	29 3/4 "
Depth	24 "



Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect fit

These models fit flush and have only 1/8" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

FEATURES & BENEFITS

Variable Temperature Zones

<>

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever energy

SPECIFICATIONS

Accessories (sold separately)

30" Stainless steel toe kick	25392
48" Stainless steel toe kick	25396
54" Stainless steel toe kick	25398
60" Stainless steel toe kick	25400
Contemporary round handle	24981
Contemporary square handle	24979

Joiner kit	24985
Matching Replacement Water	847200
Professional round handle kit	24980
Professional square handle kit	24982
Stainless steel door panel	24972

Consumption	
Energy rating	491
Energy star rating	Yes
Energy usage	491kWh/year

Freezer features	
Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	4
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at	•

Performance	
ActiveSmart™ Foodcare	•
ActiveSmart™ technology	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Frost free freezer	•

Inverter controlled compressor	•
Sabbath mode	•
Variable food modes	Soft freeze; Freeze; Deep

Power Requirements	
Rated current	10A
Supply frequency	60Hz
Supply voltage	115V

Product dimensions	
Depth	24 "
Depth (less door)	24 "
Height	84 "
Width	29 3 / 4 "

Refrigerator features	
Adjustable door shelves	4
Adjustable glass cantilevered	3

Warranty	
Parts and labor	2 years
Sealed system parts only	5 years

SKU	26134
-----	-------

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

28w

Other product downloads available at fisherpaykel.com

↓ User Guide

↓ Service & Warranty Booklet

↓ Guide D'Utilisation

↓ Energy Label

↓ Installation Guide

↓ Guide D'Installation

↓ Resources (zip)



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1888.936.7872 W www.fisherpaykel.com

Gas Rangetop, 36"

Series 9 | Professional
Stainless Steel | Natural gas



60 16

- Cook with the power and precision of a professional, with this large cooking space that includes six gas burners.
- Your burners can deliver anything from very high 23,500 BTU heat for seriously fast boiling, to the most gentle flame for simmering
 - Continuous surface grates designed for pots and pans to move safely across the cooktop
 - Designed to match Professional style appliances
 - Made from quality materials and real stainless steel

DIMENSIONS

28 1/2

Height	8 5/16"
Width	35 7/8"
Depth	28"

FEATURES & BENEFITS

- Cooktop power**
Sealed Dual Flow Burners™ deliver rangetop power up to 23,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.
- Precise control**
From the highest to the lowest temperatures you get total control with halo-illuminated rangetop dials. A precise full surface simmer is delivered across all burners.

- Cooking flexibility**
The continuous surface grates are designed for pots and pans to move safely across the rangetop. The deep-platform style grates provide full coverage so heat goes directly onto the pot, for a faster boil.

- <<Missing Feature Title>>**
These rangetops are easy to clean with sealed burners and a continuous, porcelain basepan.

- Information at a glance**
LED halo control dials provide information at a glance and assist in alerting you if any burners are accidentally left on.

- Design quality**
This rangetop is built to last with craftsmanship in every detail, featuring real stainless steel, cast-iron trivets, and titanium coated dials.

SPECIFICATIONS

Burner ratings	
Max burner power	23,500 BTU
Power back centre	18,500 BTU
Power back left	18,500 BTU
Power back right	18,500 BTU
Power front centre	18,500 BTU
Power front left	23,500 BTU
Power front right	23,500 BTU
Total Power	121,000 BTU

- Controls**
- Metal illuminated dials
 - Star K Certification
 - Titanium coated, illuminated

Gas requirements	
Fitting and pipe	½ NPT, min. 5/8" flex line
Supply Pressure (natural gas)	6" to 9" W.C

Performance	
Easy clean porcelain basepan	•
Sealed Dual Flow Burners™	6
Sealed cooking surface	•
Simmer on all burners	140°F

Power requirements	
Amperage	15A
Supply frequency	60Hz
Supply voltage	120V

Product dimensions

Depth	28 "
Height	8 ⁵ / ₁₆ "
Width	35 ⁷ / ₈ "

Recommended back guards and ventilation

Combustible situation	BGCV2-3036H
Non combustible situation	BGCV2-3036 / BGCV2-1236
Pro hood	HCB36-12 N / HCB36-6 N

Warranty

Parts and labour	2 Years
------------------	---------

SKU

82016

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

[↓](#) User Guide

[↓](#) Guide D'Utilisation

[↓](#) Service & Warranty Booklet

[↓](#) Installation Guide

[↓](#) Guide D'Installation



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com

Companion Trim Kit, 30"

Series 9 | Contemporary
Black




8 of 16

Blends our Companion Built-In Coffee Maker (EB24DSXB1) or Combination Steam Oven (OS24NDB1) into your cabinetry seamlessly.

2862

DIMENSIONS

Height 18 13/16"
Width 29 13/16"



SPECIFICATIONS

Product dimensions
Height 18 13/16"
Width 29 13/16"

SKU 81226

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions

Convection Speed Oven 24"

Series 9 | Minimal
Black



9 06 16


The perfect addition to the kitchen, this Convection Speed Oven provides a variety of fast cooking options including True Convection and Broil.

- 1.3 cu ft total capacity
- Intuitive display with nine oven functions
- Full width grill function
- Easy clean interior

DIMENSIONS

Height
Width
Depth

18 1/16 "
23 1/2 "
22 1/8 "



need, allowing you to easily program in your desired cooking mode and duration.

Beauty of choice

With the choice of a stylish stainless steel or elegant black trim, our Companion products help you achieve a coherent kitchen aesthetic that suits your design style.

Easy cleaning

This Convection Speed Oven has formed side racks and a stainless steel interior that are easy to clean.

Safe and sound

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories

- Baking pan
- Glass turntable
- Optional 30" trim kit
- Optional lower trim kit
- Turntable wire stand
- Wire shelf

Part 81939

Part 81662

Sized to suit

This compact 24" Convection Speed Oven can be placed almost anywhere. Companion products share the same dimensions and can be installed in multiple configurations to suit your kitchen design and preference.

Cooking flexibility

Choose from nine cooking modes including True Convection and Broil. With both microwave and convection oven technology in the same oven, you have more flexibility for your culinary creations.

Easy to use

The intuitive touch display shows you all the information you

282

FISHER & PAYKEL

Consumption	1.65kWh
Microwave energy	
Controls	
Audio feedback	•
Automatic cooking/minute	•
Celsius/Fahrenheit	•
Electronic capacitive touch	•
High resolution touch display	•
Interior light	•
Intuitive information display	•
Multi-language interface	•
Precise electronic temperature	•
Recipe and food based	•
Functions	
Broil	•
Convection Broil	•
Defrost by time	•
Defrost by weight	•
Microwave + broil	•
Microwave + ring	•
Microwave cooking	•
Number of functions	9
Ring + broil	•
True convection	•
Performance	
Broil power	1500W

Fan Element Power	1500W
Microwave power	900W
Microwave power levels	6
Power requirements	
Amperage	15A
Supply frequency	60Hz
Supply voltage	208V - 240V
Product dimensions	
Depth	22 1/8 "
Height	18 1/16 "
Width	23 1/2 "
Safety	
Control panel key lock	•
CoolTouch door	•
SKU	81926

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. A@ Fisher & Paykel Appliances Ltd 2019.

Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty Booklet



Installation Guide



A PEACE OF MIND SALE


24 Hours 7 Days a Week Customer Support

T 1300 650 590 W www.fisherpaykel.com

Integrated Double DishDrawer™ Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready




Doing the dishes got easier. Load one drawer while the other washes – with the top drawer fitting your large dinner plates easily.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	34 - 36 ³ / ₈ "
Width	23 ⁹ / ₁₆ "
Depth	22 ¹ / ₂ "



FEATURES & BENEFITS

Seamless integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as

kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True half load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories

Contemporary round handle kit	Part number 81674
Cutlery basket	2
Kickstrip	•

QUICK REFERENCE GUIDE > DD24DTI9 N

Date: 26.11.2019 > 2

Knife clip and multipurpose	•
Optional handle	513545 D3 front mount fitting
Optional stainless steel door kit	81261 Doors DD24DT
Capacity and loading	
Accommodates round plates	12.25" (top) - 11" (bottom)
Adjustable height, foldable	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14

Consumption	
Energy Star rating	•
Energy usage	263kWh/year

Controls	
Child lock	•
Electronic fault/Diagnostic	•
End of cycle beeps	•
Energy saving delay start	•
Energy saving delay start	•
Internal wash selector	•
Knock to pause	•
Rinse aid indicator light	•

Features	
Fan assisted drying	•
Flow through detergent	•
Quiet operation	•
SmartDrive™ technology	•

Performance	
Noise on gentle cycle top	44
Water usage	3.28 gal running both tubs
Power requirements	
Amperage	9.6A
Electric circuit	3
Rated current	15A
Supply frequency	60Hz
Supply voltage	120V

Product dimensions	
Depth	22 1/2"
Height	34 - 36 3/8"
Width	23 9/16"

Warranty	
Parts and labor	Limited 2 Year Parts & Labor


Wash programs	
Delicate	•
Eco	•
Extra Dry	•
Fast	•
Heavy	•
Medium	•
Number of wash programs	15
Quick	•
Rinse	•

Sanitise	•
Sanitize	•
Wash modifiers	3
Water connection	
Inlet water temperature	Max 140°F
Supplied hose to suit 3/8"	•
Water pressure	0.03 Mpa - 1 Mpa (4.3-145 psi)

SKU	81217
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. A© Fisher & Paykel Appliances Ltd 2019.

FISHER & PAYKEL



Warming Drawer, 30"

Series 9 | Minimal
Black



13 08 16

- Keep plates warm until ready to serve; rapid proof or slow cook to perfection. Pair with an oven for matching Minimal design.
- A companion product, designed to match with other Minimal style Fisher & Paykel products
 - Space to keep 16 standard-sized place settings evenly warm, with accessory rack for optimising space
 - Easy to clean smooth-glass base
 - Six versatile tailored programmes for warming, proofing, dehydrating and slow cooking

DIMENSIONS

Height	10 ¹¹ / ₁₆ "
Width	29 ¹⁵ / ₁₆ "
Depth	22 ⁵ / ₁₆ "

FEATURES & BENEFITS

Complementary design

Choose from six tailored functions including Rapid Proof, Dehydrate and Slow Cook.

Multi-function flexibility

Choose from six tailored functions including Rapid Proof, Dehydrate and Slow Cook.

Easy to clean

<>

Easy to use

Handle-free, push-to-open with capacitive touch controls, our Warming Drawer comes with an accessory rack for optimising space.

Precise control

With fast and even heating, our warming drawer is great for keeping food warm and low temperature cooking, as well as resting after a traditional roast in the oven and proofing dough.

Safe and sound

With Automatic switch-off and Delayed start functionality, our warming drawers help keep dishes warm until it is time to serve the main meal.

SPECIFICATIONS

Accessories

Wire shelf

1

Capacity	
Accessory rack maximum	42lb
Cappuccino cups	24
Espresso cups	54
Maximum allowable weight	55lb
Place settings	16
Usable depth	16
Usable height	9
Usable width	27

Cleaning

Easy clean smooth-glass base

Controls

- Audio feedback
- Automatic timers
30', 45', 1h, 2h, 4h, 6h
- Delayed start

Interior light

LED

Intuitive capacitive touch

On/Off indicator

Pre-set heating functions

Push-to-open drawer

Sabbath mode

Soft close drawer

Standby mode

Functions

- Cups
- Dehydrate

282

Number of functions	6
Plates	•
Rapid proof	•
Slow cook	•
Warm	•

Warranty

Parts and labour

2 years

SKU

82113

Performance

- Heated glass base and fan
- Low temperature cooking
- Temperature levels
- Temperature range

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Power requirements

Amperage	10A
Maximum power	810W
Power cord length	70
Power outlet	3-prong grounding-type
Supply frequency	60Hz
Supply voltage	110V

Product dimensions

Adjustable front door panel to	•
Depth	22 5/16"
Height	10 11/16"
Width	29 15/16"

Safety

- Automatic turn off after 12
- Full extension telescopic

Other product downloads available at fisherpaykel.com



User Guide



Guide D'Utilisation



Service & Warranty Booklet



Installation Guide



Guide D'Installation




A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com

Oven, 30", 17 Function, Self-cleaning

Series 9 | Minimal
Black




With elegant minimal styling, advanced cook functions and touchscreen, this large built-in oven is a highlight of our collection.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- 4.1 cu ft total capacity, with 17 oven functions including Aero™ Pastry and Roast, Air Fry and Dehydrate
- Non-tip, full extension sliding shelves for safe removal of hot dishes
- Accessories include food probe, smokeless grill tray, and more

[Handwritten signature]

DIMENSIONS

Height	27 1/16"
Width	29 29/32"
Depth	23 29/32"



Multi-function flexibility

The cooking functions have each been tailored, tested, tweaked and perfected to ensure that no matter what you're cooking, you've got the right heat to match. A food probe precisely monitors cooking in real time, giving you complete control.

Exceptional performance

AeroTech circulates heat evenly for a consistent temperature throughout the cavity, helping you ensure perfect results even when cooking on multiple shelves.

Self-cleaning

Our self-clean technology breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design freedom

Available in an elegant black or a stylish black with stainless steel, this oven is designed to fit seamlessly into your kitchen. Premium materials and detailing to support a cohesive, considered kitchen design.

SPECIFICATIONS

Accessories

Food probe	•
Full Extension Telescopic	3 sets
Full extension sliding shelves	3 sets
Grill rack	1
Roasting dish	1
Self cleaning side runners	1 set
Smokeless grill tray	1

Capacity

Shelf positions	8
-----------------	---

FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe.

Generous capacity

With its 4.1 cu ft total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

FISHER & PAYKEL

Total	4.1 cu ft	Bake	•	Width	29 29 / 32"
Usable capacity	3.6 cu ft	Broil	•		
Cleaning					
Acid resistant graphite enamel	•	Classic bake	•	Safety	
Removable oven door	•	Dehydrate	•	Advanced cooling system	•
Removable shelf runners	•	Maxi Broil	•	Balanced oven door	•
Self-clean	•	Number of functions	17	Catalytic venting system	•
Standard and light cycles					
Controls					
Adjustable audio and display	•	Pastry Bake	•	Control panel key lock	•
Automatic cooking/minute	•	Pizza bake	•	CoolTouch door	•
Automatic pre-set	•	Rapid proof	•	Full extension sliding shelves	•
Automatic rapid pre-heat	•	Roast	•	Non-tip shelves	•
Celsius/Fahrenheit	•	Self-clean function	•		
Connected Fisher and Paykel	•	Slow cook	•		
Dial with illuminated halo	•	Vent bake	•	SKU	81862
Electronic clock	•	Warm	•		
Electronic oven control	•				
Food probe	•				
Guided cooking by food type	•				
Interior light	•				
Intuitive touchscreen display	•				
Precise electronic temperature	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2019.

Performance					
AeroTech™ technology	•				
Automatic rapid pre-heat	•				
Broil power	•	4400W			
Broil width	•	20"			
CoolTouch door	•				
Number of passes on broil	•	10			
Power requirements					
Amperage		16.6 - 19.4A			
Supply voltage		208 - 240V			
Functions					
Aero Broil	•				
AeroTech™ technology	•				
Aero™ Bake	•				
Air fry	•				

Product dimensions		
Depth	23 29 / 32"	
Height	27 1 / 16"	

