CONSTRUCTION SUMMARY OF EXTRAS

Printed 2022-04-13 / 9:24 AM / Page 1 of 1

Site: CALEDON (B)

Model: Lot: GREYSTONE (30-03) ELEV C ATINDER PAL S KALER

166B

Purchaser:

Phone: Purchaser:

647.960.6970 ATINDERPALSINGH.K@GMAIL.COM


CALEDON ANCOR

APRROVAL	PURCHASER INITIALS	1 OF 2**	**PAGE	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
	R	166B	CALEDON	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
ATURES	SIGNA			***FOR TRADE USE***
STANDARD	- FAUCET(s)	Master Ensuite - FAUCET(s)	STANDARD	Master Ensuite - SINK(s)
	A	BIANCA CARRERRA		Master Ensuite - COUNTERTOP
		H-800-BC		Master Ensuite - CABINETS
		BIANCA CARRERRA		Master Ensuite - SHOWER JAMB
		2 X 2 WHITE		Master Ensuite - SHOWER FLOOR
CKED	ORIZONTAL STACKED	RACITE 12 X 24 INSTALL HORIZ	LOFT ANTHRACITE	Master Ensuite - SHOWER WALL
	TALL STACKED	LOFT ANTHRACITE 12 X 24 INSTALL	LOFI	Master Ensuite - FLOORING
		NA		Bedroom 5 - FLOORING
		NA		Bedroom 4 - FLOORING
	15	OPENING NIGHT T-15		Bedroom 3 - FLOORING
	15 5	OPENING NIGHT T-15		Master Bedroom - FLOORING Bedroom 2 - FLOORING
	1/2" X 3/4 UP # 1	ORFNING NIGHT	KENIWOOD	Upper Hall - FLOORING
			2ND FLOOR	一年 日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日
		STANDARD		Powder Room - FAUCET
		STANDARD		Powder Room - SINK
		PERLATO ROYALE		Powder Room - COUNTERTOP
		SHAKER V PVC TUXEDO		Powder Room - CABINETS
RICK	X 24 INSTALL BRICK	NEW BYZANTINE PENTELLIC GREY 12 X 24	NEW BYZA	Powder Room - FLOORING
			POWDER ROOM	James James James (II applicable)
		NA NA		Stair Stain - BASEMENT STAIRS (if applicable)
	OSE AS POSSIBLE	STAIN TO MATCH HARDWOOD AS CLOSE A	STAIN	Stair Stain - MAIN STAIRS
		2 1/2" OVAL OAK HANDRAIL		Railing Details - HANDRAIL
	STS	2 3/4" TURNED OAK POSTS		Railing Details - POSTS
	TH ALT PLAIN	BLACK METAL SINGLE COLLAR WITH AL	BLA	Railing Details - PICKETS
The state of the s			STAIRS	
		NA		Basement Rec Room - FLOORING
		NA		Library / Den - FLOORING
		KENTWOOD OAK STURGEON 3 1/2" X	KENTW	Dining / Living Room - FLOORING
	/2" X 3/4 UP # 1	KENTWOOD OAK STURGEON 3 1/2" X	KENTM	Main Hall - FLOORING
		GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT	DINING / LIVING / DE	
		STANDARD		Kitchen - FAUCET
		STANDARD		Kitchen - SINK
		DECLINED		Kitchen - BACKSPLASH
	TE	BIANCO SARDO GRANITE		Island - COUNTERTOP
	TE	BIANCO SARDO GRANITE		Kitchen - COUNTERTOP
		H-800-BC		Kitchen - HANDLES/KNOBS
		NA		Servery - CABINETS
	5	SHAKER V PVC THISEDO		kitchen - CABINETS & ALL UPPERS)
	24 INSTALL BRICK	NEW BYZANTINE PENTELLIC GREY 12 X 24 IN	NEW BYZ	Breakfast - FLOORING
	24 INSTALL BRICK	NEW BYZANTINE PENTELLIC GREY 12 X 24 IN	NEW BYZ	Kitchen - FLOORING
			KITCHEN	The state of the s
		NA		Basement Foyer - FLOORING
		NA		Side Hall - FLOORING
	24 INSTALL BRICK	NEW BYZANTINE PENTELLIC GREY 12 X 24 INSTALL BRICK	NEW BYZ	Mudroom - FLOORING
	24 INSTALL BRICK	NEW BYZANTINE PENTELLIC GREY 12 X 24 IN	NEW BYZ	Main Foyer - FLOORING
			ENTRANCES	


∆ P.P. 1 1 7077		Vendor APPROVAL	**PAGE 2 OF 2**
ATHERINE	КАТНЕ	DÉCOR CONSULTANT	HOMES
		PURCHASER SIGNATURE	installation.
	The Man	PURCHASER SIGNATURE	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on sketches PES and for colour charts PRIOR to
/ DATE	SIGNATURES /		***FOR TRADE USE***
LSINGH.K@GMAIL.COM	ATINDERPALSINGH	647.960.6970	
	A IINDER PALS KALEK	AIN	PURCHASER(S):
166B		CALEDON (B)	SITE / LOT:
平	ufacturing/manufacturers. Due to ted by the purchaser	dentical due to dye lot variances in man the Vendors's selection must be accept	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
予		ng.	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
8		e plus costs	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
INITIALS		IER	DISCLAIN
DECLINED	ELECTRICAL for Bar Fridge	6" STANDARD	HOOD FAN VENT SIZE 6"S"
DECLINED	ELECTRICAL for Cooktop		\L TO DRYER
DECLINED	ELECTRICAL for Built-in Micro	_	RICAL TO STOVE
DECLINED	FIFCTRICAL for Built-in Oven	APPLIANCE REQUIREMENTS STANDARD FI	GASTINE TO BRO ST.
UPGRADE	BATH ACCESSORIES		Mirrors
		ACCESSORIES	
	STANDARD ELECTRIC		Location / Insert / Mantle
	COOL WHITE	EIREDI ACE	PAINT - Throughout
	STANDARD		Interior Door Hardware
	STANDARD		Interior Doors
	STANDARD		Casing/Baseboards
SIANDARD	Laundry - FAUCEI		Laundry - BACKSPLASH
STANDARD	Laundry - SINK	15011K-52	
Н	Laundry - HANDLES/KNOBS	SHAKER V PVC TUXEDO	
	LOFT IVORY 12 X 24 INSTALL STACKED	LOFT IVORY 1:	Laundry - FLOORING
		LAUNDRY	
STANDARD	Ensuite Bath - FAUCET(s)	STANDARD	
	HU8UU-BC	DOTTER	Ensuite Bath -3 HANDLES/KNOBS
	SHAKER V PVC TUXEDO	SHAKE	Ensuite Bath -3 CABINETS
	NA		Ensuite Bath - SHOWER JAMB
	NA		Ensuite Bath -3 SHOWER FLOOR
CKED	LOFT IVORY 12 X 24 INSTALL HORIZONTAL STACKED	LOFT IVORY 12 X 24 II	Ensuite Bath 3- FLOORING Ensuite Bath 3- TUB / SHOWER WALL
	O V 24 INSTALL STACKED	LOCT WORK 1	Tarriès Detha FLOORING
	Shared Bath - FAUCET(s)		Shared Bath-SINK(s)
	NA NA		Shared Bath- COUNTERTOP
	NA NA		Shared Bath- CABINETS
	NA		Shared Bath- SHOWER JAMB
	NA		Shared Bath- SHOWER FLOOR
	NA		Shared Bath- TUB / SHOWER WALL
	NA		Shared Bath- FLOORING
STANDARD	Main Bath - FAUCET(s)	STANDARD	Ensuite #2Bath - SINK(s) STA
	POTTERS CLAY 5011K-52	РОПЕ	Ensuite # 2Bath - COUNTERTOP
	H-800-BC	SHANE	Ensuite #2 Bath - HANDLES/KNOBS
	NA NA	CLAVE	Bath - SHOWER JAMB
	NA NA		- SHOWER
CKED	LOFT IVORY 12 X 24 INSTALL HORIZONTAL STACKED	LOFT IVORY 12 X 24 II	Ensuite # 2 Bath - TUB / SHOWER WALL
	LOFT IVORY 12 X 24 INSTALL STACKED	LOFT IVORY 12	Ensuite # 2Bath - FLOORING
	and the state of t	2ND FLOOR CONTINUED	2ND FLO
		INIT'S COLOCI CII	

Caledon Club GREYSTONE 30-03






1/29 1/29




Caledon Club


2.08/166/3

GREYSTONE 30-03





Caledon Club GREYSTONE 30-03



1-19pal 4/22

PARTIAL GROUND FLOOR PLAN ELEV. 'B'


PARTIAL GROUND FLOOR PLAN ELEV, 'C'

R

81117°

Method™

Traditional | Transitional | Modern





FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):
Chrome (CH), LifeShine® Brushed Nickel (BN).



CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

P

PH: CELL:

DRAFTED BY: FERNANDA COMMENT


OB NUMBER
INSTALL DATE:


9 of 24

30-3-ELEV. A,B,C KITCHEN

A,B,C

APRICH/22 Lot 1663






SIEREA Puc White.

TUKODO

25 Jun 2021		new image kitchens inc.	
COMMENT	DRAFTED BY: FERNANDA	PH:	CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB
P/O#			
	8 of 24	INSTALL DATE:	OB NUMBER


KITCHEN 30-3-ELEV. A,B,C



(V)

COOK 40. CABÂUL WILL DOORS BOLOG

Q







APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller-Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. dard appliance openings approximate and the minimum required. Sizes may vary due to onsite condition and/or when

V V Fridge Opening 36" x 74"

 Ψ Hood Fan & Vent **Hood Fan Opening** Stove Opening 30" 30"

Dishwasher Opening

6" with Under Cabinet Hood

Openings **Initial Accepts Standard

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

W Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built. s/intormation sheets are required and it is the responsibility of the homeowner to provide this to Zancor

INITIAL

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company. ***Specs that require changes/modifications after this date will not be accepted***

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

FRIDGE UPGRADE	
	Built-in
	Paneled **Panel to match required
	Integrated / Flush Inset
	Waterline
RANGE UPGRADE	
*Larger hood fan CFM might be	36" **Hood fan opening must be the same size or larger (8" vent might be required)
vent	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)
	Gas Range **gas line and electrical required & sold separately
	Induction **electrical required & sold separately
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately
	Cooktop (Drop-in) **countertop Cut-out required & sold separately
HOOD FAN & VENT	8 Inch **Required for 600 CFM
מאַלה	10 lpch
	Chimney Hood Fan **Vent must be centred
	Insert / Liner
WALL OVEN/MICRO	Single Wall Oven **electrical required & sold separately
UPGRADE	Double Wall Oven **electrical required & sold separately $/ m \omega \cos \beta O$
**Electrical required	Steam Oven **electrical required & sold separately
	Warming Drawer **electrical required & sold separately
	Over Then Range Microwave (OTR)
	Built-In Microwave **Trim Kit required **electrical required & sold separately

** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

CALEDON

^{**}It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.







Stone Countertop Edge Profiles

Where applicable as per site specifications


STANDARD EDGE FOR KITCHEN & VANITIES



OPTION (1) EDGE FOR KITCHEN & VANITIES \$250



Homeowner(s) Initial







(Cable, CAT5/6, Telephone) HOME AUTOMATION

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

OPTION 1:

locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

Purchase Sale.

I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to select locations of the standard rough-ins review other optional products for purchase.

Artistic Smart Homes

Phone: (905) 850-9386

8601 Jane Street

Location:

Concord, Ont L4K 5N9

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

Homeowner(s) Initial

OPTION 2:

ins for Cable, CAT6, Telephone that are included in the Agreement of Purchase and Sale. company, I/we the Homeowner(s) have agreed to the Vendor locations for the standard rough I/we the Homeowner(s) acknowledge that if we do not contact the home automation

Homeowner(s) Initial

DATE 221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948 SITE CALEDON Ę





BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

FLOOR TILES *Brick installation is standard*

WALL TILES *Brick installation requires an additional charge and must be included on the extras if selected*

(Large tiles installation for floor and wall) – ¼ Brick

standard occurrence with all suppliers and manufacturers. Please be advised it has come to our attention, that due to production, many of the over-sized and odd shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a


joint pattern, that it be installed o='[n a % brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the % brick installation that has been recommended. It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-

LOCATIONS:	1	Weden, Bushast, Fope, Vouch mus from	hast, For	fer, Voc	- mu	bon
_						
19.5°						
Please understand, even in using this $\%$ brick installation, there may still be minimal lippage which cannot fully be eliminated.	n in using this ¼ b	rick installation, t	there may still be	minimal lippage	which cannot	
Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held	request for brick-	joint installation,	Zancor Homes a	nd their contract	or cannot be he	ple

(Small tile installation for walls) – ½ Brick

Homeowner(s) Initial

installed on a ½ brick pattern. Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be







221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its

7

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an contractual obligations under the Agreement of Purchase and Sale.

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT**

materials and shall not hold the Vendor liable for provision of same. immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and

approximately 5'x 8' applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the

STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product MAY be shade differences between the two products unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in The purchaser accepts that although the Vendor will do their best to match stain the

7

Builder liable for provision of same acknowledges that the Builder cannot guarantee building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This the cabinetry finish or provision of certain upgrades The purchaser shall not hold the

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

R

Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall Expansion, compression and cupping are characteristics of hardwood



HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). /We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled

sımılar degrees of water resistance flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the l/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

SITE

CALEDON

10

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948