## **CONSTRUCTION SUMMARY OF EXTRAS**

Printed 2022-02-01 / 10:44 AM / Page 1 of 1

Site: CALEDON

Lot: Model: Purchaser: **EARL NEDD** GRANDVIEW (38-04) C

34A

Purchaser:

Phone: Email:

RICARDO@VERSASECURITY.CA 416-666-6452



06-Jan-22	ELECTRICAL - ADD PLUG IN MASTER BEDROOM AS PER ARTISTIC HOMES	2
06-Jan-22	ELECTRICAL - ADD PLUG IN FAMILY ROOM ABOVE FIREPLACE AS PER ARTISTIC HOMES	1
	ADDITIONAL ELECTRICAL	
14-Sep-21	LAUNDRY UPPERS - SIERRA PVC WHITE	-
	ADDITIONAL	
23-Aug-21	CABINETS - ADD BANK OF DRAWERS BETWEEN SINKS IN MASTER ENSUITE AND SHARED	27
23-Aug-21	RAILINGS - UPGRADE POSTS & HANDRAIL	26
23-Aug-21	CABINETS - COMFORT HEIGHT IN POWDER, MASTER & ENSUITE 2	25
23-Aug-21	BASEMENT WINDOW - ENLARGE (1) AT REAR OF HOME	24
23-Aug-21	COUNTERTOP MASTER ENSUITE - UPGRADE 2	23
23-Aug-21	TILES - MASTER ENSUITE SHOWER FLOOR	22
23-Aug-21	SHOWER JAMB UPGRADE IN MASTER ENSUITE	21
23-Aug-21	TILES - MASTER ENSUITE - WALL - UPGRADE 4	20
23-Aug-21	TILES - MASTER ENSUITE - FLOOR - UPGRADE 6	19
23-Aug-21	CABINETS - ENSUITE 2 - UPGRADE 1	18
23-Aug-21	TILES - ADD TILES TO CEILINGS ENSUITE 2 & SHARED BATH	17
23-Aug-21	TILES - FLOOR & WALLS - ENSUITE 2 - UPGRADE 2	16
23-Aug-21	HARDWOOD - UPGRADE 3 IN STANDARD AREAS	15
23-Aug-21	KITCHEN - HANDLES H800G (GOLD)	14
23-Aug-21	KITCHEN COUNTERTOP - UPGRADE 3	13
23-Aug-21	TILES - UPGRADE 5: - FOYER	12
23-Aug-21	TILES - UPGRADE 6 - KITCHEN	11
23-Aug-21	KITCHEN - FRIDGE ENCLOSURE	10
23-Aug-21	KITCHEN COUNTERTOP - EXTEND THE DEPTH OF THE BREAKFAST BAR TO BE 42 INCHES DEEP	9
23-Aug-21	KITCHEN - BASE THICK GABLE ON EITHER END **42' DEEP**	∞
23-Aug-21	ELECTRICAL NOTE - SEE LOCATION OF STANDARD ELECTIC CAR ROUGHIN	7
23-Aug-21	BAESMENT WINDOWS - ADD 30 X 16 **SHIFT OVER STANDARD	6
23-Aug-21	ELECTRICAL - ADD CAPPED LIGHT IN MASTER ENSUITE ON SAME SWITCH AS STANDARD **IN LINE WITH THE MIDDLE OF THE TUB	U
23-Aug-21	ELECTRICAL - ADD CAPPED LIGHT CENTRED ABOVE ISLAND ON ITS OWN SWITCH ***THE KITCHEN AND BREAKFAT LIGHTS ARE TO BE ON THE SAME SWITCH	4
23-Aug-21	HOSE BIB - RELOCATE THE STANDARD HOSE BIB TO LOCTION AS PER SKETCH	ω
23-Aug-21	SMOOTH CEILINGS ON MAIN FLOOR	2
23-Aug-21	SIDE ENTRANCE FROM EXTRIOR TO STAIR LANDING, GRADE PERMITTING	1
INCLUDED IN APS	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	
INCLUDED IN APS	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE WASHER & DRYER	
0711 00000		

NOV-11/21location for standard electric Car rough in house being in Reverse

### ANCOR HOMES COLOUR CHAT


2** PURCHASER VENDOR APPROVAL	**PAGE 1 OF	sketches, PES and/or colour charts <u>PRIOR to installation.</u>
34A W	CALEDON	
SIGNATURES		***FOR TRADE USE***
Master Ensuite - FAUCET(s) STANDARD	STD OVAL UNDERMOUNT	Master Ensuite - SINK(s)
EMERSTONE PURE BLANCO (2)	EMERST	Master Ensuite - COUNTERTOP
H800BC		Master Ensuite - HANDLES/KNOBS
FURO OI MO CARISMA	FUR	Master Ensuite - SHOWER JAMB
SERIES - SNOW WHITE POLISHED HEX	ONTARIO SERIES	Master Ensuite - SHOWER FLOOR
	TIMELESS WHITE POLISHED 12 X 24 (4) **VE	Master Ensuite - SHOWER WALL
	TIMELESS W	Master Ensuite - FLOORING
N/A		Bedroom 5 - FLOORING
COLOUR T04 w/STNADARD UNDERPAD	CARPET - OPENING NIGHT COLOUR T04 w/STN	Bedroom 4 - FLOORING
	CARPET - OPENING NIGHT	Bedroom 3 - FLOORING
OPENING NIGHT COLOUR 104 W/STNADARD UNDERPAD	CARPET - OPENING NIGHT COLOUR TO4 W/STN	Master Bedroom - FLOORING  Bedroom 2 - FLOORING
WHITE OAK ATHENA UV (3) - 5 INCH		Upper Hall - FLOORING
	2ND FLOOR	
STANDARD		Powder Room - FAUCET
STANDARD OVAL UNDERMOUNT	STANDAR	Powder Room - SINK
BIANCO CARRARA / H800BC	BIANCO	Powder Room - COUNTERTOP
400 SERIES PVC - WHITE	400 S	Powder Room - CABINETS
GENESIS LIGHT GREY 12 X 24 *STACKED	GENESIS LIG	Powder Room - FLOORING
	POWDER ROOM	
N/A		Stair Stain - SERVICE STAIRS (if applicable)
N/A	SIAIN SIAINS TO MATE	Stair Stain - IVIAIN STAIRS
NATCH HARDWOOD AS CLOSE AS BOSSIBLE	STAIN STAIRS TO MATO	Railing Details - HANDRAIL
UPGRADE - SQUARE OAK POST WITH BEVEL CORNERS	UPGRADE - SQUARE	Railing Details - POSTS
_ T	STANDARD METAL	Railing Details - PICKETS
The second secon	STAIRS	
N/A		Basement Rec Room - FLOORING
WHITE OAK ATHENA UV (3) - 5 INCH	HARDWOOD - VINTAGE WHITE OAK ATHENA	LIVING ROOM - FLOORING
HARDWOOD - VINTAGE WHITE OAK ATHENA UV (3) - 5 INCH	HARDWOOD - VINTAGE	Dining / Living Room - FLOORING
OAK ATHENA UV (3)	HARDWOOD - VINTAGE	Main Hall - FLOORING
CE / BASEMENT  WHITE OAK ATHENA UV (3) - 5 INCH	GREAT ROOM / DINING / LIVING / DEN / OFFICE /	GREAT ROOM / Family / Great Room - FLOORING
		Kitchen - FAUCET
STANDARD		Kitchen - SINK
N/A		Kitchen - BACKSPLASH
EMERSTONE CALCATTA GOLD (3)	EMERSTO	Island - COUNTERTOP
EMERSTONE CALCATTA GOLD (3)	EMERSTO	Kitchen - HANDLES/KNOBS
N/A		Servery - CABINETS
EURO LARICE BIANCO	EUR	Island - CABINETS
EURO LARICE BIANCO	EUR	Kitchen - CABINETS
ALABASTRO BIANCO 24 X 24 (6)	ALABAST	Breakfast - FLOORING
ALABASTRO BIANCO 24 X 24 (6)		Kitchen - FLOORING
	KITCHEN	
N/A		Basement Foyer - FLOORING
N/A		Side Hall - FLOORING
<b>ス</b> し (	GENESIS LIGH	Mildroom - FLOORING
ALABASTRO RIANCO 12 X 2A (5) *STACKED	EN RAINCES	Valia Facca El CODINO
	ENTRANCES	


### ANCOR HOMES COLOUR CHAT

Ε Λ	SIMONE	DÉCOR CONSULTANT	HOMES	
		PURCHASER SIGNATURE	discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>	discrepancies on sketche
	LANGE MODEL	PURCHASER SIGNATURE	Any upgrades in the colour chart must be accompanied with a PES.  It is the responsibility of all Trades to inform the builder of any	Any upgrades in the colour of a
DATE	SIGNATURES / I		DE USE***	***FOR TRADE USE***
VERSASECURITY.CA	RIÇARDO@VERSAS	416-666-6452		CONTACT:
	0	ŗ		PURCHASER(S):
34A	FARI NEDD	CALEDON		SITE / LOT:
3	ufacturing/manufacturers. Due to ed by the purchaser	lentical due to dye lot variances in manu the Vendors's selection must be accept	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. D construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser	Colours of all materials are as close a construction progress some items man
_ &		<u>6</u> ξ	Purchaser has checked and acknowledged accuracy of colour and selections before signing.	Purchaser has checked and acknowle
	>	plus costs	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs	Any changes to the colour chart after
INITIALS		DECLINE	DISCLAIME	WATERLINE to Fridge
N/A	ELECTRICAL for Bar Fridge	DECLINE	D	HOOD FAN VENT SIZE
N/A	ELECTRICAL for Cooktop			GAS LINE & ELECTRICAL TO DRYER
N/A	ELECTRICAL for Built-in Oven	DECLINE FIE		GAS LINE TO BBQ
		QUIREMENTS	APPLIAI	
DELETE	BATH ACCESSORIES			Mirrors
		ACCESSORIES		
	STANDARD	FINEFERCE		location / Insert / Mantle
	COOL WHITE			PAINT - Throughout
	STANDARD	S		Interior Door Hardware
	STANDARD	S		Interior Doors
	STANDARD			Casing/Baseboards
A second section of the second		TRIM / PAINT		בממוומו y - טאכאטר באטו
O AND AND	Launary - raocei	4945-36 L		Laundry - COUNTERTOR
STANDARD	Laundry - SINK	HITE	SIE	Laundry - CABINETS
H800BC	Laundry - HANDLES/KNOBS	STACKED	NEW BYZANT	Laundry - FLOORING
		LAUNDRY		
STANDARD	Ensuite Bath - FAUCET(s)	STANDARD	STA	Ensuite Bath - SINK(s)
	LAMINATE - 5001K-07	LAMIN		Ensuite Bath - COUNTERTOP
	H800B (BLACK)	Н8(	BS	Ensuite Bath - HANDLES/KNOBS
	EURO HIGH GLOSS LIGHT GREY (1)	EURO HIGH (		Ensuite Bath - SHOWER JAIVIB
	N/A			Ensuite Bath - SHOWER FLOOR
CEILING	FLOW LIGHT GREY POLISHED (2) *STACKED ***INCLUDES	LOW LIGHT GREY POLISHED		Ensuite Bath - TUB / SHOWER WALL
	FLOW LIGHT GREY POLISHED (2) *STACKED	FLOW LIGHT GRE		Ensuite Bath - FLOORING
STANDARD	Shared Bath - FAUCET(s)	STANDARD	STA	Shared Bath- SINK(s)
				Shared Bath- COUNTERTOP
	H800BC		S	Shared Bath- HANDLES/KNOBS
	EURO HIGH GLOSS WHITE	EURO HI		Shared Bath- CABINETS
	N/A			Shared Bath- SHOWER JAMB
	N/A	LAN DIZMININE WOOD TE	WALE	Shared Bath- SHOWER FLOOR
CFILING	NEW BYZAN TINE ASSURO 12 X 24 "STACKED ** INCI LIDES	NEW BYZANTINE AS		Shared Bath- FLOORING
	ASSIIBO 12 V 24 *STACKED	NEW BYZANTINE		Charal Bath FLOODING
	Main Bath - FAUCET(s)			Main Bath - SINK(s)
	N/A			Main Bath - COUNTERTOP
	N/A			Main Bath - HANDLES/KNOBS
	N/A			Main Bath - SHOWER JAMB
	N/A			Main Bath - SHOWER FLOOR
	N/A		ALL	Main Bath - TUB / SHOWER WALL
	N/A			Main Bath - FLOORING
		2ND FLOOR CONTINUED	2ND FLO	

\*\*PAGE 2 OF 2\*\*

Vendor APPROVAL







BASEMENT FLOOR PLAN ELEV. 'A', 'B' & 'C' / LOW / HEADROOM UNEXCAVATED LOCATION OF FURNACE AND HOT WATER HEATER MAY VARY OPT. REC. ROOM 28'10" (16'4") X 18'9" (14'5") UNFINISHED BASEMENT I OUTLINE OF FOUNDATION
WALL FOR ELEV. 'B' & 'C'
OUTLINE OF FOUNDATION —
WALL FOR ELEV. 'B' UNFINISHED BASEMENT LOW HEADROOM CELLAR 20x18 MINDOM ( 304 16 91×06

3012

34A 34A







17 / T



38-4-ELEV A,B,C KITCHEN -TS0Z ≅ BP-PANEL FLOOR and Drawers -Soft Close Doors Cutlery Divide DRAFTED BY: COMMENT **7011M × 882H** CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB 13" beepto 4211 Deep 2 Garbage Bin FERNANDA DWG B450BN DW615  $\otimes$ mo LEFT 885H x 600D PH: BD550 B770 BRP800 500-1000L 800-1000 770-600 800-1000  $\otimes$ 800-1000 INSTALL DATE: 10 of 22 0/7 1620 7170 -0957

nage Enclosure Extended thick gable

930-550

 $\otimes$ 

750-1000

350-1000

 $\otimes$ 

800-1000CR

BC1500R



CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB


PH: CELL:


DRAFTED BY: FERNANDA COMMENT


INSTALL DATE:

12 of 22

### STD. VANITIES 38-4-ELEV A,B,C







**LAUNDRY ROOM** 



VS850





### APPLIANCE ACKNOWLEDGEMENT

### CONTACT: Steve Miller -Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

W It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

## STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry \*Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

AA Fridge Opening 36" x 74"

**Hood Fan Opening** Stove Opening Hood Fan & Vent 30" 30"

Dishwasher Opening

6" with Under Cabinet Hood 24"

Openings \*\*Initial Accepts Standard



# OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built. pecs/information sneets are required and the responsibility of the homeowner to provide this to Zancor

INITIAL

\*\*\*Specs that require changes/modifications after this date will not be accepted\*\*\*

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Paneled **Panel to match required	Built-in	RIDGE UPGRADE

Integrated / Flush Inset

RANGE UPGRADE *Larger hood fan CFM might be required, which need a larger vent	36" **Hood fan opening must be the same size or larger (8" vent might be required) 48" **Hood Fan opening must be the same size or larger (8" or 10" vent required) Gas Range **gas line and electrical required & sold separately Induction **electrical required & sold separately
required, which heed a larger vent	48" **Hood Fan opening must be the same size or larger (8" or Gas Range **gas line and electrical required & sold separately
	Induction ** electrical required & sold separately
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately
	Cooktop (Drop-in) **countertop Cut-out required & sold separately
HOOD FAN & VENT	8 Inch **Required for 600 CFM
	10 Inch

### CI

$\ $		
\	Chimney Hood Fan **Vent must be centred	
	ŏ	

WALL OVEN/MICRO Insert / Liner

**UPGRADE** 

\*\*Electrical required

	Single	
	ngle Wall O	
1	Oven	
	**electric	1
	electrical required & solu	
	& sold	
	d separately	

Steam Oven \*\*electrical required & sold separately

Double Wall Oven \*\*electrical required & sold separately

Warming Drawer \*\*electrical required & sold separately

Over Then Range Microwave (OTR)

Built-In Microwave \*\*Trim Kit required \*\*electrical required & sold separately

CALEDON

\*\* Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

\*\*It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 \* T: (905) 738.7010 F: (905) 738.5948





221 North Rivermede Road, Concord, Ontario L4K 3N7 \* T: (905) 738.7010 F: (905) 738.5948

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its contractual obligations under the Agreement of Purchase and Sale.

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and **PORCELAIN & NATURAL STONES**: Due to the properties of natural stones including but not limited to **marble, granite**, Stones are porous materials, therefore any spilled substance require

applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if materials and shall not hold the Vendor liable for provision of same.

never be cleaned with lemon oil or vinegar.

materials installed in the home. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

MAY be shade differences between the two products substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product. unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there

Builder liable for provision of same. building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The **CABINETRY:** Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades The purchaser shall not hold the

چ

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** 

flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring responsible nor held liable for minor variances of fluctuation in hardwood flooring materials is a pre-finished product in a controlled environment. look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be Expansion, compression and cupping are characteristics of hardwood

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled

sımılar degrees of water resistance flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing 'Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

Builder in relation to the matter. \*\*SEE COLOUR CHART FOR LOCATIONS\*\*

CALEDON

5

221 North Rivermede Road, Concord, Ontario L4K 3N7 \* T: (905) 738.7010 F: (905) 738.5948

SITE





### (Cable, CAT5/6, Telephone) HOME AUTOMATION

**INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:** 

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

### **OPTION 1:**

locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of l/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

Purchase Sale.

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

**Artistic Smart Homes** 

Phone: (905) 850-9386

Location:

8601 Jane Street Concord, Ont L4K 5N9

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

Homeowner(s) Initial

### **OPTION 2:**

ins for Cable, CAT6, Telephone that are included in the Agreement of Purchase and Sale. company, I/we the Homeowner(s) have agreed to the Vendor locations for the standard rough I/we the Homeowner(s) acknowledge that if we do not contact the home automation

Homeowner(s) Initial

CALEDON

Б

221 North Rivermede Road, Concord, Ontario L4K 3N7 \* T: (905) 738.7010 F: (905) 738.5948

SITE






### Stone Countertop Edge Profiles


\*\*Where applicable as per site specifications\*\*

## STANDARD EDGE FOR KITCHEN & VANITIES




Homeowner(s) Initial


## **OPTION (1) EDGE FOR KITCHEN & VANITIES \$250**




Homeowner(s) Initial

# OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING





OCX. 4/2,



Cx 40